This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

1837
ARTES
SCIENTIA
VERITAS
LIBRARY OF THE
UNIVERSITY OF MICHIGAN
E PLURIBUS UNUM
TUEBOR
SI QUAERIS PENINSULAM AMOENAM
CIRCUMSPICE

SF
52
.B2


1837
ARTES
SCIENTIA
VERITAS
LIBRARY OF THE
UNIVERSITY OF MICHIGAN
E PLURIBUS UNUM
SI QUAERIS PENINSULAM AMOENAM
CIRCUMSPICE

SF
525
.B29



FIG. 1.—'THE RENFREWSHIRE BEE-KEEPER'S' STEWARTON IN FULL WORK.

THE STEWARTON:

THE HIVE

OF

THE BUSY MAN.

BY THE

REV. E. dward BARTRUM, M.A.,

HEAD-MASTER KING EDWARD VI.'S SCHOOL, BERKHAMSTED, HERTS;
MEMBER OF THE COMMITTEE OF
THE BRITISH BEE-KEEPERS' ASSOCIATION.

'The maximum of honey, with the minimum of trouble.'
Renfrewshire Bee-keeper.

LONDON: LONGMAN, GREEN, AND CO.,
PATERNOSTER ROW.
1881.

LONDON:
PRINTED BY STRANGEWAYS AND SONS,
Tower Street, Upper St. Martin's Lane.

INTRODUCTION.

THE increasing demand for information respecting Bees and Bee-keeping has induced me to put the following lecture on the 'Stewarton Hive' (delivered at the Conversazione of the British Bee-keepers' Association in October last), into the form of a book, which I trust may prove of some service to those interested in apiculture. While the discussion which followed, together with the appendices, will serve to elucidate some points not embraced within the limits of the lecture, and can hardly fail to be of value to those using frame-hives of any kind. I desire to express my special obligations to that eminent apiarian, 'The Renfrewshire Bee-keeper,' and also to Mr. Frank Cheshire, one of my colleagues on the Committee of the British Bee-keepers' Association, for his valuable assistance in introducing several excellent illustrations.

E. BARTRUM.

King Edward VI.'s School,
Berkhamsted, Herts,
March, 1881.



THE STEWARTON HIVE.

I HOPE I shall not be considered presumptuous in bringing the Stewarton Hive before the notice of the British Bee-keepers' Association. When I first determined to become a bee-keeper, and consequently was compelled to select some form of hive, I found that those who had used the Stewarton claimed to have obtained results which certainly were not surpassed, even if equalled, by others who had confined themselves to the straw skep or the ordinary bar-frame. Three years' trial of this hive, in conjunction with other kinds, has convinced me that its merits are very great, and that it only requires to be better known to be more highly appreciated. Notwithstanding the able advocacy of 'The Renfrewshire Bee-keeper,' the hive which he has made almost his own, or, at all events, has vastly improved, is seldom seen across the Border; and even persons in England who have adopted it are not all of them aware how best to manage it. I trust, therefore, that I may be able to contribute something towards the advancement of bee-keeping by dwelling in detail upon the Stewarton Hive.

The subject of my paper derives its name from the town of Stewarton or Stuart-town, in the north of Ayrshire, on the borders of Renfrewshire. It is said to have been invented about the year 1819, by a cabinet-maker named Robert Kerr, of that place, a man as

remarkable for his skill in bee-keeping, as in the secrets of his particular trade. 'Bee Robin' was the nick-



Fig. 2.—Gedde s Boxes.

name given by his neighbours to Robert Kerr, and we can well imagine that his skill as a workman assisted him in no slight degree in improving the

form of the wooden boxes in which he kept his bees. The octagonal form of the Stewarton hive was without a doubt known before Kerr's time. 'The Renfrewshire Bee-keeper' informs me that its invention is generally ascribed to the Rev. William Mewe, minister of Eastlington in Gloucestershire, about the year 1652. In April, 1675, John Gedde obtained a patent from Charles II. for his octagon boxes (see fig. 2). They appear, however, to have been used in Scotland with good success before that date. These octagons consisted simply of a series of boxes of uniform depth, with a 5-inch square central hole in each top. Robert Kerr seems to have introduced the moveable slides of wood working in grooves in 1½ inch bars on the top of what are called the body boxes. Of late years various changes have been introduced by 'The Renfrewshire Bee-keeper,' so that the hive, as sent out by the makers at Stewarton, is as follows:—



Fig. 3.—Stewarton Hive, 3 body-boxes and 1 super.*

There are one, two, or three breeding or body boxes

* The doors of the upper body-box and the super are partially drawn to show windows. The eight slides of the super are all shewn partially drawn, as is also the door-shutter of the upper body-box.

(see fig. 3), octagonal in form, about 14 inches wide inside, 7 or 9 inches deep, and having eight bars, the six in the centre one inch and an eighth broad, and the two outside ones where the honey is stored 1½. Between these run the Stewarton slides just referred to, and of which the form now used is given in section in the illustration,



Fig. 4.—Section of Stewarton bar and slide, full size; *f*, end view of strip of wax-foundation to secure straight combs.

fig. 4. The bars are secured by ⅛-inch brass screws, and are supposed to be removeable at pleasure, though sometimes they require a sharper wrench than seems desirable. The screws, however, need not always be fastened; and, like screws of another kind, their absence is often better than their presence. Frames are added to the four centre-bars so that combs may be interchanged just as in ordinary bar-frames. The sides of the boxes are dovetailed, and if the boxes themselves are accurately constructed, as I have always found to be the case, they fit exactly one upon the other. There is a window with a moveable shutter on the back and front of each box (see fig. 3), wooden buttons on each to keep the boxes together, handles for lifting, and also hooks or screws for lashing the boxes; but these I have never found occasion to use, the buttons answering every necessary purpose. In each box is an entrance 3⅛ inches wide, and half an inch deep, with a sliding piece of

wood for closing or contracting it. Experience has proved that three* entrances are none too many if the hive is prosperous and the weather warm; but in cold weather one will be found sufficient.

In addition to the breeding or body boxes, supers or honey-boxes are also required. These correspond in width with the other boxes, but they are 4 inches only in depth,† and are each furnished with seven bars (see fig. 3), 1⅛ inches broad, whereas the central bars of the body boxes are one inch and an eighth only, as we find them in fig. 4. The shallowness of the supers, the thickness of the combs, and the additional depth of the cells, all tend to deter the queen from converting these supers into breeding-boxes. The number of honey-boxes required for each Stewarton-set is somewhat uncertain;‡ my Stewartons this season have been made up of three body and four honey-boxes or supers, but probably the best Stewarton super exhibited last year was obtained, I believe, from a single body-box. Very much, of course, depends on the season and neighbourhood; but I may say that I do not at all despair of filling six, eight, or even ten honey-boxes placed on the top of one Stewarton hive whenever we have a favourable season.

Besides all these boxes, the wood of which is only five-eighths of an inch thick, an outer covering of some kind or other seems to me to be absolutely necessary, and

* The three entrances are made, if so ordered, on the three front sides of the lowest box, but Stewartons are usually sent out with one entrance only.

† Honey-boxes, 3 or 3½ in. only in depth, and capable of holding about 15 lbs. of honey, are preferred by many to the 4 in. boxes.

‡ Two body-boxes are usually sufficient.

the cost of the hive is thereby increased. This covering, like the hive itself, must be capable of expansion or contraction. Mine (see fig. 5) consists of two or more cases, each about 19 inches square, 11 inches deep, with



Fig. 5.—Outer cases, as used at Berkhamsted.

a rim 2 inches wide fastened round the bottom, so that it fits on to another case. A moveable top will also be required, and one of the cases must have a wide opening at the bottom for the admission of the bees. In this case the rim must not be added on the side where the opening is made, so that the case may fit the floor-board.

The floor-board should be also 19 inches square, with a projection in front slightly sloping outwards that the water may run off. Two cross pieces of wood should be nailed at the bottom of the floor-board to keep it from warping, and protect it from the damp. 'The Renfrewshire Bee-keeper' recommends 'an outer octagon case, with a nicely-bevelled roof and an ornamental vase on the top;' but the moveable cases of square form, fitting into each other are very convenient, as you can easily remove them if you wish to inspect the boxes. My bees, moreover, were hanging by thousands near the end of June at night-time, when the weather was very warm, between the inner octagons and the outer case, although the three body-boxes and the four supers were full, and in this way the outside covering forms an important protection against that bane of a bee-keeper's life—I mean the tendency of the bees to swarm. These cases can also be used to protect ordinary bar-frame hives constructed with a single wall, and if, as I have found necessary, three tiers of sectional supers are on at one time, a second case can be added above the first with a moveable roof to crown the whole.*

Having now our breeding and honey boxes, and also our outer cases, we may proceed to fill our hives with bees, and see how this complex system works. In a famous passage quoted from the *B. B. J.*, vol. i. page 14, in Mr. Hunter's book, 'The Renfrewshire Bee-keeper' has described the general method of manipulating the Stewarton hive. His system of combining swarms deserves close attention on the part of those beginning

* For cheaper substitute see page 38.

bee-keeping.* I do not, however, propose to repeat what he has written, but will give you the history of my latest Octagon.

At the end of June last year (1879), I placed a swarm in a body-box on a platform about nine inches from the ground, in the hope that I might be able to add a second swarm within a few days, as recommended by the writer to whom I have referred. The weather, however, was so unpropitious, that no swarm came, and moreover I was compelled to feed the bees. This was done by cutting one of the central slides, and drawing one of the pieces out some little distance. Above the hole I placed a feeder, made by Messrs. Green & Sons, of Rainham, Kent, recommended to my notice by Mr. Cheshire, whose recommendation I can thoroughly endorse. Over this box, when winter approached, I placed a square case, adding dry fern between the hive and the case, covering the top also with fern. Thus the bees were kept both warm and dry. For months they were left almost unnoticed, until the fine weather on March 1st enabled me to examine them, when I found that they still had food in abundance, and were evidently thriving. Soon a second box, with combs already constructed, was placed below the first, the slides from the top of the second box were all withdrawn, so that the bees could readily enter their new apartments, and slow feeding was commenced.

Ere long the population increased so rapidly that I placed a honey-box fitted with guide-comb on the top, and drawing the two outer slides on either side of the

* See Appendix I., 'Method of Uniting Swarms.'

upper body-box, invited the workers to deposit their precious stores. 'A great point,' writes 'The Renfrewshire Bee-keeper' to me, 'in the successful management of Stewartons is to super in advance of the wants of the bees.' The openings on the outer side of the box, occasioned by the withdrawal of the slides, were stopped by the wooden pegs made for the purpose. If the outer slides only are drawn,* the queen will not, as a rule, enter the honey box; nor have I found any occasion for queen or drone excluders, as in the ordinary bar-frame. 'The Renfrewshire Bee-keeper' asserts that he never found eggs laid in a honey-box, so effectual is this simple plan of drawing the slides only where the honey is stored.

This honey-box was fastened to the body-box by the wooden buttons mentioned before, and thick paper was also gummed or pasted over the part where the boxes met, so that air was excluded, and the heat of the hive increased. The super was carefully covered with flannel and old carpet, so as still more to raise the temperature, and induce comb-building. The bees at once occupied the super, and no great interval elapsed before white comb began to approach the windows. It soon became evident that more room was wanted; a third body-box, with the frames filled with foundation-comb, was added below, and all the slides between the body-boxes withdrawn; then three more honey-boxes were added above, and three entrances,† one in each box, allowed to the bees.

* One, or at most two, only of the outer slides should be withdrawn.

† Some think that the three entrances, if three are required, should all be in the lowest body-box.

Thus my seven-inch box had grown to a height of more than three feet; at the end of June it was full from top to bottom, though we had had very little honey from the apple-blossom; large clusters of bees, moreover, were hanging between the outer cases and the inner octagons whenever the nights were very warm, and I entertained a sanguine hope that I should obtain an enormous harvest from a single hive. But the incessant rains of July and the loss of the lime harvest occasioned by unending wet weather, prevented the fulfilment of these anticipations. Nevertheless, I was rewarded with 70 lbs. of super honey in addition to the contents of one of the breeding boxes. I may add that my other Stewarton, treated in a similar manner, gave me a very similar result. Some of the boxes from these two hives were shown at South Kensington, St. Albans, and Boston, and won four prizes. In 1878, the first year I tried this special hive, I showed a honey-box on two occasions, and won two prizes.

This brings me to another feature of our subject, I mean the extraordinary harvests which the friends of the Stewarton assert it has secured. 'The Renfrewshire Bee-keeper' tells us that in the year 1868 he had ten octagon supers from one hive, and obtained 164 lbs. of super honey in addition to 30 lbs. in the body-boxes. Mr. Briscoe, of Albrighton, Wolverhampton, has put the fact on record, that in 1876 he had obtained 144 lbs. of the purest super honey from seven octagon boxes by August 6th, and that after the supers were removed, the three body-boxes weighed over 70 lbs. A second set of

boxes, filled with an artificial swarm, yielded 75 lbs. of equally pure virgin honey-comb.

The eminent Scotch bee-master, to whom I have so often referred, obtained nine octagon supers in that year from one hive, and eight from another. In 1878, a very poor honey year, he obtained over 80 lbs. of super honey; and a Scotch parish clergyman, we are informed, from eight octagon colonies secured 445 lbs. of the purest comb, entirely free from pollen, brood, or the slightest impurity. One colony contributed 92½, the next best 88 lbs.

Mr. Briscoe, in the March number of the *British Bee Journal*, 1878, has given an interesting account of his Stewartons for several years in succession, in which he also tells us that in his own case a good harvest from the Stewarton is the rule rather than the exception. And some of you may remember that last year a distinguished member of our committee was able to show a beautiful Stewarton box, one of the very few good exhibits of 1879, which he obtained during a short spell of fine weather, while the lime-trees were in blossom.*

A hive, then, that has secured such remarkable results, must have features connected with it of unusual merit, and on these I shall now venture for a while to dwell.

1. First and foremost comes the remarkable power possessed by this hive of expansion and contraction, and consequently the ready prevention of swarming if the bee-keeper does not wish his bees to swarm. The prize octagon of last year to which I have alluded was obtained

* Other illustrations of the success of the Stewarton might be given.

from a single body-box; yet sometimes as many as ten supers, each 4 inches deep, three body-boxes each 7 inches deep, and an eke below of 2 inches, are employed, though not necessarily all at one time, as the lower supers when completed may be removed and empty boxes substituted on the top. The first super, or, at all events, some super almost, if not quite, completed, should remain until the end of the honey-harvest, as the queen, should she pay a visit to this portion of her domain, will return, finding every cell filled with honey, and no opening therefore left for her energies. The outer case protects the hive itself from the sun, and this fact again lessens the chances of swarming. By altering slightly the position of the moveable top, a current of air will in the hottest weather be created, and the three entrances will still further tend to cool the hive. Those who have tried the Stewarton assert that the bees very rarely swarm if room above and below is given in due time, whereas in the ordinary bar-frame the tendency to swarm is often irresistible in spite of every effort that can be employed.

2. Secondly, this hive is essentially the hive of the busy man, as satisfactory results can be secured without the expenditure of the time and trouble required by the ordinary bar-frame.

From one of my bar-frames this year I obtained more than 70 lbs. of super honey; but the trouble it demanded was at times excessive. Every section required some guide comb; to cut out and fix this comb in seventy sections must cost well-nigh seventy times seven minutes. When the sections were on they evidently were in want

of something to bind them together and exclude the air, so that at each junction we pasted or gummed some paper. The time this cost would not be difficult to calculate. The numbers soon increased so rapidly that, in spite of three tiers of sections, swarming seemed imminent. All the supers were therefore taken off, and the hive examined. What infuriates the bees more than the removal of their honey? The task of cutting out queen-cells under such circumstances demands time as well as courage, and so I found. No cell was discovered inside the hive, but on examining the sections we came upon unpleasant traces of the queen, as well as a queen-cell. Thus the sections each required inspection, until at last I exclaimed, in spite of a splendid harvest, 'Le jeu ne vaut pas la chandelle.'

A very busy man must, in my opinion, avoid the ordinary bar-frame, whereas he may succeed with the Stewarton.

3. Thirdly, the Stewarton winters well if only ordinary and proper care be taken. The thinness of the crown-board, a quarter of an inch only, is advantageous in summer, as it allows the heat of the hive to enter the honey-box, and in winter permits the moisture to evaporate. Hitherto I have not withdrawn the slides in winter, but henceforth I shall follow with one or more of my octagons the advice of the Renfrewshire Bee Master, draw the slides entirely out, and over the top of the hive fasten some Indian matting, securing it with tacks to keep it straight. Under this matting I shall put some flour-cake,* above and around dry fern or chaff,

* A recipe for flour-cake is given in Appendix, No. II.

protected from the wet by the outer case, so that the bees within will be warm and dry, and probably breed through some portion of the winter. It has been said that the octagon shape is superior to the oblong for wintering, that in the ordinary bar-frame some of the frames at either end should be removed to prevent mouldiness, whereas nothing of the kind is required in the Stewarton; that the octagon shape gets rid of the awkward corners; that the small size of the Stewarton box enables a higher temperature to be maintained with less difficulty than in most of the ordinary bar-frames; and that the massive honey-comb at either end of the breeding-box tends to keep out the cold. In a very able and interesting article entitled 'The Philosophy of Hive Shape,' which appears in the *British Bee Journal* of September, 1874, Mr. Cheshire has assailed the first assertion, and I am not prepared to controvert his views. But I am expressing not only my own, but also the opinion of others better fitted to form an accurate judgment, when I say that the bees will pass the winter well in a Stewarton Hive properly managed.

Now let me put the other side of the question. Objection is made to the slides, which are often difficult to move or remove. Again I venture to quote Mr. Cheshire, who has suggested that a little tallow added at intervals will make them run more smoothly; a small screw-driver at one end, and a pair of pincers at the other, will always solve the difficulty. A heated iron applied to the slides is also said to be sufficient to loosen them.

Another and a formidable objection is that the large supers are sometimes unsaleable. If even every bee-

keeper desired to obtain honey for the purpose of selling it, the objection would have weight, but some of us do not. It happens in many cases that articles in universal demand are at times unsaleable, because the right means have not been employed, or sufficient trouble taken. If proper jars be used, if the agents and experts of this Association exert themselves for the members, as I trust they do, and will, I cannot but think that honey of the purest quality will find a ready sale. 'The Renfrewshire Bee-keeper' tells me that he has been accustomed to receive 1*s.* 6*d.* per lb. for his honey, and that in 1878 he obtained 16*l.* for surplus supers.

Another objection brought against the Stewarton is its costliness. No doubt a set of octagons, with the floor-board and outer cases, costs more than a simple bar-frame, but for my own part, I have not yet come upon a cheap bar-framed hive that has produced great results.

Body-boxes can be obtained from Stewarton at 5*s.* 3*d.* each, or 15*s.* for three, honey-boxes for 2*s.* 6*d.* each, a floor-board for 1*s.* 6*d.** Thus 1*l.* 5*s.* will provide three body and four honey-boxes, an amount of accommodation sufficient for almost any stock.

If you are also to have an effectual outer covering, you will require two cases at least of the size I have named, as well as a moveable roof. My carpenter's† charge for two outer cases with the roof, each with three coats of paint, is 13*s.* The total cost of the hive and cases will thus amount to almost 2*l.*, as carriage

* These prices have been obtained from Mr. J. Allan, Stewarton, N.B.

† Mr. J. Matthews, Castle Street, Berkhamsted.

from Scotland must be included; but this sum comprehends almost if not everything that can be desired.

For purposes of manipulation, of interchange of frames, for use of the extractor, for the production of marketable sections, it must, I think, be admitted that the ordinary bar-frame has the decided advantage. Any one who wishes to become an advanced and skilled bee-keeper will never be without bar-frame hives, provided only he has the time to spare as well as the patience.

In conclusion, I may say that few things are more pleasing to me as a bee-keeper than to watch a prosperous Stewarton on a fine summer's day. The roar of the myriads of bees rushing to and fro resounds far and wide; the air is filled with their merry music, and as they disappear in the distance, the mind travels with them, and wonders what fields they will traverse, what flowers they will visit before they return. Life to them seems full of joy; they are seeking the sweetest of all created things, they wander only in pleasant paths, and in doing good to themselves diffuse fertility and new forms of life everywhere around them. As the day declines, they return to their home, teaching us day by day the lesson that so few of us are willing to learn, that while we must not be over anxious about the future, yet that in spring and summer we must prepare for the autumn and winter; that however bright the sun may be to-day, we must not forget the duty of providing and preparing for the future, as the Great Ruler of the Universe may grant us opportunity.

The discussion was commenced by Mr. T. W. Cowan, who said that after sixteen years' experience with the Stewarton hive, he might be expected to say something about it. He was not prepared to condemn it, but, on the contrary, he considered it a very useful hive, which certainly held an intermediate position between the straw skep and the moveable comb hive. It was far superior to the straw skep, but did not come up to the moveable comb hive. This gave the bee-master complete control over his bees, and allowed him to perform operations with ease which would be extremely difficult if he only used the Stewarton hive. He had adopted several variations in working the Stewarton system, and had found generally two body-boxes and an eke sufficient. Instead of having an entrance to each body-box, he preferred the three entrances in the lower body-box, as recommended by 'The Renfrewshire Bee-keeper.' There were only four frames in a Stewarton box, and these were screwed down, and before they could be made moveable or an examination of the hive take place they had to be unscrewed. To examine the side combs the boxes have to be turned up,* and unless the frames are screwed down they fall out. He had witnessed an accident of this sort last summer when visiting a friend who had a Stewarton hive. His friend had forgotten that he had not screwed down the frames, and on turning over the hives, frames, combs, and bees all fell to the ground in one confused mass. The trouble of making a thorough examination of

* The improvement described by Mr. Cheshire (p. 27) gets rid of this difficulty.

Stewarton hives is, moreover, greatly increased by having to go through the same operation in each box; and when these are taken apart and are full of bees, it is not such an easy matter. He had stocked Stewarton hives with as many as five swarms, but had found by experience that two good swarms placed in the body-boxes did better than a larger number. Mr. Bartrum had mentioned as one of the advantages of the Stewarton hive the side slits for admitting the bees into supers, and preventing the queens going up into them; but the same plan was adopted by those who used moveable comb-hives for the same purpose. Here, however, he would admit that the Stewartons had the advantage, as in these the queen would rarely visit the outer combs if she had sufficient room for laying in the centre of the hive. His opinion was in favour of frame-hives, as in them you can make the bees increase more rapidly. By following out his plan, published some years ago and now universally adopted by advanced bee-keepers, viz. that of contracting the brood-chamber of a hive so that the bees cover every comb and spreading the brood, it is astonishing how rapidly a weak hive may be built up and become strong, and that under conditions which would prove fatal to a Stewarton. Bees are more inclined to extend their brood-chamber laterally, but this is prevented in the Stewarton hive by the outer combs, which act like blocks of ice, compelling the bees to extend their brood nest downwards. Although he had been for many years a successful exhibitor of Stewarton supers, he could not allow that sections gave so much trouble to the bee-keeper as Mr. Bartrum

would make out. He did not see why it was necessary to have three tiers of sections when one would do as well, or better. He used a rack of twenty-one sections, and had found this by proper management quite sufficient for a whole season, for as fast as any of the sections become filled they are removed, and empty ones put in their places. There is a great advantage in being able to remove a comb as soon as finished, as the bees do not discolour it or increase the thickness of the wax covering to the cells, as they do if left too long on the hive; and as the centre combs are completed before the outer ones, much time is saved by their removal. With a Stewarton hive you have to wait until the outside combs of the supers are sealed over, or they do not look well; and by the time this is done, unless the flow of honey is very great, the centre combs are overdone. He thought that the plan of giving bees additional breeding space, at the rate of one or two frames at a time, preferable to giving them a whole body-box, as in the Stewarton, because the heat of the hive is better utilised if the hive is enlarged only in proportion to the requirements of the colony. He had prevented swarming in moveable comb-hives by removing some of the combs and filling up their places with comb foundation or empty combs; this gave the queen more breeding room. Also, the free use of the extractor assisted very much in checking swarming, and was only advantageously applicable to moveable comb hives. Mr. Bartrum had mentioned 164 lbs. of super honey and 30 lbs. from body-boxes as being the largest harvest of honey from a Stewarton; but he



would mention that he had taken 120 lbs. of super honey, and 89 lbs. of extracted honey from one frame-hive, and this showed a balance in favour of the frame-hive. Had the extractor been used entirely he had no doubt this quantity might have been doubled. He did not see the use of the buttons on the Stewarton boxes and thought they were only in the way. He had not found the slides much trouble, and if the hives were strong enough in bees the internal temperature of the hive would always be sufficient to prevent their being too firmly fixed in the grooves. As to manipulations, such as cutting out queen-cells, removing brood, and artificial swarming, no one can deny that they are carried on much more easily in a moveable comb-hive. He wished to say one word as to feeding. The idea occurred to him that it would be a great advantage if in the autumn one hive could be made to do the work of a whole apiary. Those who were feeding their bees know that last week the cold put a sudden stop to it. Now all honey or syrup unsealed ought to be extracted, or the stocks would be liable to dysentery. Instead of feeding up each hive separately, he had fitted up a paraffin stove in one of his bee-houses, and kept one hive at a high temperature day and night. He had had a large feeder made to hold half a gallon, which was placed on the top of the hive, and was replenished as fast as the bees carried the syrup down. In this way he had got these bees to fill and seal their combs from top to bottom, and as fast as they were completed he removed them, and distributed them amongst those hives requiring stores. So far the experiment had been satisfactory.

Mr. Cheshire considered Mr. Bartrum's paper to contain so much that was excellent and valuable, and which withal made out such a strong case, that he did not feel disposed to attack the Stewarton at all sharply. He said it was difficult in a Stewarton hive to overhaul the stock, and finding the queen was often impossible, though by putting side slips triangular in section (see fig. 6) to the



Fig. 6.—End-bar of Stewarton with frame sides *a b*.

outside bars, he had considerably lessened the difficulty. No doubt the great advantage of the Stewarton hive is its elasticity. With regard to the moveable comb hive, we have not all of us yet attained perfection, and indeed ordinary management left the frame-hive practically inelastic. The common idea used to be that bees were to be put into a bar-frame hive, and expected to fill the supers without any further trouble on the part of the bee-keeper. An intelligent bee-keeper would not think now of setting a few bees to ramble ad libitum over a large empty hive, and fill it as they best could. He who knows how to manage would narrow the space in which his bees are placed by the means of dummies, and then, as the bees multiply, keep on expanding that space until his hive is quite full of bees. The Stewarton is cer-

tainly not so gradually expansible as the frame-hive, as one must pass at once from one box to two, or at best to a box and eke. Mr. Cheshire gave some account of the instinct which forbade swarming with an unfilled eke, pointing out that bees always objected to a position which prevented them, in a temperature admitting of flight, from keeping up a continuous guard from their entrance to their stores, and as, with an unfilled eke colonising would make this impossible, ekeing was a very successful temporary expedient to prevent swarming; but, he continued, all this may be accomplished with the bar-framed hive by continual expansion. The great secret of success is to increase the brood-nest gradually, and to obtain a large quantity of bees *before* the beginning of the honey harvest. He had obtained such results last year by acting on this principle, as could not have been obtained in any other way. He added that bees, true to mathematics, gave their brood-nest a globular form, as this figure had the largest mass for its surface, and thus was most economical of heat and labour. When this form was interfered with, every effort was made to restore it, which resulted with wise management in a very rapid augmentation of brood. A principal desideratum in any form of hive lies in its expansibility and its contractibility; the lack of which, even if it had no other drawback, would put the skep utterly out of court in the opinion of those who have learnt modern plans. There is a change of opinion discernible as to the size of hives. The Americans begin to say that their hives are too big, and smaller hives are coming into favour. The less room you have in the brood-box, the more bees you must, *of*

course, have in your sections. Give the queen room enough, but short of this all hives should be contracted as much as possible when supers are put on; all combs containing no brood being removed. With regard to feeding, Mr. Cheshire had now tried flour-cake for two seasons, and could speak of it in the highest terms of approval. He had used tallow to grease the slides of his Stewarton hives, and had found that this prevented the bees from fastening them down with propolis. He mentioned in reference to the number of swarms which might be put into a Stewarton hive, that some French experiments show clearly that 67,000 bees give the best results, and that little good is done if swarms are added after 12 lbs. of bees have been massed together. Mr. Cheshire disapproved of the buttons on the Stewarton hive, as the bees would fix the boxes together, quite well enough for themselves. In conclusion, Mr. Cheshire allowed that much was to be said for the Stewarton hive, but declared his belief that as bee-keepers go on with the ordinary frame-hive, and learn by experience how much may be done with it, the latter will come more and more exclusively to the front.

The Rev. George Raynor had worked the Stewarton hive for twenty years, but not in its improved form. The frames were originally not removeable, and in that form the hive was not to be encouraged. He had tried greasing the slides, and had not found it to answer, as the bees removed the tallow, and then propolised. With regard to facility of manipulations he was of opinion that the Stewarton must yield to the bar-frame hive.

Captain Campbell regarded the Stewarton hive as a

convenience. Some friends of his had asked him to take care of their Stewarton hives during their absence from home, and he had soon found out the difficulty arising from the side frames being screwed down. He had turned them all into moveable frames, and had put them into the Slinger. He found the Stewarton supers unwieldy and inconvenient. It was also difficult to find purchasers for supers weighing 20 lbs.;* but he was fond of taking a holiday now and then; and as his frame-hives kept him rather too much at work, he admitted the convenience of the Stewarton for those who could not be always attending to their hives. He made his own Stewarton boxes for one shilling each, and thought five shillings too much to give for them. He found no difficulty in overcoming the propolising of the grooves and slides by prising them open with a piece of sheet steel about 3 inches wide. A little twist with this simple tool soon causing the propolis to crack apart. Buttons he thought an abomination, and took them away, winding a cloth round the hives. He thought that three entrances to a hive were a mistake, and that there should be but one entrance. Bees wintered in Stewartons, perhaps, better than in frame-hives, and the boxes were very easily turned over, so that you could see all that was going on inside.

In replying to the remarks made upon his paper, Mr. Bartrum said that he had no wish to place the Stewarton above the ordinary bar-framed hive; but he thought that the Stewarton should have a place in the apiary. Bar-framed hives require constant attention: sections must be put on and taken off, the extractor must be in constant

* See Note, page 11.

use, queen-cells must be cut out, and the hives frequently examined, and a busy man has not time to attend to them. Many persons wanted a hive which they could keep and work without constant supervision, and for such persons the Stewarton was a very valuable hive. No doubt the ordinary form of the bar-frame hive was the best for a skilful bee-keeper who had the time and patience to bestow upon it, but the Stewarton was the hive for the busy man, and he was anxious that it should have a place in the bee kingdom.

Mr. T. W. Cowan, in moving a vote of thanks to Mr. Bartrum for his excellent and valuable paper, was quite prepared to allow the value of the Stewarton hive. Management was, however, the great thing after all. With good management almost any hive will succeed. Bee-keepers are unsuccessful because they do not manage their hives rightly. He had had a frame-hive this season reduced to five frames, in each of which there was brood to the top bar, and it had given him some beautiful sections. He advised all bee-keepers to compress their bees with dummies, and to reduce the size of their hives to the number of bees which they contain.

The motion for a vote of thanks was seconded by the Rev. George Raynor.

The Rev. E. Bartrum moved a vote of thanks to the Chairman, the Rev. W. Stuart Walford, whom he commended as being one of the chief promoters of the Suffolk County Bee-keepers' Association, which had attained the distinction of having purchased a Bee Tent during the first year of its existence. Mr. Bartrum also mentioned the very successful show which had been



held this year at Ipswich mainly through the exertions of their Chairman for the evening.

Captain Campbell seconded the motion.

The Chairman, in responding, regretted the absence of the Rev. R. A. White, the Vicar of Ipswich, who had been obliged to leave at the conclusion of the earlier meeting held on that day. Mr. White had achieved great success with his Stewarton hives, and had taken 140 lbs. from one this year. Mr. Walford supposed that success was, as Mr. Cowan had said, to a great extent, a question of management, both with the Stewarton and the Bar-frame.

With reference to a question asked by the Chairman as to a statement somewhere made asserting the efficacy of tallow in keeping away the bee-moth, Mr. F. Lyon stated that he had found a mixture of tallow and black-lead very useful in making the frame-ends move easily, and that if the bees propolised the mixture it did not adhere; but that as to the value of tallow in keeping away the moth, he had no evidence to offer.

APPENDIX.

No. I.

Method of Uniting Swarms as described by 'The Renfrewshire Bee-Keeper.'

(*Extracted from the 'B. B. J.', Vol. I., p.* 14.)

The general mode of manipulating the Stewarton Hive is, after the bars of two breeding boxes have been duly furnished with comb, or embossed wax-sheet, to lash them together at the weighing-hooks with cord, and then run in the sliding door of the upper, and withdraw all the slides of the lower, closing the openings with the little pegs accompanying the boxes. With the free communication between, the *two* become to all intents and purposes *one*, and the bees may then be introduced—a prime swarm, of course. Some eight or ten days thereafter a second prime swarm, if procurable, is hived in the third breeding-box,* and at once set down close to the earlier one, and at dusk the last named is placed on the top of it. The lower of the two first boxes—now the central—has its door run in, and the slides of the lowest are removed and pegged as before. Should the evening prove chilly, a whiff of smoke may be administered to both, but this is generally considered quite unnecessary, as it is a well-established fact that no bee leaves with a

* If two boxes only are used, the first swarm may be placed in one box, the second hived in the other, the slides of the latter being drawn as described above.—E. B.

swarm till it has filled its honey-bag, and the lower ascends with a most confiding hum, evidently firm believers in the old Scotch proverb, 'Plenty freens when ye hae ocht.'

The morning light usually reveals nothing but the surplus queen dead on the floor-board. The lowest box is then removed, and the entrance of the second again opened. Should any bees be clustering in the lowest, the removal can be postponed till the middle of the day, when the workers will be more abroad. The object of removing the third box is to restrict the room, so that the combined swarms may all the sooner complete comb-building and packed to the very glass, be thankful to press up into the super which has been placed thereon, fitted with guide-comb. Communication between stock and super is afforded by drawing the outer slide only on either side. Should the weather be favourable and honey abound, it is at once taken to; if not, it is better to run in the slides again and wait for a day or two, then under more favourable circumstances make a fresh trial, as it is a curious fact that bees often will swarm rather than accept a super open to them, and which they have previously rejected. Supposing (which is generally the case) the bees have taken possession, in a very few days white comb appears at the windows; then, and not till then the third breeding-box is placed as a nadir underneath all, its slides withdrawn, and pegged as at the union, and the doorway of the central box closed once more. The colony may now be said to be fairly under way, and should favourable honey-gathering weather continue a second honey-box may be placed on the first, and all

the slides of the first super withdrawn. To induce the bees all the more readily to take to the supers, I have found it of considerable advantage to run a strip of gummed paper round the juncture of the stock with the super, as well as with it and succeeding ones; should it be taken to, or if honey be plentiful, a second slide on either side of the top box may be withdrawn, at first either partially or wholly. This is a nice operation, dependent on the flow of honey, and the bee-master must exercise his own discretion, so as, if possible, to prevent the incursions of her majesty into the super. The plan of admitting only the honey-gātherers of the end combs to the supers, to the exclusion of the queen, the nurses, and the pollen-collectors of the centre, is a most ingenious, original, and indeed one of the most valuable features of the Stewarton system. A third and other supers may still be called for, and the additional super accommodation afforded, always uppermost, and in exceptional cases even additional breeding space by nadiring at bottom may be requisite, although the strong colony whose habitat appears in the frontispiece was wrought with but eighteen inches breeding space, while filling *seven* honey-boxes or supers in various stages of progress. To get bees to take to supers at first, and to work in them steadily through the vicissitudes of temperature, it is indispensable that they be well wrapped up with some warm woollen stuff. I generally employ old crumb-cloths for this purpose, four plies thick; and need I add that the Stewarton hive being formed of wood but $\frac{5}{8}$ of an inch thick, it is of course requisite, and must have the protection of a bee-house or shed from the direct rays

of the sun, or better still, an outer octagon case, with a nicely bevelled roof, covered with thin zinc, and this with an ornamental vase on top, forms a most picturesque adjunct of the apiary or garden.

So soon as the lowest super is seen sealed at the central windows, the attachments between it and the stock and second super, severed with a thin wire, had better be removed, the next lowest taking its place and so on, till the end of the season. When all are removed and slides re-introduced; then as cold weather sets in, and the lowest breeding-box vacated, it, too, is better taken away, the slides replaced, the mouth wrapped carefully up with paper to exclude moths and dust, and suspended in any cool, dry garret, till required the next season.

No. II.

Receipt for Barley Sugar and Flour Cake.

(*From 'Modern Bee-keeping,' p.* 60.)

To make Barley Sugar.—Into a saucepan or stewpan over the fire put a very small quantity of water ($\frac{1}{2}$ pint to 4 lbs. of sugar), and keep the sugar constantly stirred, or it will burn. As soon as all the sugar is dissolved, let a drop or two fall on a plate. If this sets in a few seconds, so that the surface does not stick to the finger when it is pressed, it will do; if, however, it is sticky, it contains too much water, and either more sugar must be melted in it, or boiling must be continued, to drive off the excess of water. The right condition being reached,

remove it from the fire and continue to stir it very briskly, until it is evidently setting, when pour it into any convenient mould. The barley sugar so made will not be bright and clear like that of the confectioner, but it will be far better for the bees.

Flour Cake.—If we require flour cake we proceed as before, but carefully stir in 1 lb. of pea-flour or wheat-flour for every 6 lbs. of sugar either before or at the moment the latter is removed from the fire. We then stir briskly until stiffening commences, when we pour it into paper which has been placed in saucers or soup-plates. The hot sugar will settle the paper into form, while the paper will prevent sticking. In half an hour it will be hard, dry, and fit for use, and may be put over the frames of moveable comb hives or between the combs of skeps. Its effect is most beneficial. When used with frame-hives the attached paper should not be removed, as this placed uppermost will prevent the flour-cake from sticking to the quilt.

No. III.

THE STEWARTON HIVE.

By 'The Renfrewshire Bee-keeper.'

While perusing with much interest the Rev. E. Bartrum's excellent lecture on my favourite hive, the Stewarton, I could not but regret that other engagements prevented me being present to hear it delivered, when I would have been delighted to have borne the brunt,

along with the lecturer, of the fire of criticism to which it was subjected, down to its most minute part—the buttons; and having seen a report of the discussion which followed, I would take the earliest opportunity of craving a little space to try and remove some of the misconception-smoke left hanging around it.

Having for many years disinterestedly endeavoured to spread more widely a knowledge of the splendid results obtained by the hive and system of bee-management I had done something to improve, I felt the fullest sympathy with the reverend lecturer, who, true to the instincts of his profession, finding its great value, proceeded to proclaim it before his brethren of the British Bee-keepers' Association, and what he has so well said leaves but little to supplement.

Although the wooden covers I use keep the hives nice and dry, parties to whom their cost is an object must understand that is an outlay not absolutely necessary in conjunction with the hive; a good thick straw hackle is a useful although not so good a protection, provided the hive-board stands as it ought, some twenty inches above the level of the ground on a 6-inch glazed fire-clay fawcet pipe sunk 16 to 18 inches.

There should be three entrances to each body-box, and these I regularly widen to 5 inches long by three-quarters of an inch deep. All are kept closed with the sliding doors save those in the lowest box, and there the side ones are similarly kept shut except during the full heat of the supering season. The central door, or 'mouth-piece,' I divide into two equal portions, for regulating the entrance in the centre. So placed, and the hive drawn

close to the cover-front, bees are effectually excluded from the cover. No doubt in hives destined to swarm, drawing back the hive and admitting the bees afford them the fullest protection from sunshine and shower; but in non-swarming Stewartons these idlers are much better drawn up to secrete wax on the guides of added supers. When once the supering season is fairly on, the hive is stripped for action—the cover removed entirely, the hive drawn back flush with end of floor-board, thus giving the fullest alighting room in front and keeping out damp behind. From the iron weighing-hooks in the body-boxes I cord tight down the supers to prevent their displacement by the four-ply thick crumb-cloth or other warm woollen stuff folded and tied tightly around them. The moveable top of the cover is then set on, and from its vase on the apex is suspended, on the sunny side, a full-sized Archangel bast-mat. Thus shaded with 15 inches of door space for air, egress, and ingress, from the three lower entrances fully drawn, and ample and gradual expansion of super space, swarming is reduced to the minimum; indeed during the bypast season not a single swarm attempted to emerge from one of my many Stewarton stocks;* and to see such colonies at full work is a real pleasure to every true lover of the bee. But to return to the discussion. The assault was led by

Mr. T. W. Cowan, who considered the Stewarton as an intermediate step between the straw skep and the moveable comb hive; but the Stewarton under discussion it so happens *is* a moveable comb hive. It is against all rule

* This is the almost universal experience of those using the Stewarton.—E. B.

to have any entrance but through the lower body-box. Admitted the frames and bars are fixed with half-inch brass screws by makers to retain these in position on their journey, and are still useful for inversion to receive a swarm up in a tree; but so soon as the hive is peopled, the screws are at once withdrawn, and at the present moment there is not a single screw in my apiary, but had I occasion to send a hive away or to the moors, to keep all safe I would certainly reinsert them. I prefer sweeping the bees from the combs of my hives, but for those choosing to drive the screws afford the facility. I am glad to hear that one of the best and most original features of the Stewarton hive, excluding queens from supers, has been copied in square frame hives; presumably by zinc excluders, which was all along effected in the former so simply by the slides. The Stewarton being essentially a strong hive system, its disciples are fortunately better accustomed to expand than 'contract the space;' and as for 'spreading the brood,' they more wisely leave that to be regulated by the numbers and instinct of the nurse bees. I entirely dissent from Mr. Cowan's theory that bees will extend their combs and multiply more rapidly in an oblong than an octagon hive, having in novitiate days abundantly proved the contrary. The heat emanating from the central cluster ascends to keep the brood and store overhead warm, which liberates so many more bees to increase the cluster. Wax-secreting and comb-building must of necessity progress more rapidly in a downward direction than when the cluster is divided and combs built at either end. With regard to the question of sections,

I quite agree with Mr. Bartrum that Stewarton supers give more honey with much less trouble. Mr. Cowan, I fear, labours under a misapprehension as to the completion of the Stewarton supers: the bees ascend and cluster first on each end bar, and from thence work gradually progressing towards the centre, where the windows are purposely placed: and it is an axiom in the Stewarton system, that so soon as the central combs are seen to be sealed out, the super can be safely removed complete; and in all my experience of this hive I do not remember meeting with a single exception to the rule. But I have had much trouble when I wrought square supers on square hives, of unsealed end combs and corners. To contrast harvest results, one year and one district of country against others, affords no criterion as to the comparative value of any hive or system, without increasing weight with poor watery extracted honey.

Mr. Cheshire followed by saying he did not feel disposed to attack the Stewarton at all sharply, and it would be very ungrateful if he did after finding for him the premier super in the honey famine season of 1879—the proof of the pudding is at all times the eating of it. I was first attracted to bee-keeping through opening up several colonies long established in the roof of the house here, and there learned the true 'Philosophy of Hive Shape' in the five or six feet stretches of comb I measured in the narrower spaces, the wider they as heartily eschewed, as they afterwards did the collateral additions of my 'Pavilions of Nature' of the much-vaunted Nutt's hive; and every conceivable plan of lateral extension the

enthusiasm of the novice could invent proved an utter failure, the bees persistently carrying the brood-combs downwards and the honey-comb upwards, with the regularity of the piston of a steam-engine. When I found the Stewarton, I discovered what I considered the nearest approach to their *beau ideal;* octagon, the nearest approach to the spherical form bees naturally assume, comparatively narrow and capable of expansion and contraction, telescopic fashion, to focus all seasons be they good or bad; it yielded me harvests unknown before for quantity as well as quality: for, after all what is the bee-keeper's great desideratum?—the maximum of honey with the minimum of trouble, other points follow after, as subsidiary. The octagon form so well concentrated the heat and preserved the honey from candying that there was now no removing the end combs in autumn as in the square hives, no contracting of space in spring, but expansion into lower box, the usual large surplus store saving all feeding; only trouble, a pleasant morning's task in putting on and afterwards removing filled supers. There are, however, a class of bee-keepers who must continually be pottering amongst their bees; such disturbed hives don't usually give great returns. According to a recent work the 'bee-farming' of the future is to be carried out in 12-inch square boxes, no supers tolerated; the greatest harvests known are to be obtained by continually passing the contents of the end frames through the extractor as quickly as gathered. On the farm, fancy already hears the stillness of the summer evening broken by the rattle of the tin extractor and tin milking-pail as they are

passed on to the bee-house and cow-house respectively; and our industrious little favourites may thus be saved the second swallowing, flitting, and disgorging task. The fertile imagination of Mr. Pettigrew depicts them as nightly engaged in performing in his big straw skeps; but many of us may feel thankful we are not bee-farmers and honey-drainers.

Applying the moveable comb principle to my roof-bees, and believing in it from the beginning, I carried it out with every part of the Stewarton from their frames; I raise my queens in nucleus four-frame boxes. These, when full, are transferred to form young colonies. End combs I had at first in frames similar to the centre, but afterwards dispensed with them, finding those end combs being carried out to the sides helped to concentrate the central heat of the brood-nest better, and isolate more effectually the breeding from the honey-storing department. A thin-bladed old table-knife easily severs any little comb attachments of those end combs should a queen have hidden there from off the brood-nest.

I quite agree with Mr. Cheshire as to the modern frame hive being practically inelastic,* and to my view, for practical bee-keeping a grave fault, the inner being inseparable from the outer shell—moveable combs in a hive fixed to legs and cover. A friend in the island of Bute last spring using some Perthshire frame-hives consulted me as to the best plan of joining a queenless to a queened stock, and I suggested sprinkling a little flavoured

* This seems a misapprehension. Mr. Cheshire said 'ordinary management,' by which he would appear to mean *defective* management 'left the frame hive practically inelastic.'

syrup, and after puffing smoke to both, to place the queened one on the other, so easily managed with the Stewarton; but I had a reply that the legs forbade the union. I had promised to Italianise a couple of stocks for the same friend, but as the hives had to be conveyed some distance by road, and afterwards by steamer, then by rail, and a good way from the station here, as they stood it was out of the question; so the bee-keeper had to incur the expense of having two hives made, with boards to carry the stocks, and when shut in a man took both on his head.

It would be a most hazardous procedure to move a Stewarton colony anywhere *unbuttoned.*

Rev. George Raynor, By drawing any one slide on top of a Stewarton, and then carefully moving either half-liberated frame towards the space thus given, you will be enabled to *lift out* the loosened slide on the opposite side of the moved frame without *drawing* the slide at all, and this process may be continued over the whole hive top. Slides never gave me any trouble; by drawing one either side, any particular frame can be inspected without disturbance to the rest. Tallow and black lead are unpleasant associations for a bee-hive.

Captain Campbell is perfectly right in saying the Stewarton hive is a convenience, and gives little trouble, besides being better winterers than frame-hives. Possibly hives made so cheaply as a shilling a-piece may lack the exactness of fit as to render the buttons 'an abomination,' and from the same cause ventilation may be so amply provided as to justify him in calling the triple entrance 'a mistake.' He admired the ease with which the

boxes could be turned over to see what was going on inside, and rather inconsistently condemned the screws which afforded the facility. I work two sizes of Stewarton supers; one 3½ inches deep contain 15, the other 4 inches, 20 lbs. of comb honey. It may not be generally known that the Stewarton, if not the first hive to carry a super, has possibly a yet better claim to carry the first sectionals. Its supers, twenty-five to thirty years ago, I am informed, were commonly divided into halves and quarters; but on turning my attention to improve this hive I preferred to retain the super entire as 'a crate,' and to render its seven combs moveable, as seven sections. I give away most of my honey to friends in this way attached to the bars, and it is commonly so sold in Glasgow Italian warehouses in single bars at a higher price per lb. than the entire super brings. The bars can be replaced at 1*d.* each.

S. J. BALDWIN,

(Expert of the British Bee-keepers' Association)

MANUFACTURER OF

Improved Moveable Comb Humane Bee Hive

AND ALL OTHER APIARIAN APPLIANCES,

BEGS to thank his numero Patrons for their support, a for the many Testimonials a kind expressions of approval the quality and suitableness the goods supplied, and to ap logize for the delay which h sometimes unavoidably tak place in the execution of orde and also to inform his Cu tomers that he has remov from his old address to mo commodious premises, specia designed for carrying on th the business on a much mo extensive scale than heretofo All may now rely upon ge ting their orders executed with the greatest possible despatch; bu to be prepared for emergencies orders should be given early.

NOTE THE ADDRESS—

S. J. BALDWIN,

THE APIARY, STANLEY ROAD, BROMLEY, KENT.

Several Silver and Bronze Medals, and One Hundred First and other Prizes hav been awarded for the Cheapest and Best Hives, Supers, Extractors, Smokers, and other necessaries for the proper and profitable management of the Honey Bee.

Two Prizes, one for Hives with Legs, price 15s., One for Hive, price 10 awarded at the Dairy Show, Islington, 1880; for the Cheapest and Best.

Imported Ligurian Queens, Stocks and Swarms of Ligurian and English Bees; Price, according to Season, same as last year.

BALDWIN'S ILLUSTRATED CATALOGUE sent Post free for Two Stamps.

'MODERN BEE-KEEPING,' for Seven Stamps.

Questions on Bees and Bee-keeping by return of Post for Three Stamps.

Orders booked and sent out strictly in the order they are received, *but* precedence must be given to Orders accompanied by Cash.

Post Office Orders should be made payable 'Bromley, Kent.'

Good assortment of Hives and Appliances always in Stock.

A VISIT RESPECTFULLY SOLICITED.

*** A large Consignment of American Manufactured Goods expected to arrive shortly, which will be supplied to my Customers at the lowest possible prices. *Order early!*

Ex. a Vanp's No. 4-38-3 A Winchell
QS2-E2 16 Dec 1

PRICE THIRTY-FIVE CENTS.

METCALF'S KEY

TO

BEE-KEEPING.

LIBRARY OF THE MASSACHUSETTS AGRICULTURAL COLLEGE



NEW-YORK:

C. M. SAXTON, AGRICULTURAL BOOK PUBLISHER.

1862.

THE MICHIGAN BEE-HIVES.

—o—

The inventor of these Hives has obtained two Patents, from which we quote as follows:

U. S. PATENT OFFICE.

Letters Patent, No. 1,948, whole No. 32,952, dated July 30, *1861.*

The nature of my invention consists in the peculiar construction and employment of the various parts which compose the hive, and also in the particular mode of producing artificial swarming, to which purpose the parts hereinafter set forth are merely incidental. [See Fig. 19, *p.* 36.

Claims.—1st. The employment of a revolving bee-hive, so arranged that artificial swarming may be produced substantially in the manner specified.

2nd. I claim the employment of the movable frames, D. D., provided with cylinder M, when used in connection with a revolving bee-hive, in the manner and for the purpose set forth.

U. S. PATENT OFFICE.

Letters Patent, whole No. 34,157, dated Jan. 14, 1862.

Fig. 1 is a perspective view, showing the construction of the frame. [See Fig. 23, *p.* 47.]

Fig. 3, side view of frames in hive. [See Fig. 22, *p.* 46.]

These adjustable frames are intended to be used in the revolving bee-hive, patented to me July 30, 1861, or in any rectangular box hive, having a movable front.

Claim.—I claim constructing the top bar A, and side bars B, of adjustable frames for bee-hives, with the beveled ends *a*, *b*, in the manner described, when used in connection with a movable front, and in a rectangular box or hive.

—o—

ITALIAN BEES,

Put up securely, and forwarded by express (C. O. D.), and a safe delivery, and successful Italianization of the common hive guaranteed.

PRICE PER QUEEN, FIVE DOLLARS.

MARTIN METCALF,
Grand Rapids, Mich.

LIBRARY OF THE UNIVERSITY OF MICHIGAN

A KEY

TO

SUCCESSFUL BEE-KEEPING:

BEING A TREATISE ON THE

MOST PROFITABLE METHOD OF MANAGING BEES.

INCLUDING THE AUTHOR'S

NEW SYSTEM

OF

ARTIFICIAL SWARMING,

WHEREBY

ALL WATCHING FOR SWARMS DURING THE SWARMING SEASON IS DONE AWAY WITH,

AND

All Loss by Flight to the Woods Prevented.

BY

MARTIN METCALF.

"Who guides the patient pilgrim to her cell?
Who bids her soul with conscious triumph swell?
With conscious truth retrace the mazy clue
Of various scents that charmed her as she flew?"

NEW-YORK:
C. M. SAXTON, AGRICULTURAL BOOK PUBLISHER.
1862.

Entered, according to Act of Congress, in the year 1862, by
MARTIN METCALF,
In the Clerk's Office of the District Court of the United States for the
District of Michigan.

J. J. REED, Printer and Stereotyper,
43 Centre Street.

PREFACE.

THE author of this little book and originator of the system of Bee-Keeping herein advocated, has endeavored to present the results of many years of careful observation, experiments and study in the form of a practical treatise, so concise and yet so plain, that even the inexperienced may, with his book and his hive, enter upon the business of bee-keeping confident of success.

He takes pleasure in acknowledging that in his study of the Bee he has derived much valuable aid from the labors of Bevan, Huber, Huish, Miner, Taylor, Munn, Bruckish, Quinby, Langstroth, Harbison and others. Bringing their conflicting theories to the only sure test—the Bee-hive itself, so constructed as to expose to the eye its entire operations—he has, by careful observation at all hours and all seasons, and continued through many years, demonstrated the truth of some and the error of others. Thus, little by little, under his own eye, have the natural laws governing these wonderful little creatures, ar-

INTRODUCTION.

THE increasing demand for information respecting Bees and Bee-keeping has induced me to put the following lecture on the 'Stewarton Hive' (delivered at the Conversazione of the British Bee-keepers' Association in October last), into the form ok, which I trust may prove of some ser- ose ed in apiculture. While the ved, together with the ap- elucidate some points not its of the lecture, and can ue to those using frame- ire to express my special ent apiarian, 'The Ren- nd also to Mr. Frank gues on the Committee ' Association, for his ntroducing several ex-

E. BARTRUM.



38 A Wrucher
52 2 16 Dec

RTY-FIVE CENTS.

ALF'S KEY TO KEEPING

NEW-YORK:
M. SAXTON, AGRICULTURAL BOOK PUBLISHER.
1862.

arts, and assume a commanding place in the sober economies of life. Safer than bank, railroad, or government stocks, and returning annually, with moderate attention, at least one hundred per cent. net on the capital invested, they might well claim a nitch in Wall-street. Adapting themselves to every section of our country, they will for only a quiet nook in the yard, make us independent of sorghum, or the cane, by gathering and storing away in sealed cans ready for our use, the wasting sweets of garden, field and forest—pure, healthful, and tempered to the palate beyond the most exquisite culinary art.

"Eh! oh!—I like the honey and admire the bees, but——"

Never mind; that sting was not made for you, and will not be used against you when you learn to treat them properly. But if you persist in rudely disregarding their comfort and their rights, returning every friendly salute with a blow, disturbing, crushing them *ad libitum*—even *murdering* whole colonies for their stores when you can get them much easier without—you deserve to ——become more civil and consult your own interest if not theirs, for the country needs a million bees where it has but one. Their sting was made for robbers, and for their insidious enemy, the moth, and will guard their stores and yours if you will give them a fair chance.

---

*The moth breaks through at night sometimes, and steals after a very singular manner—namely, by giving. She lays her eggs in the hive, cuckoo fashion, and their voracious *larvæ* de-

With modern improvements, bee-keeping is made a safe, sure, *humane* and pleasant business. After the hives are made—artificially swarming hives of course—the ladies can swarm the bees and do all else that needs to be done in the apiary. With the modesty of real worth, and generous often to a fault, these wonderful little creatures commend themselves alike to the naturalist, the amateur, the moralist, and the "solid" man. ****.

---

vour the honey. [Beebread and wax ?] No wonder, then, that the bees fear moths—*timent Danaos et dona ferentes*, ["They fear the Greeks even bearing gifts"] a scholarly quotation which we have not often so good an opportunity of introducing.—*Chambers' Edinburgh Journal.*



SUCCESSFUL BEE-KEEPING.

A SWARM OF BEES,—OF WHAT IT CONSISTS.

A prosperous colony of bees, in the midst of the swarming season, consists of a single queen, from fifty to five hundred drones, and twenty thousand to fifty thousand workers.

1.—Queen.

The Queen, if fertile, is the only perfectly developed female in the hive. She is the mother of the whole colony, laying all the eggs, producing queens, workers, and drones. She has six abdominal rings, while workers and drones have only five; and she has over the thorax longitudinally a clearly defined line—a feature which the writer has never seen noticed by any author.

2.—Drone.

Drones are the male bees, and are of no use whatever, except to impregnate the young queens. This is done upon the wing, in the air, and within the first twenty-one days of the queen's existence.

3.—Worker.

The workers are undeveloped females; and unlike the queen, they are incapable of fertilization, by copulation with the drones; yet are capable, under certain circumstances, of depositing eggs which will produce perfect drones, differing in no respect from those

hatched from eggs laid by either a fertile or an unfertile queen. The average time of maturity of a *worker* bee from the egg is twenty-one days; drone twenty-four, queen about eighteen.

Having thus glanced at the different classes of bees found in a hive, in its prosperous condition, we will now take a look at the interior of the honied temple, witnessing their labors, noting the manner of their development, and the more prominent characteristics of each class.

THE QUEEN.

"First of the throng, and foremost of the whole,
One stands confessed the sovereign and the soul."

The queen lays all the eggs, and continues this labor the whole year round, the least brood, in our climate, being found in December. In January the brood increases, and more and more rapidly as spring approaches. The greatest amount of brood is found in June or July, or exactly at that point of time when the old queen leads out the first swarm of the current year. Indeed, the lack of cells in which to deposit her eggs, appears to be one of the causes of the issue of the first swarm, for it is found that the queen becomes much agitated on finding the breeding cells all occupied, even though the hive be not half full of comb. The workers, however, instinctively prepare for the migration of the mother, by providing cells for the rearing of young queens to supply her place. These cells are constructed on the extreme edges of the combs, and are in appearance not very unlike small acorn cups, with their open ends downward, attached at the base or upper end to the worker cells, which are nearly horizontal. Whether the queen herself deposits the eggs

directly in the royal cradles, is not known. I believe she has never been seen to do so. I have myself many times kept watch to see how, and by whom this is done, without determining it. But be this as it may, whether laid there by the queen, or carried thither by the workers, as some suppose, that they are found there, and the embryo queens capped over while the old queen yet remains in the hive, is conclusively established. Before this time, all the breeding cells are occupied, either with honey, bee-bread, or brood, and the queen, becoming restless, perhaps from this cause, day by day moves more and more rapidly over the combs. The workers, too, partaking of the excitement, at first a few, their numbers gradually increasing, are seen running rapidly over the combs, striking their antennæ upon each other, until finally, as if by preconcert, rushing to the honey cells, unclosing many that have been sealed over, they fill themselves with their precious stores as eagerly as if they momentarily expected a writ of ejectment to be served upon them, and this was their last chance. During this scene *within*, all is unusually quiet *without* the hive; while such bees as have been lying about the entrance, driven thither by the great heat or numbers within, now gradually wend their way back, whether to take their places in the old or new colony we will not stop to inquire. After each bee has taken on as large a load as it can carry, at the "appointed time, wind and weather permitting," they rush, pell-mell, from the hive, pouring out, and off the alighting board, like running water, many a greedy fellow falling to the ground from mere inability to fly with its too great self-imposed burden.

Swarming.—The queen usually leads out the first swarm from the second to the fourth day after the work-

ers have commenced nursing the embryo queens. If the weather should then prove unfavorable for swarming, the young queens are destroyed. On the approach of a more congenial season, the work of queen rearing begins anew, to be repeated, it may be, again and again, and not unfrequently without swarming at all during the whole summer. From the ninth to the fourteenth day after the issue of the first swarm, the young queens will emerge from their cells, when, if the bees are still numerous, weather propitious, and the honey-yielding blossoms plenty, second, and third, or *after* swarms may be expected. The bees having previously divided off into as many "squads" as there are queens maturing, the first queen that issues from her cell generally leads out a *second* swarm, and, in one, two, or three days at farthest, if bees are still in considerable numbers, with other circumstances favorable, a third, fourth, and sometimes a fifth swarm issues. If the bees are not numerous at the time of the hatching of the first of the young queens, she is allowed her liberty, and will at once seek out and sting her rivals in their cells. If the hive be well filled with bees from the now rapidly maturing brood, those of each queen cluster will stand guard and prevent the queen from accomplishing her purpose, and others are allowed to hatch. Now may be heard the challenge of the queens to mortal combat, for one only can become fertile and remain in the hive. The "piping of the queens" may always be heard the morning or evening preceding the issue of all swarms *after the first*. If it be not heard by the fourteenth day after the issue of the *first*, no *after* swarm need be expected, and swarming is done with *that hive* for a period of forty days.

4.—Unfertile.

The first fair day after the hiving of a second, or after swarm, if a close watch be kept just before and during the flight of the drones—from 12 M. to 4 P. M.—the young queen may be seen to issue from the hive, and, taking wing, fly off into the air. This is called her "bridal trip," and is sometimes repeated every day, and several times a day, for many days. When successful, she returns to remain permanently in the hive, fully competent to supply eggs for the whole colony; and the bees, at once clustering about her as they have never before done, show that *they* are conscious of the fact and recognize her sovereignty. The practised eye of the experienced apiarian will at once detect this change in the affections of the bees, as well as a decided difference in the form and size of the queen herself the moment she touches the alighting-board. Before her departure they paid but little attention to her, running over her as freely as over each other; after her return they treat her with the utmost deference—never clamber over her, always clear the way as she approaches, and with their antennæ wave a "God save the queen" as she passes; her every wish is anticipated, and her pleasure served with alacrity.

5.—Fertile.

So, also, a day or two later, a young queen flies *from the parent stock* for the same purpose; and if, as is too often the case, these hives stand in close proximity to others similar in shape, size, and appearance, a mistake is sometimes made by the returning queen in seeking entrance at a neighboring hive containing a fertile queen. Instant death awaits her here, and the future

destruction of her colony is rendered inevitable (unless the remedy be applied), for the reason that no eggs are now in the hive from which a queen can be reared, the old and *fertile* queen having left two weeks before. A month or two later in the season, a wonderful display of *drones* takes place every afternoon; and toward autumn, if perchance the bee-keeper (?) happens to "heft" the hive to ascertain how the honey harvest progresses, he finds it wofully deficient in weight, that most essential requisite of a bee-hive at this season of the year. A closer inspection discloses the fact that the interior of the hive can boast of *more worms than bees*, if, indeed, some neighboring robber bees have not already discovered its condition and taken charge of the disconsolate orphans and their precious stores; while the *bee-destroyer* — for I shall call no such person a bee-keeper — goes straight to his neighbor and tells the old and oft-repeated story that "*the robbers and moth have ruined his bees!*" All stuff! Let such person get a hive giving perfect control of all its combs, and facilities for the ready inspection of its contents, and he may soon be convinced that the loss of his bees is justly chargeable only to himself. Having thus rapidly glanced at the prominent characteristics of the queen, and incidentally seen something of the workers also, we will now turn our attention to the

DRONES.

"These lazy fathers of the industrious hive."

They are the male bees, and are ordinarily the offspring of the queen, although it sometimes happens, that in the absence of the queen, workers are found laying eggs that produce them. The drones are short lived, averaging but

about two months, even when not meeting with violent death at the hands of the workers, or by reason of their fulfilling the object of their existence, to wit, the impregnation of the young queen; for the cohabiting drone immediately dies. When queen-rearing is done for the season, the workers fall upon, and destroy them all.

THE WORKERS.

"So work the honey-bees,
Creatures that by a rule in nature, teach
The art of order to a peopled kingdom."

These constitute the great bulk of every prosperous colony of bees. It is by their labors that the rich stores of honey are collected, the delicately wrought cells and systematically constructed combs are made, their temple caulked and well plastered with propolis, the abundant collections of farina, or pollen, provided and stored away for food, and every want of the constantly maturing broods supplied. A guard of workers also attends the queen in her almost ceaseless rounds, feeding and watching over her with sleepless vigilance, preparing the tiny cells for the reception of her eggs, capping over, at the proper time, these cradles for their young, with thin scales of wax, elaborated from between their abdominal rings, —in short, (except the work of depositing eggs,) all the labor of the hive is carried on by them. When a young bee emerges from the cell, and the queen, passing along, refuses to place an egg therein, immediately, and without the least perceptible exchange of word or look of authority, by hint or deed, the industrious and provident workers set themselves about repairing and fitting it up for another ten-

Fig. 6.*

*Abdomen of a worker magnified, showing scales of wax.

ant ; a new egg is soon laid, and at once the watchful workers keep vigil there. Four to five days elapse, and

7.—Brood.

the tiny egg breaks into a shapeless mass—save that something like an embryo worm is revealed by the microscope ; when worker after worker is seen peeping into the cell, nursing and providing for the needs of its occupant. Scarce a moment can pass, but some new comer deposits its apportioned food. Night and day this work of watchfulness and care continues without interruption, while generation after generation come and go from year to year. No confusion, not the slightest discord, even for a moment, but each, intent on its appropriate task, right gleefully plies its willing hands and feet, and all to one continual work, *work*, WORK ! And amidst all this multiform labor, *order reigns*. If any cells are found of too great depth, in consequence of having been used for the storing of honey for the previous winter, they are at once cut down to the required length on the approach of the broods to their vicinity. Mathematical precision is apparent in all the household ! From whence ? What silent, magic influence pervades the honied dome, and guides its myriad throng ? We will open the hive and take away the queen. Here she is ! Now it is closed again, and while I hold her in my hand here, let us keep a close watch upon the movements in the interior of the hive, through its glass sides. Where but a moment since all was order and work, what have we now ? See ! The bees are running here and there. The tumult increases ! Fifteen minutes have scarcely elapsed, and tumultuous disorder has broken out through all the camp. All appears alarm and

confusion, even the *lazy drones* are taking wing, and, like a flood, the impetuous workers chase each other from the hive. Mounting in spiral circles high in the air, they soon return to repeat the search for the lost one, over and over again.

We will return the queen, letting her go just at the entrance of the hive. How quickly she darts in! and the bees rush back in eager haste to get inside, and know for themselves that indeed the lost one is found. Immediately a loud buzzing, which, once heard, can never be mistaken, is audible. It is the glad shout of the hundred sentinels at the door, with uplifted wings and eloquent words, as clearly and plainly as any man could speak it, of the "all's well!" of the watchful guard, and the wonderful little creatures ply their busy hands, and feet, and wings, as before.

Again let us remove the queen, but this time not to return her. The tumult again takes place, and again subsides. Keep a close watch—we have a good opportunity to observe them. A single card of comb between two clear, clean panes of glass exposes both of its sides, so that we may see every bee. An hour has past. The bees have become quite composed. And see! there is a cluster gathering here, another there, and over on the other side one, two, or three more. The bees are destroying some of their young, and dragging them from their cells! They have selected *one cell* in the centre of each of the clusters, which cell they are enlarging, most laboriously *pressing outward* its hexagonal sides, making it quite round. In a single day it has taken the appearance of an acorn cup, now beginning to curve downward. Three days more and it is capped over,



8.—Queen in embryo.

9.—Capped over.

looking for all the world like a pea-nut depending perpendicularly from the comb, with its smaller end downward. Five days more, and the bees remove the wax covering from its tip, exposing a light brown silky substance, which is the cocoon spun by the young bee while in process of transformation from a worm to a winged insect. Two to three days more and *there emerges a bee which, but for our interference, would have been a worker, but which is now metamorphosed into a perfect queen!* Almost immediately she seeks the rival royal cells, and, biting open their sides near the base, stings the luckless infants in their very cradles. The bees look quietly on until the deed of death is done, when they drag forth the lifeless bodies from the cells and from the hive; unless, indeed, the hive be full of bees to overflowing, in which case the first emerging queen is prevented by the bees from destroying her rivals, and one issues with a young swarm. Thus, we can sometimes *compel a swarm* to issue even from a box hive, by removing the queen; or, by introducing a queen cell so protected that the queen can not get to it.



10.—Hatched.

11.—Queen cells destroyed.

It sometimes happens that the young queen fails to return to the hive—such a swarm becomes hopelessly queenless; the bees seem utterly bereft of their faculties, refusing to work more than from hand to mouth, are irritable, quarrel with, and destroy each other.

"An angry hive of bees
That want their leader, scatter up and down,
And care not whom they sting."

If this occurs when the blossoms are yielding honey in profusion, a worker will be found to deposit eggs.



12.—Worker laying.

These eggs are laid regardless of order, scattered all over the combs, and frequently six or seven in a cell. They will hatch, the bees destroying all except one in each cell; the remainder will mature *as drones only.*

Repeated attempts are made by the bees to rear queens from such eggs, which result in failure. They not unfrequently get so far as to cap over the cells and wait for the issue of the longed-for queen. But the hope is vain, for no *Royalty* is there, and the sleep of the grave*

* It will be observed as a singular fact, that while the eggs of both an *unfertile queen* and a *drone laying worker* will mature and hatch from either *drone* or *worker* cells, *they never mature as queens, nor hatch from the queen cell!* A perfect drone to all appearance will mature, but would seem to expire at the moment of hatching.

only rests within the *royal cradle* reared with so much solicitude and care, while the disconsolate, cheerless flock, being rapidly decimated, hum listlessly in and out of the hive with coarse, rough voices, ungainly carriage, and murmurs plainly audible. Just place a queen among them—in an instant their voices change. The well known hum of joy is heard within, and answering voices on the wing without, join in the chorus, while quick as thought, away flies many a winged messenger, to distant heath and forest flower, to return with bright golden pellets of pollen, and heavily laden with delicious nectar to proffer to their newly-found queen.

ABILITY TO SUPPLY THEMSELVES WITH A QUEEN.

The ability of a swarm of bees to supply themselves with a queen from an egg which under other circumstances would have produced a worker, although not known to the mass of bee-keepers, even of the present day, is not a new discovery, but has been well known for many years, and various methods of artificial multiplication of colonies founded thereon have been proposed. Some of the most plausible of these methods we purpose here to notice, giving the claims of their inventors, and at the same time pointing out as briefly as possible their practical workings, while we shall also notice their defects and endeavor to show just wherein they have been, to a greater or less extent, failures, that the intelligent reader may contrast these various methods with our own system, and judge for himself of their comparative merits.

First, then, let us notice the *Piling*, or "*Nadir Hiving*" system, so called because it consists in placing a series of boxes, one upon another, leaving the bees to work

downward, taking from the top full ones either of honey-combs or bees, as wanted, supplying empty ones underneath. Sometimes this seems to work, both swarms, when a division is thus made, prospering for a time; at other times one or the other of the two portions proving a failure altogether. It was not till after several years that this system, so fascinating in theory, was found to be worthless and the reasons pointed out. As this mode of multiplication sometimes *seems to work* and at other times to fail, and these failures result at different times from different causes, we shall be under the necessity of inquiring what the bees of each division do under every phase of circumstances. Let three boxes, *A*, *B*, *C*, placed one above the other, represent one of these hives, *A* being at the top. In attempting to artificially swarm the bees with this hive, suppose *A* to be moved to a new location, and a new box, *D*, placed beneath *B C*—if the queen and most of the bees happen to be left in *B C*—what will be the result? I venture to say, that in ninety-nine cases out of a hundred the bees will leave *A* and go back to *B C*, carrying the honey with them. Now suppose the queen to be taken in the box A, what will be the result? In nine times out of ten, the establishment of a new colony in *A*, especially if a considerable number of bees and brood in the combs accompany the queen thither. But the greater portion of the swarm will return to the accustomed spot, *B C D*, which is sought to be prevented by removing *B C D* also a little distance. In either case considerable new comb will be built in *D* before the maturity of the young queen, the quantity being in proportion to the number of bees in the hive, not unfrequently *filling it up with worthless combs;* since every colony of bees, while destitute of a queen, build *drone combs only.*

These drone cells number four to the inch each way, making sixteen on each side, or thirty-two cells to the



13.—Drone and Worker Comb, showing the transition from one to the other.

square inch of comb; while the worker cells are five each way, or fifty to the square inch of comb. Let it be remembered that QUEENLESS COLONIES BUILD DRONE COMBS ONLY,* and that *worker* bees never issue from drone cells, and it will be evident why the "Piling" system is a fail-

* Except sometimes for about a day immediately following the removal of the queen.

ure. So also, as a general rule, bees construct store combs—deep cells—or large drone cells in all side or top boxes, or other apartments than that in which the queen and the broods are at the time.

The Dividing Hive was only another form of the same thing, and is open to the same objections and from precisely similar causes.

Another plan still, called the *Colonizing System*—and I speak of and expose the falacies of these various methods here because they are still adhered to by some who know no better, and shameless pretenders are to-day imposing upon public credulity by vending these exploded humbugs—is to make a box, and partition it off into two or more apartments having communications or openings between them, and also direct outlets to the fields. Into one of these a swarm of bees is put, it being intended that when the parent hive becomes filled, the bees, for want of room, shall pass through into the side apartments, gradually filling them with combs and brood. When this is done, the communication is to be cut off by means of a slide, and the part which is thus made queenless left to rear queens and colonize themselves. Like the methods before noticed, this, too, would *seem* to work sometimes, and why not always?

Because the system is based upon error and cannot possibly succeed, for the reason that not until the queen becomes crowded for cells in the main apartment in which to deposit her eggs will she pass into a side apartment. Before she passes into the side apartment, drone and store combs for the most part are built in that apartment; and if during her absence from it and before it is occupied by brood, an attempt to swarm the bees be made by cutting off the communication, they will soon find it out

and leave for home, for home is where the queen and the broods are, and there, too, the honey will go. If the separation happen to take place while the queen is in the side apartment, the thing may seem to work; the parent stock prospering, but the new colony is pent up for breeding space for worker bees, and will never thrive.—By which I do not mean that it may not live, and struggle along for several years, *and be called a swarm of bees;* but that it will not throw off good strong swarms, nor yield any considerable amount of surplus honey.

Indeed, all these hives have the same faults; the greatest being the over-production of drone comb, thus contracting the breeding space for the queen till the season for drone rearing comes, when a flood of these appear, consuming all the surplus of the workers, now daily diminishing in numbers. Thus it is that the apiary soon "runs out," as the phrase is. But this is only the legitimate result of a system founded in error; and it cannot be remedied even by the use of movable frames operated on the same erroneous principle, as many have sought to do. It is true, the *scientific bee-keeper may*, with considerable diligence and care, control drone breeding to a certain extent by the use of frames on the system above described; yet he must be exceedingly careful that his queen-rearing swarms are not large and in possession of vacant space to be filled up with worthless combs. It is conceded that bees consume from twenty to twenty-five pounds of honey to elaborate one of wax.* Besides this, a swarm destitute of a queen is in an unnatural condition, and, however large, labors mainly to supply the present necessity, which is to rear a queen and drones to fecund-

* Whether it takes twenty-five pounds of honey to make one of wax, I am not prepared to prove; probably it is near the truth.—*Quinby.*

ate her; hence it is that no *worker* comb is built till a young queen hatches. That no stores of surplus honey are ordinarily gathered at such a time, one may satisfy himself by examining the honey boxes between the issue of a first and second swarm—the greatest amount being found about twenty-four hours before the issue of the first swarm. Again, a pint of bees will rear a queen in twelve days, and a bushel will do it no sooner.

The great secret of successful bee-keeping lies in keeping the stocks strong, and in swarming them artificially by a method that shall secure the construction of perfect worker combs in the greatest possible abundance, and save all the swarms without loss by flight to the woods. Such a method will also secure the greatest number of worker bees early in the season, and their greatest activity throughout the honey harvest. A safeguard against loss of swarms during our cold winters is also an essential element in a hive.

To combine these advantages, among others, into a practical system, has long taxed the ingenuity of intelligent bee-keepers. For the last thirty years there has been a marked advance in the right direction. A device, simple, cheap, and practicable, for obtaining control of the combs, has been one of the objects sought. Amateur apiarians placed a single card of comb in a thin case with glass sides, in order to observe the bees at work, and learn their habits. To insure the building of the comb in the right direction, Huber started it by fastening a small piece of comb to the ceiling; he also combined eight of these cases or frames, hanging them by hinges, so that they would swing like a door, leaving out the glass sides, except the two outer ones, making the "*Leaf Hive*;" which was invented more than sixty years ago. Bevan, Golding, Huish, Dzierzon, and others, used "*bars*," placed

across the hives in rabbets, to which the bees built their combs. The side attachments had to be removed by cutting them loose with a knife.



14.—Taylor Frame.

Bars led to frames. Henry Taylor, in his Bee-Keeper's Manual, (first published in 1838,) 6th edition, London, 1860, *p.* 73, describes a frame like Fig. 14, and gives an illustration of which Fig. 15 is a copy. Describing his observing hive, he says:

"For the purpose of preventing the bees from attaching the combs to the glass, thin upright strips of wood, rather more than half an inch wide, are tacked under the centre of each bar, at both ends, extending from top to bottom inside of the hive. Or some might prefer to use frame-bars, like the one described and illustrated at page 58," as follows:

"It may be well here to allude to what some have thought to be an improvement in the construction of the bars, the object being to render the combs more accessible, and the usual cutting, to detach them from the sides of the hive, avoided. A reference to the accompanying engraving will exhibit a bar with a frame suspended beneath it, but so made as not to touch either the sides or bottom of the hive, and within which the combs are, or ought to be, wrought."



15.—Taylor Frame.

W. Augustus Munn, invented the "Bar-and-Frame Hive," and published a description of it in London, in 1844. He then used the "oblong bar-frames to take out of the back of the bee-box." He afterwards discarded the

oblong frame, and in April, 1851, published a second edition of his pamphlet, describing his "improved hive" with his "triangular bar-frames, made to lift out of the top." Others have made their frames to slide in and out edgewise; in others, the frames partly lift and partly slide out edgewise, as in the "California hive."

PATENT HIVES.—FRAMES.

"The *Langstroth Hive*, like the *Huber* and *Munn* hives, is constructed on the movable-comb principle; but more properly combines the oblong-bar-frame, as originally used by Munn, with Bevan's bee-box, and other additional improvements, making it more simple and practical than either of its predecessors."—*J. S. Harbison in Bee Culture, p.* 149.

Mr. Langstroth says,* "I have before me a small pamphlet, published in London in 1851, describing the construction of the Bar-and-Frame Hive of W. A. Munn, Esq. The object of this invention is to elevate the frames one at a time *into a case with glass sides*, so that they may be examined without risk of annoyance from the bees.

"Great ingenuity is exhibited by the inventor of this *very costly* (?) and very complicated hive, who seems to imagine that smoke must be injurious, both to the bees and their brood."

Great as Mr. Munn's "ingenuity" may have been, it falls somewhat short of that exhibited by Mr. L., in the above quotation, by which it would appear that the hive of Mr. Munn was an *observation hive only*, whereas the *facts* are, that it was intended to combine all the desired advantages of a practical bee-hive for every day use. Mr. Munn says, *p.* 23, in speaking of other hives, "But however, I should not be doing justice to Mr. R. Golding, if I did not particularly mention his improved Grecian hive, by the use of which combs may be removed from the interior of the hive and inspected at pleasure." Again, same page, "*My object* has been to point out briefly to those anxious for the better, more extended,

*Honey Bee, 3d edition, 1860, page 209.—*Note.*

and economical mode of bee management, the difficulties to be provided against, and to recommend to their consideration the advantages offered in the bar-frame-hive."

A little history will make this matter more plain.

Mr. Munn's hive, with the "oblong-bar-frames," was described in a pamphlet, published in London in 1844. In April, 1851, a second edition was issued, in which the inventor refers to the "*oblong-bar-frames*, and introduces the triangular ones in their stead. On the fifth of October, 1852, Mr. Langstroth obtained a patent on "improvements in bee-hives," under which he is understood to claim "*all* movable frames in bee-hives!"

Mr. Otis, in one of the Langstroth circulars, says, "*This is the original movable* comb bee-hive"!!! and calls all those persons who claim the use of the movable comb frame, "PIRATES"!! [This latter clause is a dangerous weapon in the hands of the Langstroth men; *it points the wrong way.*]

"Rev. L. L. Langstroth is the ORIGINAL INVENTOR of the movable comb frame"!! *C. B. Biglow, in Bee Journal, Sept.* 1861, *p.* 212.

In a small treatise, compiled by permission, from Langstroth on the Honey Bee, by Richard Colvin, the author says, *pp.* 36, 37, "Mr. Langstroth is the original inventor and *sole patentee* of movable frames in Bee Hives!!!"

We had hoped that these absurd pretentions of his agents had not fallen under Mr. Langstroth's eye, and had done him the justice to believe that, when brought to his notice, he would relieve himself from complicity in them by a disclaimer over his own signature; but we regret to say, that further developments have seriously disturbed these favorable anticipations.

This matter is dwelt upon somewhat, because it is threateningly claimed by interested parties, as above cited, who perhaps(?) know no better, that the Langstroth patent secures to its holder the *sole* use of movable frames. For the benefit of such, and to aid the curious, we give herein a few of the facts, and subjoin an illustration of the Munn Hive.

"With hasty judgment ne'er decide;
First hear what's said on t'other side."



16.—The Munn Hive of 1851

Munn's Movable Frames.—In the preface to the pamphlet from which Mr. Langstroth quotes, as before cited, Mr. Munn says he has "very materially simplified the construction of the Bar-frame Hive, by forming the 'oblong-bar-frames' into 'triangular-frames,' and making them *lift out of the top*, instead of the back of the Bee-box." Mr. Munn's mode of using his movable frames may be



Fig. 17.*



Fig. 18.*

seen by the following, from the same pamphlet. "The frames with their contents, may be lifted out into the 'observation frame' * * whenever it is wished to examine the bees, &c., as the half-inch spaces between the bee-frames, will allow of a sufficient distance to be preserved between the lateral surfaces of the perpendicular combs formed in the bee-frames, and thus permit them to lift out by each other with facility," *p.* 14. Again, "The whole interior of the hive is thus open to inspection at any moment, and a choice can be made of the combs containing the most honey, or the bee owner enabled to trace the devastations of the honey moth." *p.* 17. Still further, the hive should be so constructed as to allow of every part of the combs to be inspected at any moment, and capable of removal when requisite," *p.* 20.

We now give Mr. Langstroth's claim of movable frames:

"*Second.*—The use of the movable frames, A. A., fig. 4, or their equivalents, substantially as described; also their use in combination with the shallow chamber, with or without my arrangement for spare honey receptacles!"

Mr. Langstroth's frames, patented in 1852, are substantially the "oblong bar-frames" of Mr. Munn, described in 1844; and how his mode of using them compares with Mr. Munn's mode of using his triangular frames, described in April, 1851, as shown in the above quotations, the reader will be able to judge after consulting Mr. Langstroth's work on the *Honey Bee, pp.* 15, 148, 149, or examining one of his hives.

Munn's Divider.—On page 10 of his pamphlet, Mr. Munn says, "One of the triangular bee-frames can be made solid; this frame can be used as a *divider* between any number of the bee-frames, and thus form the box into two compartments, either to augment

*Fig. 17, Munn's oblong bar-frames, of 1844; Fig. 18, his triangular frame of 1851.

or diminish the space in the box, according to the size of the swarm, or the increasing wants of the bees for more room."

Mr. L's claim of the divider:

"*Third.*—A divider substantially as described, in combination with a movable cover, allowing the divider to be inserted from above between the ranges of comb." He says, "By means of a movable partition, my hive can be readily adjusted to the wants of either large or small colonies."—*Honey Bee, p.* 96.

Munn's space around the frames.—"The divider is made to fit close to the box at the two sides, by means of extra slips of wood, to prevent the bees crawling between the frames and outer box, as they can do around the bee-frames."—*p.* 14. "The bee-frames form, as it were, a smaller box within the triangular box, and are not in immediate contact with the external air, but *have a half-inch space nearly* all around them," *p.* 17.

Mr. L's claim:

"*First.*—The use of a shallow chamber, substantially as described, in combination with a perforated cover, for enlarging or diminishing at will the size and number of the spare honey receptacles."

What are the "essential and patented features" of Mr. L's invention? Above we have given them as gleaned from his book, to which we have added his claims. On page 15 of his work, after describing and condemning the Huber, Munn, and all other hives, and having before him Mr. Munn's pamphlet of 1851, CONTAINING THE ABOVE ILLUSTRATION OF MUNN'S MOVABLE BAR-FRAME HIVE, Mr. L. says, "One thing, however, was still wanting. The *cutting* of the combs from their attachments to the sides of the hive [!!!] was attended with much loss of time, both to myself and the bees. This led me to INVENT A METHOD *by which the combs were attached to* MOVABLE FRAMES, so suspended in the hives as to touch neither top, bottom nor sides." !!!

In the *Bee Journal* for June, 1861, *p.* 142, Mr. L. says, "If Huber had only contrived a plan for suspending his frames, instead of folding them together like the leaves of a book, I believe that the cause of apiarian science would have been fifty years in advance of what it now is.

"Now if I had known that my hive was not so much better than Huber's as to deserve a patent, and if I had been base enough to attempt to palm upon the public substantially his invention as my own, can any man of common sense believe that I would have published to the world, just where and how I *stole* my pretended invention?"

Of course not.

In the same communication, speaking of American movable comb bee-hives, he says: "*In my opinion* ALL OF THEM have appropriated to a greater or less extent, the essential and patented features of my invention." * * That he believes the courts will sustain this opinion, and that he should long since have sought their protection, but for his limited pecuniary resources, the state of his health, and the fact that *other parties* own the greater share of his patent?

Having sold the territory, and got the money, he leaves the luckless purchasers of supposed "*rights*" to take care of themselves! Consistency, indeed thou art a jewel! But we will not quarrel with Mr. L. about that. The concluding portion of his very interesting *Bee Journal* article, above cited, runs thus: "If any one can show that before my invention there existed any movable frame hive adapted to practical use, or any invention that used the essential and patented features of mine, I will try to be the first to acknowledge that although an *original inventor*, I was not the *first* inventor of such a hive."

Will he do it? We shall see.

Much more testimony of the same import might be given, but let this suffice.

I would not detract from the *just* claims of Mr. Langstroth; neither am I willing that he should have credit for inventions not his own. He has combined in his hive some of the most practical features of European inventions; and he deserves to be, and has been well paid for the best *compilation* on the Honey Bee. But justice to Bee-keeping, as well as to Mr. Harbison, compels me to add, that *he* is entitled to all praise for the best *original* work on that subject—notwithstanding its many errors—yet published in this country.

Although inventive skill has not done all in this interesting field that bee-culturists desire, its achievements have, nevertheless, been of great value. The main features of success attained by the hives already noticed, are the well established convictions among intelligent bee-keepers—

1. That bees may be induced to build their combs with considerable regularity on frames put into their hives in a proper manner.

2. That they may be thus handled with safety to the apiarian and the bees.

3. That bees may be artificially swarmed, and losses by natural swarming prevented.

Their failures thus—

1. To provide a style of frames and method of using them that will not irritate the bees, nor injure them nor their combs.

2. To provide a convenient and reliable system of artificial swarming.

3. To provide safe and economical wintering.

Many and repeated experiments, by different persons, under a great variety of circumstances, and living in parts of the country remote from each other, have satisfied those who are acquainted with the facts, that in the hive and system now about to be presented, the three points last named have been reached, and that by their use much greater profits may be derived from bee culture than by any other hive and system.

THE MICHIGAN HIVES, invented by the author, consist of a Quadruple hive, a Double hive, and a Single hive.



19.—THE QUADRUPLE HIVE.

In the above cut, *A B C D* represent the ground plan of the four apartments of the quadruple hive, each of which, when full for wintering, should contain a good strong swarm of bees. The bottom board of the hive projects at the point *C*, or front, for an alighting board for the bees, the whole width of which is left open by removing the slide underneath the movable front as soon as warm weather approaches and blossoms are sufficiently

numerous to ensure safety from the depredations of robber bees. The movable front is secured in place by buttons on the side of the hive, and held up by the cleat on its front, resting on cleats on the permanent sides of the hive. When the hive is all together, this cleat, or stay, runs all the way around the hive, and also serves as a support to the top, or surplus honey chamber. The whole hive rests on a cross, made equal to the width of the hive. A centre point projects from this, fitted to a hole made half way through the bottom, on which the whole *turns*. At the point *d* in the frames, cylinders of tin or other suitable material, five-eighths of an inch in diameter and of the same depth, are placed for the purpose of securing an opening through the combs at this point, when they shall have been constructed all through the hive.

The manner of operating with this hive depends somewhat on what we wish to do with it.

If we desire only to double the number of our stocks in a single season, and hence secure the largest amount of surplus honey, as soon as bees have begun their labors in the spring we transfer bees and brood combs to other hives, leaving but two stocks in the premises, and occupying opposite apartments, as follows :—

Early in the morning we close in all four of the swarms, and gently remove the old hive a little off its stand, and put a clean one in its place in exactly the same position the old one occupied. We blow a whiff or two of smoke of burning cotton rags, wood, or tobacco, in among the bees to alarm them. They at once fill themselves with honey, so that when we open the hive, if we are deliberate and careful in our movements, they will not sting us. We now transfer the swarm in *A*, by means of the movable frames, into the department *A* of the new hive ; placing the frames always in the same relative position

in respect to the hive and each other that they occupied in the old hive, and so adjusting the inner passage ways that the bees of *A* may pass through the empty part, *B*, in going to and from the fields, while they also use the larger and more direct outlet at *a*. So, also, we transfer the stock from the hive *C* to the corresponding apartment of the new hive, leaving this swarm to work out of *C* at *a* and through the empty apartment *D*, in like manner; the two swarms being thus entirely separate from each other. The movable fronts in the tenantless apartments *B* and *D* are now left out, and the top cover is put on to protect the hive from the weather. We now provide a *new stand* and hive for the remaining two swarms, which are to be transferred in the same manner, placing them in the new location. Then we *renovate the old hive*, cleaning it with water boiling hot, so as to remove any gum which the bees may have placed upon the gauze wire curtains in the partition walls, and destroy every vestige of the moth that may be lurking in any crevice of the hive. Any needed repairs should now be attended to. Our bees are thus put into summer quarters and are ready for

ARTIFICIAL SWARMING.

This is done as soon as the drones—the male bees—make their appearance, and in the following manner, viz.: We open the hive *A*, and selecting a comb, containing brood in all stages of development, from the egg to the capped larva, as shown in Fig. 20, we transfer it, with its adhering bees (being careful not to get the queen), to the empty part *B*, putting in its place an empty comb frame, and shutting off the com-

20.—Brood Comb.

munication between the apartments *A* and *B* at the point *b*. This card of comb we *lean over* a trifle, so that it shall remain firmly in position, putting in place the movable front and slide so as to leave only the small opening, like that shown at *a*. We thus detach a small portion of the bees from the parent stock, *A*, for the purpose of rearing queens, which they will immediately set themselves about doing from the brood furnished them. Such of these bees as have been in the habit of using the hitherto empty apartment for a passage way, will remain, to be joined from day to day by numbers from the parent hive that have also used that apartment as a passage way; while those we have transferred, that have been accustomed to use the direct outlet from *A*, will of course return thither. We thus secure only a comparatively small portion of the bees for the purpose of queen rearing, while the labors of the parent stock go on undisturbed. Indeed, the old hive will breed *all the faster*, for the reason that the vacant space will be rapidly filled with new worker comb, in which the queen will immediately deposit eggs; while in the infant colony no combs are constructed at all, because the bees have enough already. The tenth day after starting the queen cluster, if no royal cells had been begun when the comb was transferred, we open the hive *B*, and with a sharp penknife *cut out all but one of the queen cells*, using these immediately in starting other queen clusters — attaching one of them to a card of comb and bees (fig. 21), taken from the hive *C*, and transferred to *D*, in the manner

21.—Queen Cell Inserted.

before described ; being careful always to *cut off the communication between the new queen cluster and the old swarm*, or the queen will not be allowed to mature, and the bees will return to the parent stock.

In transferring queen cells, it is of no consequence how we place them in the combs, so that we do not injure them. I have placed them in every imaginable position with equally favorable results. Great care must be taken not to press them with the fingers, nor let them lie in the sun, or exposed to the chill of morning or evening, for fear of destroying the royal occupants. The tip of the cell should not touch the comb, as, if it does, the bees may stick it fast at that point, and thus prevent the hatching of the queen. The inexperienced bee-keeper had better transfer only one of the queen cells at a time, returning the frame from which it is taken to its place in the hive till the royal cell is properly adjusted in its new location, in order to prevent injury to the young larva. Each new colony should receive *only one* queen cell, because it is found that a queen emerging in a small colony, with no rivals in prospect, will make her excursion to meet the drones several days sooner than one emerging in a populous colony, or having rival queens in prospect to be disposed of.

The following letter from the author, was published in the *Bee Journal* for September, 1861, *p.* 212 ; and the editor, in his remarks on the same, clearly endorses the views here set forth :

A great diversity of opinion exists as to the time when the first excursion of a young queen in quest of drones for impregnation may be looked for. The June number of the Journal (page 130.) states the time at from the fifth to the twelfth day after issuing from the cell. I think this is a mistake ; at least it has not been true with me.

I have practised *artificial swarming* exclusively, and made a record of the facts. The queen may be *confidently* expected to issue from the hive, between noon and half-past two o'clock P. M., on the second day after emerging from the cell—frequently on the first,—and if drones are abundant, she usually meets them after one or two flights.

A practised eye will readily recognize the marks of impregnation with which she returns when successful; and in from two to ten days thereafter she will generally be found depositing eggs in the cells. One queen which issued from the cell on the 4th of July, took wing on the 5th, and had deposited quite a quantity of eggs on the 7th. Out of six which issued on the 26th ult., three became fertile on the 29th, two on the 30th, and one on the 1st inst. These are instances of the *earliest* fertility, however, I have ever known. It is accomplished in the following way, viz: *by permitting only one queen cell to remain in the hive.* In rearing queens, I always use *small clusters* only. If more than one queen be allowed to mature, and the swarm be large, the bees are apt to *cluster around and imprison the queens:* besides this, the queen will destroy all surplus cells before leaving; which, it is imagined, delays her impregnation. I have known the bees to thus imprison a queen for *ten days!* By allowing *only one* royal cell to remain in the hive after the tenth day, no such result will ensue. The only difficulty in thus rearing queens by small clusters, in warm weather, is the greater liability of the bees to take flight with the queen when she seeks the drones, and then leave for the woods. This source of vexation and anxiety, is avoided by taking the precaution of having some larvæ or capped brood in the cells at this time. The bees will not then desert their nurselings, and the queen will return—except an occasional one. A few will be lost by accidents, such as being destroyed by birds, &c., to which risk *all* queens are *once* exposed.

Grand Rapids, Mich., Aug. 4, 1861.

EDITOR'S REMARKS.—There is greater diversity in this important matter than is commonly supposed; and observers may differ widely in their statements and inferences, while each narrates the

facts correctly. Circumstances exert a controlling influence and materially affect the result. Thus queens reared in small nuclei, such as our correspondent uses, will certainly issue earlier and usually become fertile sooner, than such as are reared in larger colonies: and the seasonable removal of all surplus royal cells, will efficiently contribute to bring about the desired consummation. On the other hand, the young queen of a populous colony, whose hive was *full of comb*, well supplied with brood and honey, has been known not to be impregnated, though drones abounded, till more than three weeks after she left her cell. The truth seems to be, that there is no definite term—circumstances governing in every case.

After we have thus adjusted the new colonies, we let them remain for from six to ten days, when, if drones are abundant, and we have safely transferred the cells, we shall probably find our queens have become fertile, and have commenced the work of depositing eggs. We now catch the queen—she will not sting—between the thumb and finger, and with a pair of scissors, *clip one wing*, so that she cannot fly. This is to guard against losing a swarm at a future time, should we neglect to swarm the bees, or give them work to do. We also now *cage the queen* for about three days, by placing her in a case of gauze wire cloth a little larger than a thimble, and suspended in the hive, or laid upon the top of the frames through one of the holes in the honey board, while we are swarming the bees. After thus securing the queen, and filling up the hives with empty comb frames, we turn the whole one-fourth the way round, thus causing the parent and infant colonies to exchange places, throwing out of the parent stocks swarms of worker bees, into the infant colonies. The hive should not be turned between the hatching of the young queens, and their fertilization, because *bees belonging to swarms of fertile and unfertile queens* will not fraternize, but will quarrel. It might be turned

with safety a day or two before the hatching of the queens, but it is more difficult to find the queen among the greater number of bees ; hence, soon after her fertilization is the best time. It may *sometimes* happen, when this operation is performed at a time when the honey harvest has received a check from a storm or otherwise, that the bees, thus empty of honey, and consequently more quarrelsome, suddenly thrown into the presence of a strange queen, are inclined to sting her. It is to prevent this, that she is caged for the space of three days, after which she may safely be liberated. The bees cannot harm her through gauze wire cloth not coarser than fourteen meshes to the inch. The swarm will suffer no particular detriment by her confinement, since comb building will go on as if she were at liberty. But this is only a precaution to beginners, the experienced apiarian will always know when to cage the queen ; since in the midst of the swarming season, when the honey blossoms are yielding in profusion, little or no precaution is needed to protect either the queen or the operator.

Where great rapidity of multiplication of swarms is the object, *one stock only* is left in the quadruple hive in spring, leaving out, in this case, the movable fronts of all the unoccupied apartments, and opening *all* the passage ways through the inner walls. We now transfer a card of comb, bees, and brood from *A* to *B*, proceeding as before described. The tenth day thereafter, *from some other hive*, take two more cards of comb and bees, for *C* and *D*, giving to each of these a queen cell, taken from *B*, and *always capped over*. We should use no other, as the bees will be likely to destroy them. When our young queens have matured, we turn the hive half the way round, letting it thus remain from eighteen to twenty days, or un-

til the hive *C* is nearly filled with combs. We now turn the hive one-fourth, and swarming is done, having from one good swarm thrown off three new ones by the time natural swarming has commenced !

There are other methods of swarming the bees by revolving the hive, which will suggest themselves to the apiarist, and by which he may be able to multiply them to any extent. Let no one misunderstand, however, and expect from fifty to one hundred pounds of surplus honey from each of them ; for it is an extraordinary year indeed for honey, that will afford a supply sufficient for wintering, where *three* swarms are taken from one. Bees must have stores to live on through the winter, like everything else in our climate, and it should be remembered that *they are first* entitled to their stores, and *we* should be content with the *surplus* for our care and attention.

Sometimes the combs become so filled with bee-bread and honey, that there is not sufficient room for breeding faster than the bees perish,—hence the hive proves unprofitable. An exchange of combs, giving empty for full ones, will rapidly augment their numbers. Every good piece of worker comb should be saved for this purpose—they can be readily attached to the top of the frame, by a little melted bees wax applied with a feather, or the edge of the comb may be dipped in a little melted bees wax, and then placed quickly on the frame. If plenty of such empty *worker* combs be furnished them early in the season, at a time when comb building is conducted the most slowly, they will be immediately filled with eggs, insuring the multiplication of the bees with the greatest rapidity ; so that when the honey harvest comes, a supply of laborers will be on hand to collect it. Those who know how rapidly bees breed under favorable circumstan-

ces at this season of the year, and in how incredibly short a space of time their abundant stores are collected immediately thereafter, will appreciate the advantages thus secured. If empty combs are not at hand, give empty frames, letting them alternate with full ones, so as to secure true, even combs. In my process of artificial swarming, bees build *all their combs true*, for the reason that a guide is furnished them, which is a frame filled with even comb. On this they cluster, building the first new comb parallel with the one furnished them; this becomes the guide for the next, and so on till all the frames are filled. *Worker* combs are secured in consequence of having a young queen, drone comb being seldom built in any hive during the first year of the queen's existence.

DOUBLE HIVES.

The Michigan Double Hive consists of two apartments, with entrances at the middle of each end, and gauze wire curtain and bee passage between the two apartments. In swarming artificially, this hive is to be turned one-half round, making the two apartments change places precisely. Those who keep only a few swarms may prefer the double to the quadruple hive, as it is more simple in management; but in wintering, the quadruple has decidedly the advantage over the double hive.

If the directions herein given are followed, the hive will work, and beekeeping prove satisfactory; but let no one flatter himself that because he has a patent hive his bees will take care of themselves and the improvident bee-keeper besides, and endure our long winters without honey. Bees may die of starvation in any hive, however well constructed.

SINGLE HIVES.

Fig. 22 is a side view of the hive, showing the manner of adjusting the frames. The single hive is made exactly like, and of the same interior dimensions of, one-quarter of a quadruple one; that is, twelve by twelve inches, and seventeen inches high. Eight frames fill the hive. Those who prefer inclined bottom boards, can rest the frames on wedge shaped cleats secured on the inside, and near the bottom of the side walls of the hive. This will allow the bottom to be hung by hooks, and swung up close to the lower edge of the movable front, dispensing with the slide. This style of hive, with my improved frames, possesses many advantages over any other single hive. It is simple, easily made, and cheap; readily cleaned of all filth, by swinging the bottom board down, without in the least disturbing the bees, affords not the slightest point, inside of the hive, inaccessible to them, for the moth to deposit her eggs,* and combines the most practical form of the movable comb frame, and manner of using it, in a plain box hive.



Fig. 22.

*"There being *no* such thing as a *moth-proof hive* in *existence*, nor any prospect of such a discovery ever being *made*, we are compelled to be content with that which makes the nearest approach to it, viz., one that gives the bee-keeper easy access to the worms."—*Bee Culture*, p. 115.



23.—A Frame.



24.—Moth.

25.—Female.

26.—Male.

27.—Moth Gallery.

Fig. 23 is a frame. *F*, plan view of top bar. *E*, cylinder for winter passage. The figures give the dimensions.

Fig. 24 is the moth worm; Figs. 25 and 26 the winged moth, or miller; and Fig. 27, section of moth gallery. The female is somewhat larger than the male. She enters the hive at night and deposits her eggs, preferring to

leave them on the brood combs. As soon as hatched, the worm encloses itself for protection in a silken case, which, extended, becomes its gallery, or course, through the comb along its central wall.

The nearest approach to a "moth-proof" hive, is one so constructed that the miller can find no crevice in its interior, to which the bees do not have access, in which to deposit her eggs. Where two pieces of wood come together is the place sought by the moth, thrusting in her ovipositor and leaving the egg to hatch and begin its gallery beyond the reach of the bees. In passing from this point through the hive and combs, the worm continues to spin its silken protection, which is proof against all assaults of the honey bee. Once safely within the comb, the moth, protected by its gallery, passes along the wall at the base of the cells, sticking fast in its silken toils the unhatched bees. I have seen thousands of them just ready to emerge, vainly struggling to free their extremities from the grasp of the destroyer; these soon perish. The only remedy is, to cut away the worm gallery and remove the dead and dying brood. The moth does not directly destroy the brood, but only feeds on the wax of the cells and the food deposited therein for the development of the young bees.

A strong, vigorous stock, having a fertile queen, will not allow the moth thus to get possession of the hive; and if, while destitute of a queen, a foothold is gained, the bees, on the maturity of the young queen, will cut away the comb possessed by the worms, letting it fall to the bottom. They will then carry from the hive by piecemeal such portions of it as they can separate from the mass, plastering over the remainder, if any, with their propolis. Swarms not sufficiently populous to cover all

their combs, and especially queenless ones, are most exposed to the moth; and old black comb is more liable to be destoryed than new.

The removal of the moth gallery by the bees subjects them to great labor and much loss of time, which the use of movable frames will entirely obviate, as they will enable the bee-keeper to inspect the combs at any time, and remove the worms and any portion of the comb occupied by their gallery; or give any other relief that the swarm may need. Hence writers on bees are agreed as to the necessity of using movable frames, as a means to successful bee-keeping. The only open question in the matter is, the style of frames and the manner of using them. There should be as little contact of surfaces inside the hive as possible: hence it is obvious that the frame which has the least bearing in the hive, and makes the least crevice inaccessible to the bees, is the best for this purpose. Some inventors of hives are aware of this; and one of them says that in his hive, such a place is found only "where the frames hang in the rabbets."

My hive is so constructed that *no* crevice is found in its interior in which the miller may deposit her eggs beyond the reach of the bees, not even where the frames touch the hive.

There is no "moth-proof" hive, and cannot be; for the reason that the miller will go anywhere that a bee can. Many ingenious devices have been invented for excluding them. For example: A "pedal" is fitted in the entrance intended to be operated by the weight of the bee, but so nicely adjusted that the lighter body of the miller will not open it. Beautiful in theory, but worthless in practice; for the reasons, that in hot weather the bees

will lie in and about the entrance night and day, keeping it open all the time, and soon cement the "pedal" immovably fast with their propolis.

SURPLUS HONEY BOXES.

When swarming is done, the honey boxes should be placed upon the hive. These should have a bottom with holes to correspond with those in the cover, or honey board, so as to be readily removed. Honey boxes should never be put on the honey board WITHOUT BOTTOMS, nor on the frames without a honey board. If they are, it is difficult to remove them without injury to the combs. If glass sides and ends are made to the boxes, so that the honey can be seen, it will sell for enough more in market to pay the extra expense. Two boxes should be placed upon each hive, or swarm, six inches wide by five deep and twelve inches long, as represented in Fig. 19, p. 36.

WINTERING.

To prevent loss of bees by starvation in winter, with plenty of honey on hand, is the object, in part, for which the quadruple hive and the WINTER PASSAGES are constructed. In a single hive, without a passage through the combs, it frequently happens, that during cold, freezing weather, long continued, the combs outside the cluster of the bees, become covered with frost, the congelation of their breath, which they are totally unable to remove—and they will not go over it—and SO PERISH OF HUNGER AND FALL TO THE BOTTOM BOARD WITH PLENTY OF STORES ALL AROUND THEM; and while the bees between the ranges of comb are in prosperous condition, in consequence of the greater degree of

animal heat nearer the centre of the cluster. In low, broad hives, even with winter passages provided, whole swarms often perish in like manner, having eaten their way to the honey board.*

With the thermometer at or near zero, a large swarm of bees will cluster in a circle of eight or ten inches. Hence it becomes evident, that in a hive of proper proportions, with suitable winter passages, the bees will pass through them to the interior of the hive—the swarm thus expanding and contracting as the cold diminishes or increases. For similar reasons bees winter more safely in the four-colony hive than in either double or single ones, where both are alike exposed to the winds and frosts of winter.

Ventilation.—A ventilating passage should be secured for a supply of fresh air, even during the coldest weather. This may be done by making a small bee passage through the movable front near its top, like that at its bottom, and leaving both open. A *better* way, however, to ventilate a swarm of bees in my hive is, to place in the fall, clean, gauze-wire cloth over the holes in the honey board, and fill the top chamber with fine straw, chaff, shavings, or other dry, porous material. This will allow sufficient air, and at the same time absorb the moisture

* "The Langstroth hive had also been introduced into a number of apiaries, ours among others. From the glowing accounts which I had heard of it while in California, I expected to find the desideratum long sought for by apiarists, and as a result of its introduction into our apiaries, that they would be in a highly flourishing condition, particularly that portion of the stock contained in the new style of hive. In this I was doomed to disappointment, as most of the bees that had been put into them had died of starvation, they having eaten all the stores from the bottom to the top of the hive, in the centre of a diameter equal to the size of the cluster, leaving an abundance of stores still within the hive, but owing to the severe cold, the bees were unable to reach them."—*J. S. Harbison, in Bee Culture, p.* 31.

contained in the breath of the bees, keeping them dry and sweet, and preventing a current of cold air through the hive, which is fatal.

The slide should occasionally be removed, and all dead bees and dirt drawn out from the bottom. A convenient scraper for doing this may be made of a 3-16th inch brazier's rod sixteen inches long, and the end turned about one inch and flattened.

Bees thus cared for, in my hives, and placed where the sun shall not shine upon and disturb them in the middle of the warmest days of winter, WILL NOT PERISH WHILE THERE IS HONEY IN THE HIVE

By those who do not keep bees in such numbers as to render such a course impracticable, something may, perhaps, be gained by carrying the hives in early winter into a *dry, dark, quiet cellar.* The bees will thus remain more quiet, and consume less honey, than otherwise; but this costs time, and is attended with care and trouble; and, besides, most cellars are so damp as to render the destruction of the bees certain: so that it is not probable that this method could be adopted to any considerable extent.

TALL HIVES.

Intelligent bee-keepers are generally agreed that tall hives are better to winter bees in than low ones. Even Mr. Langstroth, whose hive is a low one, says: "A hive *tall* in proportion to its other dimensions, has some obvious advantages; for, as bees are disposed to carry their stores as far as possible from the entrance, they will fill its upper part with honey, using the lower part mainly for brood, thus escaping the danger of being caught, in cold weather, among empty ranges of comb, while they

still have honey unconsumed."—*Honey Bee, pp.* 329, 330. Mr. J. S Harbison to the same effect: "Many eminent apiarists bear testimony to the superiority of deep hives over those that are low and of large diameter."—*Bee Culture, p.* 132.

Mr. Langstroth's *frames* compel him to forego the "*obvious advantages*" of a tall hive. He says (Honey Bee, p. 330): "It would be impossible to use frames in it to advantage"—true in regard to his frames and his mode of using them—and in a foot note he gives the following very good reason: "The *deeper* the frames the more difficult it is to make them hang *true* on the rabbets, and the greater the difficulty of handling them without crushing the bees, or breaking the combs."

In the Michigan quadruple hive are combined the advantages of both height and depth—the frames being so constructed and operated as to admit any desired height of hive, and the main entrance of each apartment being at the corner most remote from the centre, around which the bees, each colony in its own apartment, cluster in winter. The quadruple hive gives each colony the benefit to be derived from a single one equal in length to the diagonal of the quadruple, in addition to the advantages of nearly four times the lateral space to be had in an ordinary single hive. Hence the quadruple hive is adapted to fully gratify the "disposition of the bees to carry their stores as far as possible from the entrance," a feature not attainable in any other hive.*

* Those who have bees in low hives, will find they will winter better if the hive be set on its end late in the fall, keeping the combs in a perpendicular position. Before doing this, the frames and honey board should be made fast, so as to be kept in place.

GREATER ANIMAL HEAT.

In the quadruple hive, only one-half of the wall surface of each apartment is exposed to the weather; and, in winter, the four swarms cluster about its centre, thereby producing in the hive, for the benefit of each swarm, four times the amount of animal heat produced in a single hive.

WINTER PASSAGES.

Many colonies of bees are lost in winter, from want of *winter passages* through their combs. Seeing this necessity, the writer contrived his present mode of making such passages, and securing them against being filled up by the bees, by cylinders made of tin or other material, and painted on the inside, and suspended in the empty frames, or placed in the combs.

Mr. Langstroth, in his book on the Honey Bee, third edition, 1860, *p* 337, recommends cutting a hole through each comb late in the fall; and in a foot note, gives Mr. Wm. W. Cary's method of making such a passage, describes his instrument for doing it, says an application for a patent on "this device" was pending, and that, "if the patent issues, the right to use it, will be free to all owning the right to use the movable-comb hive."

It may be remarked, here, that he says nothing about securing the passage against being filled up by the bees. Yet, in the *Bee Journal* for June, 1861, *p.* 136, Mr. L. says,

"*Some years ago* Mr. W. W. Cary, of Coleraine, Mass., after cutting winter passages in the combs, put in them a coiled shaving, to prevent the bees filling them up. I contrived a mode of *suspending* this shaving in an empty frame."

It is a *singular coincidence!* that between the two writings of Mr. L., my hive, with its winter passages, had fallen in his way, and that at the time of his latter writing, my patent, embracing said winter passages, had already been ordered to issue! Mr. Langstroth's "*some years ago*" were included between 1860, and June, 1861 !!!

"DYSENTERY."

Once during winter, it is desirable, and in long winters quite necessary, that bees should be allowed to fly, to discharge their fæces, or they are apt to be attacked with what is improperly called "dysentery." This arises from the inability of bees, after long confinement, to retain their fæces, consequently on the approach of a mild day, at such times, even when the weather is too inclement for them to safely fly, many will venture out for this purpose, and drop down upon the snow, while some evacuate about the entrance and *in the hive.* When the latter takes place to any considerable extent, the whole swarm is aroused to great activity; and, if the weather continues cold, perish. A swarm in this condition should be given air, and carefully shaded. As soon as the thermometer marks 45° in the shade, place them in the sun, and open the hive to let them fly. I have saved swarms in mid-winter by allowing them to fly in a room, setting the hive by the window, and returning them with a ladle or spoon. But a room is quickly so soiled by the bees that it is not fit for anything else. After the bees have thus relieved themselves, the disease disappears.

FEEDING.

Bees should not be fed with liquid sweets in winter, when it can be safely avoided. Swarms, light in the fall, should be united, or their insufficient stores replenished,

by cards of comb well filled with honey from other hives; or, a box of honey *with its bottom* and the honey board removed, so that the bees shall have ready access to it, may be placed on the frames. They may *starve* with it above the honey board. Bees may be fed *in the fall* to some advantage, when the swarm happens to have been started late, or removed from the woods; candy, or anything of that nature, may be placed immediately above the frames and *accessible* to the bees *in cold weather;* or liquid sweets may be given them, but I have always found *sealed honey the best and cheapest bee food.*

They do *not* need water, as some suppose, unless we want to encourage breeding, which is not advisable in winter, as it causes them to use more honey. But in spring, for breeding purposes, a considerable quantity both of honey and water is needed. Even after blossoms appear, if the weather continues for several days too cold and stormy for them to fly, they will often perish if not fed. A sponge kept saturated with sweetened water, placed on the wire curtains covering the holes in the honey boards, will save them, and in any case do no harm.

ROBBERS.

Should robbers be enticed thereby, or at any time, from any cause, contract the entrance, and if they still persist, close it up, so that but a single bee can crawl through at a time. This will give the defenders of the place the best of the fight, and they will soon rid the premises of their assailants.

How to take them.—It sometimes happens that a powerful swarm from the neighboring forest attacks a weak swarm and nearly ruins it before discovered. In such

case, close up the hive entirely ; place by its side a hive having within it a card of honey, or comb filled with sweetened water ; let the bees come and go a few times, and they will *fairly swarm* about you, encouraged by their success. When in the midst of their labors, place a tube in the hive, fitted to the bee entrance, and long enough to reach about half way through the hive, with its inner end elevated a little from the bottom. Now open one side of the hive, so as to let in the light—it should have one side of glass covered with a shutter—until the bees have filled and want to go home, when they will fly for the light, and find themselves trapped. Having provided a hole in the top of this hive, which can be opened and closed by means of a gate, place a hive on the top of this, containing a piece of brood comb freshly taken from a hive. Open the gate, close the shutter and entrance below, and open the shutter of the upper hive, until the bees, thus caged, have ascended into the upper hive ; then close the gate and the shutter of the upper, and open the shutter and entrance to the lower hive, letting in another band of robbers ; and thus continue till you have caged the whole gang. The hives are now to be removed ; the top one to a permanent place in the apiary, where it is to stand till about an hour before sun down of the fourth day. It is then to be opened, and the bees given their liberty, when it will be found, that several queens have been started, and your robbers have concluded to stay with you altogether, and you can count one more swarm in the apiary. If small tin valves are placed upon the inner end of the tube, to be operated by the bees themselves, they are more easily caged, and without the gate and shutter. I discovered this device—the valves—about two years ago, and thought it new, but

found that Mr. R. B. Merritt, of Battle Creek, Mich., was ahead of me, although inventing it for a different purpose. He did not patent it, however, and I believe it is now public property, any one having a right use it. The idea of thus starting a swarm of bees, I believe to be original with myself. I first practiced it about six years ago, by catching a few bees from the blossoms in the fields for the purpose of experimenting, not thinking, at the time, to what use the principle thus demonstrated might be applied.

TRANSFERRING FROM BOX HIVES TO MOVABLE FRAMES.

Having provided a box, called the "driving box," so made that its mouth will exactly fit the open end of the hive from which the bees are to be driven, blow a few whiffs of smoke from burning wood, cotton rags, or tobacco, in among the bees—not too much so as to sicken and cause them to fall down from among the combs upon the bottom board, but only enough to alarm and induce them to fill themselves with honey. Let the hive stand five minutes, to give the bees which may be out gathering honey, time to return; then blow in a little more smoke, driving them all up among the combs. Now remove the hive two or three rods from the apiary, under a convenient shade, if such is at hand, and carefully turn it over on a clean spot, (but never upon loose *dirt or cultivated ground,*) with its bottom or open end upwards. As quickly as possible cut a small piece of brood comb, or comb containing eggs and young bees, from near the centre of the hive, and suspend it by a nail, or otherwise, in a box, for a temporary hive, placed upon the stand from which the box hive was removed, to catch up such bees

as may be out seeking their old hive. These will cluster upon the comb thus furnished them, till they are wanted, and be prevented from entering other contiguous hives. Place the driving box upon the box hive, so that they will exactly fit each other, mouth to mouth, tacking the two together with a couple of nails, and with rags close every crevice, so that not a bee shall escape. Now lightly rap on the top—now bottom—of the hive, gradually moving up, from fifteen to thirty minutes. By this time nearly all the bees will have ascended into the top box, which will be known by the humming noise within, on applying the ear to the side of the hive. A window of glass, or wire cloth, provided with a shutter, may be inserted in the side of the driving box, through which to see the bees. If the driving box have sticks nailed across its interior, for the bees to cluster upon, all the better. When the bees have nearly all ascended into the top box, it is to be removed, and a cloth, or wire curtain, open enough to give plenty of fresh air, is to be placed over its mouth, to prevent the escape of the bees, letting it stand in a cool, shady place while transferring the comb.

After removing the side of the box running nearest parallel with the comb, as carefully as possible, cut out one card, placing it upon a common tea salver, and with a frame lying upon it in such a manner that the honey and breeding cells shall remain in the same relative position in the frame that they occupied in the hive, as in Fig. 28, cut the comb a trifle larger than to fit, so as the better to fasten it



28.—Comb fitted for frame.

in place, using only the truest, evenest combs, and discarding all drone cells and combs of much greater thickness than one inch.

Old black combs that are true and even, are just as good as new, white ones. Having thus fitted the comb to the frame, tack on each side a strip of wood, previously prepared, of about ¼ by ⅜ of an inch material, and long enough to reach from the bottom to the top of the frame, to hold the comb in its place for three or four days, or until the bees shall permanently attach it to the frame. If a little melted bees wax is at hand, the combs may be partially attached with this by means of a feather, but except during the midst of the honey harvest, the fumes from burning wax or combs should be avoided on account of greater liability to entice robbers.

When thus prepared, the frame, with its comb and brood, is carefully placed in the hive, and its entrance closed up to keep out inquisitive stranger bees. Thus, one by one, are the combs removed, without honey, except what little there may be near the corners of the frames, the surplus being immediately taken to the house out of the reach of the bees. Having thus placed all the combs in position in the new hive, the small box is brought from the old stand, and the bees it contains shook out at the entrance of their new domicil, having first removed the slide, so as to give them room to enter. A little smoke may be needed before removing it, as the bees in it have probably already begun the work of queen rearing, and may be loth to leave the comb furnished them, which should now be removed. If we intend to *practice artificial swarming*, and prevent our bees from absconding to the woods, we have now to *find the queen*. This is easily accomplished after having been once done, and

the *inexperienced* will have but little trouble to find her by turning up the driving box on its side, and gently dipping the bees with a spoon, or ladle, from *that* to the entrance of another box, after the manner of hiving a natural swarm, looking over each spoonful carefully for the queen. A few of the first spoonfuls may turn back toward the greater noise in the driving box; but perseverance and a little sprinkling of water, will soon get them started the other way; and if a bee is seen a trifle larger around the body and *nearly twice the length* of a worker, and considerably less bulky than a drone, you may be sure you have the queen. If she is not found the first time, exchange boxes and search again. When found, *clip one of her wings*, so that she shall be unable to fly. This will not impair her usefulness in any degree, for her wings are now of no use whatever, except to lead off a swarm to the woods. But, it should be remembered, that it is safe to clip the wings of FERTILE QUEENS ONLY. ALL queens become fertile, if at all, within the first twenty-one days of their existenee; otherwise they are drone layers. For this and other reasons, previously noticed, *it is not safe to transfer a swarm*, with their combs, from box hives at any time *between the issue* of *a first and any after swarm* of the current year; nor to "drive" a swarm at such times, for similar reasons ("Why?"), because, either no young queens are yet hatched, and we run the risk of destroying them in their cells, or they are *unfertile*, since they do not fly to meet the drones until *after* leading off their swarms, and if we drive out the only queen in the parent colony while there are no eggs in the combs from which the bees can rear another, its final destruction becomes inevitable. The reasons are here given, that the inexperienced may not fall into an error, often

committed, and not immediately remedied as it should be, by supplying a fertile queen from another hive, leaving the stock from which she is taken to rear a new one. Another reason why it is unsafe to transfer a swarm of bees while they have yet an unfertile queen is, that a disturbance of the swarm at this time is apt to cause the bees to accompany the young queen upon her bridal trip, sometimes returning, but often absconding with her to the forests. This result may be prevented by timely giving such swarms brood comb, containing eggs and larvæ, from other hives. It is also an effectual remedy against *any* loss of swarms by flight after hiving; for *bees will not desert their young*. In four to six days after transferring, the combs are to be righted, and the temporary slats removed, and any needed correction of position attended to.

"DRIVING," OR FORCED SWARMING.

This operation is performed precisely as if you intended to transfer the combs, with this difference only, namely: when you have separated the bees from the combs contained in the old hive, cover the latter with a gauze-wire cloth, or other suitable material, while the queen is being hunted up. When found, she is placed with one-fourth of the bees in a new hive upon the old stand, while three-fourths of the bees are taken with the old hive, and placed in a new location. If this operation be performed ten days before others are going to be driven, queen cells may be taken from this for supplying other hives. But to swarm bees in this manner, requires considerable skill, and a good degree of knowledge of bees;—and even then is liable to fail, from the fact that we work in a great measure in the dark, and can never know, as we ought,

whether a new *fertile* queen is provided or not, until it is quite too late to remedy the evil, if one be wanting. In thus transferring bees and combs from box hives to movable frames, we have purposely left them unsupplied with honey to any extent. When transferring is performed in the midst of the honey season, none is needed; but if, as is often the case, we change bees to new hives late in the season, they may be unable to collect a supply of stores for the winter; especially will this be the case if considerable empty space is left to be supplied with new combs. In such cases, a box four or five inches deep should be provided, without top or bottom, made twelve by twelve inches inside, so as to fit the hive. After the combs in the hive are righted, this should be placed on the top of the hive, making a chamber above the frames 12 by 12 inches and 4 or 5 deep, into which, properly spaced, a supply of sealed honey should be placed, and the honey board put on. Twenty-five pounds of honey so provided, will safely winter a large swarm any where that bees can be wintered, even though no other stores are in the hive. When apple trees are in full bloom, remove this box, blowing in a little smoke to drive the bees below. Let every bee-keeper see that his bees have "enough and to spare," remembering that they are faithful stewards and will return the trust with interest a hundred fold.

BEE PASTURAGE.

"Bees work for man; and yet they never bruise
Their master's flower, but leave it, having done,
As fair as ever, and as fit for use."

Propolis is a resinous gum, obtained by bees mainly from the leaves, buds, and trunks of plants and trees,

and used chiefly to fill up the holes, and plaster the inner surfaces of the hive.

Bee-bread, called also pollen and farina, consists of the fecundating dust of blossoms, and is also collected by the bees from the fine dust of flour—rye flour is best—and constitutes especially the food of their young.

Honey is the great staple of the bee-hive. It varies in quality and value, according to the source from which it is obtained. The three principal honey harvests with us are, 1. From the blossoms of fruit trees in spring; 2. and greatest of all, From white clover; 3. Buckwheat. The honey locust, the basswood, the whitewood, oak, maple, and other forest trees, and the flowers of a great variety of plants, also yield large quantities of honey. Our *surplus honey* should, if possible, be secured from the white clover, it being of the best quality. This is also the period of the most rapid comb building, empty hives being sometimes filled with comb in six days. Bees will often gather sufficient honey for their winter stores from buckwheat alone, when it is near by, the season favorable, and they have plenty of empty comb in which to store it. Mr. Alvin Wilcox, of West Bloomfield, N. Y., is said to have had two swarms increase in weight twenty pounds from buckwheat in a single day. The field was within fifteen rods of the apiary. "The Baron of Berlepsch has had single colonies in his apiary which increased eleven pounds in weight in one day. Mr. Kader, of Mayence, had one which increased twenty-one pounds, and the Rev. Mr. Stein, of the same place, one which increased twenty-eight pounds, in a day."—*Bee Journal* for July, 1861, *p* 164.*

*I have known a small second swarm, in the honey season, to store sufficient for winter in ten days, when empty combs were provided.—*M. Quinby*

RANGE OF PASTURE.—OVERSTOCKING.

Bees will bring stores from a distance of three or four miles; but the nearer they find supplies, the more rapidly they accumulate them; and they will often accept an inferior quality, rather than go a great distance for a superior. So great is the yield of good pasturage, that there is but little danger of overstocking. From a report made to the Austrian government, on the state of bee culture in twenty-one states of that Empire, furnished in an excellent article on "Bee Culture," by Mr. Bruckisch, of Texas, in the U. S. Patent Office Report for 1860, *p.* 282, we quote as follows:

"Average number of bee-hives to one square mile:

Transylvania	300	Serbia Banat	400
Croatia	320	Carinthia	500
Gorz	340	Styria	510
Galacia	350	Carniola	900
Lombardy	360		

In Mr. Langstroth's valuable work on the *Honey Bee*, we find statements from Mr. Samuel Wagner, Editor of the *Bee Journal*, Philadelphia, in which he says, that the present opinion of the correspondents of the German *Bee Journal* appears to be that a district cannot readily be overstocked, and Dzierzon says in practice at least, "*it is never done.*" In Russia and Hungary, apiaries numbering from 2,000 to 5,000 colonies are frequent; and 4,000 hives are sometimes congregated, in autumn, on the heaths in Germany. OETTL says:—

"When a large flock of sheep is grazing on a limited area, there may soon be a deficiency of pasture. But this cannot be asserted of bees, as a good honey-district cannot readily be overstocked with them. To-day, when the

air is moist and warm, the plants may yield a superabundance of nectar; while to-morrow, being cold and wet, there may be a total want of it. When there is sufficient heat and moisture, the saccharine juices of plants will readily fill the nectaries, and will be quickly replenished when carried off by the bees. Every cold night checks the flow of honey, and every clear, warm day reöpens the fountain. *The flowers expanded to-day must be visited while open; for, if left to wither, their stores are lost.* The same remarks will apply substantially in the case of honey-dews. Hence, bees cannot, as many suppose, collect to-morrow what is left ungathered to-day, as sheep may graze hereafter on the pasturage they do not need now. Strong colonies and large Apiaries are in a position to collect ample stores when forage suddenly abounds, while, by patient, persevering industry, they may still gather a sufficiency and even a surplus, when the supply is small, but more regular and protracted."

Localities differ as widely in their resources of honey as in pasturage for cattle; and the yield of any particular locality is very much affected by the season: hence it is impossible to say how many stocks can be sustained to the square mile. Very few places in our country, are, as yet, in any danger of being overstocked.

PROFITS OF BEE CULTURE.

"A penny saved, is two pence earned."—*Poor Richard.*

The profits resulting from bee-keeping, depend mainly upon the locality and season—presuming, of course, that the bees are well taken care of.

The bee editor of the *Rural New Yorker*, (in No. for Jan. 21, 1860,) says, "We are satisfied that nothing will

pay better than keeping bees ; but care is required, and a knowledge of their habits, and, for want of this, many fail."

The same number contains the Bee account of Mr. Hiram W. Bulkley, of Saratoga co., for 1859, reported to the State Agricultural Society, as follows:

1859.	*Dr.*
June 1.—To 29 swarms wintered, worth $7 each.....	$203 00
30 hives for new swarms, $1,50.....	45 00
100 honey boxes, 18c.....	18 00
13 frames on which hives are suspended, 50c.	6 50
labor bestowed, estimated at.....	10 00
expenses of marketing.....	3 46
	$285 96
	Cr.
By sales of 520½ lbs. clover honey, including boxes, 25c.	$130 12
By 489 lbs. buckwheat honey, including boxes, 14c.....	68 46
By seven swarms taken up. honey estimated at $3 each..	21 00
By 7 hives for use again, $1,50.....	10 50
By honey on hand and used in family, estimated.....	30 00
By 35 swarms on hand, $6.....	210 00
By 17 swarms sold after honey season.....	100 00
By First premium at State Fair.....	5 00
By First premium at Saratoga County Fair.....	1 00
	$576 08
Deduct debits.....	285 96
Profits.....	$290 12

In the same paper for March 3, 1860, Mr. T. S. Underhill, of St. Johnsville, N. Y., writes :

" The amount to be obtained from any particular section, of course depends on its fertility and the sources of honey. Mr. A. W. Ford, of Middleville, Herkimer Co., N. Y., has, the past season, from an apiary of 130 stocks, received an increase of 170 swarms, and 6,000 lbs. surplus honey, which sold at 20 cents, and the swarms at

$4, making an income of about $1,800 from a capital of $600 or $700. This, he says, is better than he has ever done before, but it shows what may be done in a good locality, with a favorable season. M. Quinby, of St. Johnsville, N. Y., who has, I believe, the most extensive apiaries in this country, and is a practical bee-keeper, says, in his treatise on bee-keeping: 'In some seasons, particularly favorable, your stocks collectively will yield from one to two hundred per cent. I have known a single stock in one season to produce more than twenty dollars in swarms and honey, and ninety stocks to produce over nine hundred dollars.' He speaks of these as instances of an extra yield, and further remarks, 'that a proper estimate can be made only by the average of proceeds of several years;' but that 'a single stock, rightly managed, in the long run, is worth more than $100 at interest.'"

Mr. R. H. Davis, of Larone, Somerset county, Me., is reported in the Maine *Farmer*, as having received from four swarms a clear profit of $67 25, that is, a net of over three hundred per cent.

But California is the Paradise of bees. Mr. Hamilton, of Stockton, reports in the *Sacramento Union* for Jan. 14, 1861, that he had, the previous season, thirty-five swarms of bees, which increased to five hundred, and the yield of honey for the season was 20,075 pounds, making an average from the thirty-five original swarms of 573 pounds each! Mr. H. moved his bees Feb. 1, 1860, from Stockton to Santa Clara, where they remained till July 1st, when the swarms had increased to 270. He then returned with them to Stockton, and by the first of October the swarms had increased to 500.

In 1860 bees were worth in California $25 a swarm, and honey 50 cents a pound. With these figures, the reader

may make his own estimate of the profits of bee culture in California. Incredible as the figures appear, other parties report results nearly as great.

In view of the facts given--and they agree with the experience of intelligent bee-keepers every where—it appears safe to estimate the *net* profits of keeping bees *at least* at one hundred per cent. per annum, when they receive the attention and care that a farmer gives to any other kind of stock. Even at this low estimate, can the farmer give his attention to any thing else that will pay as well?

Considering the small capital needed to begin with; the ease with which it may be expanded, and the safety of the business—with the right kind of hive—the lightness of the labor, and little attention needed; the very small waste from "wear and tear," and that what the bees gather is so much actually saved—bee-keeping commends itself to every producer whose situation will admit of it. Every family in the country, and many families in cities, might keep a few swarms of bees; and thus, if they did not sell any honey, they would add a material item to their own tables. Millions of dollars are lost in our country every year from want of bees to save it.

HUNTING AND HIVING WILD BEES

I will give the method practised by myself, whereby I have no difficulty in soon determining the exact locality of the swarm, and securing it.

As something depends upon the *season of the year* in which it is proposed to hunt them, I will give the different methods suitable for each season, beginning with early spring. Take the middle of a warm sunny day, the

thermometer about 48° in the shade; go to the woods near the supposed locality of the wild swarm, and with a lighted match or candle, burn a little dry honey-comb, beeswax, or piece of wood, on which a few drops of oil of anise have been poured. Keep a gentle "smudge" (to use a bee-hunter's phrase) going for 15 to 30 minutes, or until the bees come searching along close to the ground, following the line of the smoke. A foot or two from the "smudge," in the direction in which the wind is blowing, elevated a foot or two from the ground, if the surface be smooth—if bushy, higher, so as to have it the highest object near the smoke—place a piece of honey-comb, partially filled with sweet, freshly diluted honey; or sweetened water will do if the swarm is close by, otherwise they are not so sure to readily accept it. If a drop or two of the oil of anise be added to it, or sprinkled on the comb, the bees will be attracted by its strong scent, and work all the more rapidly. The bees will soon begin to collect upon the comb, and if the weather continues favorable, with but little wind, and the swarm is near by (by which I mean within half a mile), a steady line of bees will be seen going from the combs, laden with the sweets, to their home, wherever that may be.

The first time a bee starts for home, and sometimes for several of the first trips, it will be seen to describe a circle immediately around the comb, the circles gradually becoming larger and larger, till apparently the true bearing is found, when a "bee line" is struck for home. In order to watch their course as far as possible, an open space must be chosen, or what is better, an open field, even if it be somewhat further off, when we shall be able, by keeping the eye as close to the ground as possible while the bees fly against the sky for a back-ground, un-

obstructed by trees or other objects, to more perfectly line them. Of course new comers are constantly arriving, and these latter will fill the air with their spiral curvings; but a little practice will enable the hunter's eye to catch those whose flight will now be straight for home, without more than a part of a single circle, while even those striking spirals (if it be not windy), will evidently lean toward home, or circle from the combs in that direction.

Many different swarms are often thus set at work from the same spot at once, sometimes causing much vexation. This will at once be known by *constant quarreling*. If, now, we desire to *divide* them and get rid of all but those which go in a direction indicating that they are probably wild, we have only to place a box supplied with clean honey-comb, and a little honey in the cells, in the spot from which the bees have been working, removing all other comb, and after the bees have collected therein, close them in with a cover, and carry them in the direction where we suppose the swarm to be, and as nearly to the spot as we can guess. If we diverge a little out of the line, and yet, when we set them again at work, be considerably *nearer* the swarm we are in quest of, while we are *farther off* from the others, we shall pretty effectually divide them. But we must not move too far at a time, for if we chance to go beyond the tree, our bees will not be likely to return. If we have chosen the right spot, we shall now probably get a "cross-line," and by following *both lines* accurately to *the point where the one crosses the other*, we shall be in their immediate neighborhood. If left to themselves, one swarm only will be at work after two or three hours, usually the *nearest* and *hungriest* swarm driving the others off. Hence not the best, but the poorest and least valuable, is often found if we do not divide them.

Since it often happens that a hungry and more distant

swarm will work more rapidly than one having a good supply of stores on hand that is nearer by, and as we cannot always determine whether the swarm be located in the adjacent woods or at a hive beyond, by *guessing*, the distance may be very nearly found in the following manner:

Get the bees at work at two points a little distance from each other, and with suitable instruments construct a triangle, making the distance between these two points its base, as *A B* in the annexed diagram: the bees diverging from the line *A B* in the directions *A D*, and *B C*, respectively.



Fig. 29.

If we have constructed the triangle correctly, the distance between the points *A* and *B* is proportional to the distances between *E*, where the lines *A D* and *B C* cross each other, and *A* and *B* respectively. If, now, the distance between the two points where we have the bees at work, be 20 rods, and the length of the line *A B*, in our triangle, be made 20 inches, as many inches as there are in the line *A E* or *B E*, the location of the swarm is distant from the points *A* and *B*, in rods.

When their vicinity is found, as indicated by the point where the lines cross each other, we must carefully mark the place and commence searching for the tree. This is the most tedious of the whole process, often requiring the nicest skill *in getting into the right position* to discover bees

at altitudes in which they are often found. When the trees are short and small, it is not a difficult matter to see them ; but when the bees are 40 to 60 feet from the ground, it is another thing altogether. In any case, the way to find them is, when you have nothing to aid the naked eye, to get into the shadow of the tree, and walk slowly backward and forward so as to bring every point of its body and larger branches in range between the eye and the sun, looking at the sides of the tree just below the sun and outwardly, carefully and slowly. The bees will be seen very easily while in this position, and appear quite large from the reflection of the sun's rays striking upon their wings. A good spy-glass is a great help, however, and by its aid one can readily determine whether bees are working in and out of a tree or not, even by looking over the top and sides of the branches, or through openings almost anywhere about the tree.

Bees will work honey at any time, even in mid-summer, if it be fresh from the hive. The way to set them at work in the summer season is, with a cup or box, with a cover, catch one at a time from the blossoms, set the cup on the stump of a tree, or other convenient point, till no humming is heard in the cup, when the cover is very carefully removed, and the bee allowed to get its fill of honey undisturbed. It is usual with bee-hunters to make a bee-box for hunting purposes, with a slide two inches from its bottom, so that the comb and honey may be shut out from the bees while catching and carrying them, to prevent their becoming besmeared with honey ; for when they do ever so little, there is no use trying to do anything with them, for they know as well as you can tell them, that honey is of no consequence so long as they can not get home with it. A bee-tree should never be cut,

except by a person of experience, before the middle of May or after the first of September, since it will be extremely difficult to save the bees at such times. During these months no trouble need be feared by any person. Simply remove the honey and comb, after subduing the bees a little with smoke of old rags or tobacco, and with a stick or nail fasten a small piece of the comb, containing eggs and brood only, in a box, for a temporary hive. Now hive the bees precisely as you would a young swarm in swarming time. Remove them at night to your domicil, having previously placed the brood combs as evenly and carefully in a hive as it is possible for you to do, transferring thither the bees, and giving them but little or no honey. If movable frame hives are at hand, this is easily done. Should the queen have been destroyed, they will soon rear another, and collect far more honey, and prove a thousand times more satisfactory to you, than if you had waited till fall, and then cruelly destroyed them all, as is so often done for their stores alone. I have no patience with that class of bee-hunters, or bee-keepers who practice this latter barbarity. It is too much like the practice of the rude Indians of the forest, who annually slay whole herds of deer for their skins alone. A more perfect parallel still would be found in the farmer who should make yearly slaughter of his beeves and other stock for their hides, throwing their carcasses to the winds!

After a bee tree is cut and the bees "broken up," robbers from neighboring trees or otherwise soon make their appearance, appropriating the spoils. If any wild swarms are in the vicinity, as is most always the case if the tree contains an old one, they are easily followed home and captured. I have often found three or four in a circuit of a hundred rods.

Fig. 30.—Queen Magnified.

Fig. 33.—Queen.

Fig. 31.—Drone Magnified.

Fig. 34.—Drone.

Fig. 32.—Worker Magnified.

Fig. 35.—Worker.

ITALIAN BEES.

The Italian Bee, called also the Ligurian Bee, is found in a small Alps-pent district, embracing portions of northern Italy and southern Switzerland. They were once more largely distributed; and are described by Aristotle, Virgil, and other ancient writers, as "small and round in size and shape, and variegated in color," and the most valuable of any then known. Various accounts of bees answering the above description, as once known but perhaps lost, have reached our day, but had come to be regarded, for the most part, by sober matter-of-fact moderns as among the fictions of ancient mythology. But it is now believed that these wonderful little creatures, thus thought worthy of preservation in song by one of the world's greatest poets, still exist and are identical with those now called Italian bees. As they were described two thousand years ago, so they are found now, the most valuable and industrious of their kind. Why they should have been lost sight of for so many years, does not appear, unless it be in consequence of that universal, well known law of nature by which the inferior type predominates over the superior, if neglected; the golden-hued bee being thus gradually displaced by its black rival, except (so far as is known) in the district named, where the superior race appears to have held exclusive possession, the surrounding mountains, covered with perpetual snow, being impassable by their wings.

They were accidentally discovered by Capt. Baldenstein, while stationed in Northern Italy in the wars of Napoleon; who after returning to his castle in Switzerland, procured, in 1843, a colony near Lake Como, and transported them over the Alps to his northern home. They

were introduced into Germany by Mr. Dzierzon in 1853, and soon became very popular.

The first successful importations into this country were made in 1860, by Messrs. S. B. Parsons, of Flushing, L. I., P. J. Mahan, of Philadelphia, and R. Colvin, of Baltimore. In 1861, Mr. C. W. Rose, of New York city, succeeded in bringing six colonies to this country, out of forty-nine purchased in their native district. I believe one or two other importations have been made. The Italians have already been extensively introduced into the apiaries of both the Atlantic and Pacific sections of the United States, and are becoming great favorites.

If I am rightly informed, the importations of Messrs. Mahan and Colvin were from Germany; while those of Messrs. Parsons and Rose were direct from Italy, the latter under the personal care of Mr. August Bodmer, an experienced Tyrolean bee-keeper, who selected them in their native fastness and brought them hither.

It is claimed by each of these importers, that he has *the genuine Italian bee.* Whether there is any choice or different degrees of purity in these stocks, I do not pretend to decide, but do know that *very great care is requisite to breed them pure,* and the purchaser cannot be too careful of whom he obtains his queens. I have examined samples of most, I believe all, of these importations, have queens bred from two of them, and am *not yet* satisfied as to what constitutes the distinctive characteristics of the Italian race. If color be the test, I am still lost; for I have failed to find any that are constant in this respect, or in the number and breadth of the yellow bands on their abdominal rings. So far as my experiments with them go—and they have now been extended through a period of two years—they indicate that the lightest colored queens produce the most

brilliant drones; and if the drones are the offspring purely of the queens, as is generally admitted, may it not be inferred that *possibly none are pure*, but that all have a trace of black blood in them, showing itself most strikingly in queens and drones, which must be carefully bred out before we can determine their real characteristics and render them uniform in shape, and constant in color?

The illustrations (magnified) on page 75, were engraved from selected specimens, and show the distinctive markings and bands in great perfection—the yellow portions being represented by white. It will be observed that the body is more round and slender, and a little longer, the wings somewhat larger in proportion to the body—in fact the whole bee appearing more delicate in form and texture—than the common bee.

The testimony of several well known apiarians who have had experience with the Italians, is here given, that the reader may the better judge whether this new variety is worthy of his attention.

From the Baron of Berlepsch and Mr. Dzierzon:

The Baron of Berlepsch and Mr. Dzierzon, among the most intelligent and skillful bee-keepers of Germany, give the Italian decided preference over the common bee. The former says he has found—

"1. That the Italian bees are less sensitive to cold than the common kind. 2. That their queens are more prolific. 3. That the colonies swarm earlier and more frequently, though of this he has less experience than Dzierzon. 4. That they are less apt to sting. Not only are they less apt, but scarcely are they inclined to sting, though they will do so if intentionally annoyed or irritated. 5. They are more industrious. Of this fact

he had but one summer's experience, but all the results and indications go to confirm Dzierzon's statements, and satisfy him of the superiority of this kind *in every point of view.* 6. That they are more disposed to rob than common bees, and more courageous and active in self-defence. They strive on all hands to force their way into colonies of common bees; but when strange bees attack their hives, they fight with great fierceness, and with an incredible adroitness."

From Mr. F. A. Deus, and others:

Mr. F. A. Deus, who with three other members of the German Apiarian Convention, held at Mayence, in 1856, in that year made a tour of France, Switzerland, and Italy, in search for and observations on Italian bees, in his report, as quoted in the *American Bee Journal* for Sept., 1861, *p.* 213, says:

"At the Villa di Negro, near the latter city (Genoa), the genuine Italian bee exists in all its beauty and perfection. It was delightful to observe the celerity, agility and grace displayed in all their motions by the busy workers, as they rifled the flowers of their sweets. Their bodies were so slender and delicate, their colors so bright, and their markings so clear and distinct, as to surpass greatly any specimens of the race which had previously come under our notice. We caught a number of them, and preserved them in alcohol for future comparison. * * * It is evident that the Italian bee is not a mere climatic variety, but really a distinct race. We were repeatedly assured also that the common kind only was found in the Kingdom of Naples and in the warmer districts of Upper Italy. We chanced to fall in with a

bee-keeper from Normandy, who informed us that two kinds of bees were cultivated in that country—the common kind and also a yellowish or orange variety. The latter, he stated, were much preferred, as being more gentle and more industrious. The common kind, he said, were particularly irascible and wild. This account likewise corroborates the opinion that the Italian bee is not the common insect modified by special climatic influences, because Normandy differs little in that respect from Central Germany.

"At Lago Maggiore and Lago di Como, we found Italian bees exclusively, and of the most perfect type, like those of Genoa. These districts, indeed, appear to be their chief *habitat*."

From the American Agriculturist:

"The fact that so many of our oldest apiarians have considerable confidence in them, argues well in their favor. We have watched their multiplication from a single swarm, and if the rate of increase be as great at other points to which the queens are being daily dispatched, it will not take long to fill the country with them—if such a consummation be desirable. Below we give an extract from a letter, dated August 10, written by Mr. E. A. Brackett, the well known sculptor, who is an enthusiastic amateur in bees also. His suggestion in regard to improving bees, by care in selecting breeding queens, is worthy of attention. All kinds of domestic animals have been brought to a much higher standard, by special care in breeding. Why may not our common bees be in like manner improved?

"'My experience thus far, satisfies me that they have

not been overrated. The queens are larger and more prolific. The workers, when bred in comb of their own building, are longer and their honey sacs larger. They are less sensitive to cold, and more industrious.

"'In all my handling of them—and I have done so pretty freely, lifting the combs, and examining them almost daily —I have never known one to offer to sting. A queen that I received in June, and introduced to a strong stock of bees, in eleven days filled thirteen sheets of comb with brood and eggs. There is at present scarcely a black bee in the hive, so rapid has been the change. Although I have taken from it large quantities of worker brood and sealed drones, the hive is still overflowing.'"

From the California Culturist:

"We believe, however, that the superiority of the Italian bee is no longer questionable, even among apiarians who have large stocks of the common bee for sale. We take pleasure in introducing proof of this, that those who may have been in doubt may have their doubts removed, and at once obtain this superior breed; just as the stock-grower would a superior breed of horses, cattle, or sheep."

From Mr. L. L. Langstroth:

"It is hardly necessary to say, that a species of the honey-bee so much more productive than the common kind, and so much less sensitive to cold, will be of very great value to all sections of our country. Its superior docility would make it worthy of high regard, even if in other respects it had no peculiar merits. Its introduction into this country will, it is confidently believed, constitute a new era in bee-keeping, and impart an interest to its pursuit which will enable us, ere long, to vie with any part of the world in the production of honey."

A year later, (Aug. 24, 1860,) Mr. L. wrote to Mr. Parsons as follows :

"I have three colonies (artificial swarms) to which Italian queens were given in June. All of the common bees appear to have died ; and if we may judge from the working of these colonies, the Italians will fully sustain their European reputation. They have gathered more than twice as much honey as the swarms of the common bee. This, however, has been chiefly gathered within the last few weeks ; during which time, the swarms of common bees have increased but very little in weight. The season has been eminently unfavorable for the new swarms, (one of the very worst I ever knew) and the prospect is, that I shall have to feed all of them except the Italians.

L. L. LANGSTROTH."

From J. P. Kirtland, Cleveland, Ohio, Sept. 13, 1860 :

"*First.*—Their disposition to labor far excels that of the common kind. From the earliest dawn of day to the arrival of evening, they are invariably passing in and out of the hive, and rarely suspend their work for winds, heat or moderate showers—at times when not a solitary individual of the common kind is to be seen. Two hours each day, their labors are extended beyond the working time of the last named kind.

"*Second.*—Power of endurance, and especially of resisting the impression of cold, they possess in a marked degree. Since the buckwheat, salidagoes, and astors have flowered in this vicinity, the nights have been remarkably cold. This low temperature has in a great measure suspended the efforts of the common bees, and they have been eating their previously accumulated stores. Not so with the Italians ; they have been steadily accumulating honey

and bee-bread, and rapidly multiplying their numbers They seem peculiarly adapted to resist the chilly atmosphere and high winds, which predominate in autumn, on the shores of Lake Erie.

"*Third.*—Prolificness they equally excel in. Both my full and half-blooded stocks have become numerous and strong in numbers, as well as in stores, at this late season of the year, when the common kind have ceased increasing, and have become nearly passive.

"*Fourth.*—Their individual strength is greater; and this is well illustrated in their prompt manner of tossing to a great distance any robber that chances to approach their hive.

"*Fifth.*—Their beauty of color and graceful form render them an object of interest to every person of taste. My colonies are daily watched and admired by many visitors.

"*Sixth.*—Of their moral character, I cannot speak favorably. If robbery of weaker colonies is going on, these yellow-jackets are sure to be on hand. So far as my experience has gone with them, I find every statement in regard to their superiority sustained.

"They will no doubt prove a valuable acquisition to localities of high altitudes; and will be peculiarly adapted to the climate of Washington Territory, Oregon, and the mountainous regions of California.

J. P. KIRTLAND."

From the American Apiarian Convention:

The following from the report of the American Apiarian Convention, held at Cleveland, Ohio, March 12–14, 1862, is valuable in their favor, after a trial of three years:

"*Italian Bees.*—All agreed as to the superiority of the

Italian to the common black bee. They deserve all the good things that European bee-keepers had said of them, save one. They are not more peaceable, but more *irascible* than the black bee, and their sting is more poisonous. Mr. Langstroth gave it as his experience, and that of some of his friends, that the Italian bees, instead of being more peaceable than our common kind, are more irascible (except in the season of honey gathering), and are more difficult to quiet when once excited. The Italian who brought all Mr. Parsons' bees, said that our bees were far more peaceable than the black bees of Germany. A German writer who furnished a valuable article on bee-keeping, for the Patent Office Report of 1860, says that our bees are much more easily handled than those of Germany. This accounts for the belief in Germany, that the Italian bees are more peaceable than the black species. The remarks of Prof. Kirtland seemed to sum up all that other gentlemen had said of the Italian bee. The professor prefaced his remarks by saying that he had no "ax to grind," and no bees to sell, and would not have until his experiments had been completed, which would be three or more years. After discussing the good qualities of the Italian bee, he said that it was as much superior to the black bee as Short-horn cows and Chester hogs are to the "scrubs" of the country; and that the Italian bee is:—1. Stronger, more active, and resists lake winds and chills better than the common bee. 2. It works more hours every day. 3. It collects more stores. 4. It works on some flowers which the black bee cannot operate on. 5. It breeds more freely. 6. It is more irritable, and its sting more painful. 7. It is more beautiful. 8. It, in short, compares with the common bee as the Short-horn

Durham does to the native scrub. The Dr. cautioned against breeding "in and in," and he and other gentlemen advised bee-keepers to purchase queens both from the Parsons and Rose stock, to prevent too close breeding."

My own experience with Italian bees, differing somewhat from those above given, has not yet been such as to warrant a decided opinion in all respects. Of their general superiority, however, there can be no question. I have found them quite as gentle as the common kind; for, though quicker on the wing, I have been stung only twice by them, so as to cause any swelling or pain, during a daily and almost hourly handling of them for two years. I have, moreover, been too much engaged in queen rearing and experiments to determine definitely their comparative industry. They seem to fly swifter and work more hours than common bees, which they easily master, and whose stores they appropriate. I noticed, the past season, that one of my Italian hives was rapidly accumulating honey, while others were diminishing in weight. Looking into the hive, a short time after, I found it running over with bees, a large portion of them being black. I did not see them come nor know whence they came, as I had in previous instances of robbing; but they were doubtless a subdued colony of blacks (not "contrabands"), which, after hard fighting, being spoiled of their treasures, had sought protection under the "ægis of the union."

HOW TO ITALIANIZE COMMON STOCKS.

The process of introducing the Italian race has been, to procure a queen, and after rendering a swarm of common bees hopelessly queenless by taking away its queen and

successively destroying all queen cells for eight days, to introduce the Italian queen. It is found that the black bees will then accept her. And since the queen, once fertile, continues so for life, her progeny which will begin to appear in twenty-one days after her introduction, will become the exclusive possessors of the hive in a period of from three to six months.

So far the process is successful and perfect: but the *theory* has been, further, that inasmuch as the *drone* progeny of the queen was of necessity as pure as herself, whether she had met pure or impure drones, or, indeed, any drones at all, all we had to do to breed the Italian race in purity was, to get a pure queen, purely impregnated, and rear from her eggs a new race of queens for all our hives, when all our drones, being the offspring of pure Italian queens, would be pure Italians: then our queens, having been impregnated by black drones and hence producing hybrid workers, must be replaced with new ones reared from the original queen; these new queens, meeting only pure drones, would insure the perfect Italianization of the entire apiary.

All this is theoretically plain enough, and it is presumed that not one person in ten will anticipate any difficulty in effecting a change of the apiary from one race to the other; whereas, not one in a thousand, probably, will be able to do this on the first trial, if, indeed, at all. Let us look at the practical difficulties in the way of accomplishing it.

We will suppose that a pure Italian queen, purely impregnated, is obtained, and successfully transferred to a hive of common bees. After the lapse of twenty-four days, all progeny of the old queen will have disappeared from the combs. If we now exterminate the drones, we will insure Italian male bees in purity from the one hive only. But

while rearing our *first* installment of queens for the purpose of procuring pure Italian drones for the impregnation of our *second* installment, very few *worker* bees of the Italian race are to be found in the apiary: hence the young queens, as well as others, *are nursed by black and hybrid bees*, producing in some way yet to be accounted for, a degeneration towards the black race.

The fact of such deterioration is admitted by those who have had the best of opportunities for judging, and can have no motive for misrepresentation. Although a few maintain that because dark colored queens sometimes produce as finely marked workers as the most brilliant ones, there is no degeneration; forgetting that the characteristics of the workers are determined more by the impregnating drone than by the queen herself.

Prof. Kirtland, of Cleveland, Ohio, one of the closest observers, has entirely failed, we are informed, through two years of careful experiments, to produce a single pure queen from Italian brood transferred to hives of common bees.

Prof. E. Kirby, of Henrietta, N. Y., in attempting to account for this degeneration, suggests that the sperm or vitalizing fluid of the drone is perhaps supplied to the young larva while in process of transformation from a worker to a queen.

Mr. Langstroth, in *Bee Journal* for July, 1861, *p.* 166, although not admitting the point in issue, says:

"It seems very singular that the larvæ, which if developed as a worker would have been strongly colored, should in its transformation into a queen, lose all its brilliant yellow."

Again, while rearing queens by the removal of the reigning one, from *any* hive, there are more or less drone

eggs deposited therein by *worker bees;* and if the latter are not purely Italian, we shall breed a race of *drones* of inferior quality, by which our queens may be impregnated, when, *theoretically*, we could not by any possibility have a black drone in the apiary.

Hence, it becomes evident, that if we hope to breed the Italian race in purity, we must establish a colony isolated from the black race, where they are to remain long enough to allow the progeny of the old queen to be displaced by the new. When the black bees have entirely disappeared, the queen may be removed, and the bees left to rear others. When capped over, the cells may be transferred to other hives, and the queen returned; repeating the operation when more are wanted. In establishing the Italian colony, it is believed to be of some importance that the Italian workers be allowed to renew the contents of the hive by filling it up with combs of their own construction; the cells built by them being somewhat larger than those built by the black race, and not having been used by the latter, may secure our queens from any possible taint.

In rearing Italian queens in great numbers, or indeed any other, it is advisable to establish small nuclei, or colonies of not more than one quart of bees to each. From such all impure drones may be easily destroyed; and the queens will mature and become fertile even sooner than from large swarms. But it should be borne in mind, that small colonies are more liable to the attacks of robber bees, and are more apt to accompany the queen in her flight to meet the drones. To prevent the latter, the presence of brood in the hive, in the earlier stages of development, should not be wanting. Such nuclei are perfect swarms in miniature: the prudent apiarian will keep a surplus on hand in summer to supply queens as wanted.

RENEWING QUEENS.

Queens gradually lose their fertility as they advance in age, producing fewer eggs and a greater proportion of drones. For this reason, after about the fourth year, the old ones should be destroyed and new ones substituted. In the recent Apiarian Convention at Cleveland, "Professor Kirtland said that after the third year the queen was nearly worthless, and should be killed, and a fertile queen put in her place instantly. So thought Mr. Langstroth: he said a vigorous fertile queen was worth half a swarm. Mr. Sturtevant thought the queen as good in the third year as at any time: and at four years he would not kill her, unless he *knew* that he could instantly get a young fertile queen in her stead;—the risk was great, for at that season of the year the loss of a week or two was a serious loss."

"A fertile queen lays her eggs in regular order, commencing at a point and distributing them in circles, each surrounding the first, and on both sides exactly alike. . . Sealed worker brood should present a regular, smooth surface. An irregular brood denotes an unprolific queen."* A portion of raised oval cells in worker comb shows the presence of drone brood, and is objectionable, as indicative, except in the first laying of a young queen, of approaching barrenness.

TO PRESERVE HONEY COMBS.

They should be kept in a tightly closed box, and occasionally exposed to the fumes of burning brimstone to destroy all eggs of the moth. They are worth at any time during the summer almost their weight in gold.

*Bee Culture, pp. 162, 163.

PREVENTION OF SWARMING.

For about twenty days, in the swarming season, the bees may attempt to swarm. There is no way of confining the queen to the hive by contracting the entrance with "blocks," "gauges," or other *traps*, for the reason, among others, that bees vary greatly in size. Many fertile queens are able to go any where that a worker can, being longer but no larger. If our queens cannot fly, no *swarms* will be lost. But the queen may get down on the ground, in attempting to go with the swarm, and if a board be adjusted to the hive with one edge on the ground, she will be likely to crawl back into the hive, attracted by the great noise of the bees returning in search of her. If the attempt be seen, she should be found and returned. This rarely takes place, and only through neglect. Even if *a queen* be occasionally lost, the swarm will rear another, or her place may be supplied from small nuclei kept on hand at this season for emergencies. Destroying, once in ten or twelve days, all queen cells, and giving the bees more room, will effectually prevent such attempts.

PURCHASING BEES.

Look into the hive to see that it contains a good stock of bees: they will show themselves at once, on being disturbed. The combs should be pretty regular, consisting of broad sheets of worker cells, and not small, irregular combs, or patches of drone cells which are worthless to transfer to movable frames. These things equal, the most valuable hive is the one whose contents will weigh the most.

MOVING BEES.

Bees may be moved to any distance at any time, but the summer is the best time. They should be shaded from the sun, kept as quiet as possible, and all jarring avoided. On a long journey, in hot weather, opportunities should be given them to fly daily, if convenient: the longer their confinement, the greater the liability of loss by disease. If in box hives, the hive should be inverted, its open end covered with gauze-wire cloth, and near its opposite end holes should be provided and covered with the same material for admission of fresh air. If in the Langstroth or similar hives, the combs must be first secured, or they may be broken down by the swinging of the frames, and the bees thus destroyed. Bees in my hives may be moved without preparation, except having the gauze-wire cloths in the honey board cleaned, and the front slide removed and a curtain of wire cloth substituted in its place. The combs are secure as in a box hive, for the frames cannot move.

A CHAPTER OF WELL SETTLED FACTS.

1. All stocks of bees should be kept strong in numbers.

A well garrisoned city may defy assault.

2. A moderate increase of swarms will keep them strong, and secure the largest yield of honey.

As the calves are raised at the cost of butter and cheese, so bees are multiplied at the expense of honey.

3. Bees filled with honey, are not inclined to sting.

As the robber's knife is stayed by your purse, so bees are bribed with proffered sweets.

4. In natural swarming, bees fill themselves with honey.

Emigrants to a new country carry their treasures along as capital to begin with.

5. Bees, alarmed with smoke or otherwise, instinctively seize upon their stores.

The householder at the cry of fire, secures what he can.

6. There should be no communication between occupied hives, allowing the bees of one to pass directly into the other.

"No house is large enough for two families."

7. A swarm of bees destitute of a queen fast dwindles away; and, unless supplied with one, soon perishes either by robbers or moths.

A country without a government, a farm without an owner.

8. Swarms having combs insufficiently protected by bees, furnish a retreat for millers and food for worms.

Unguarded treasures invite thieves.

9. An excess of drones should be avoided by discouraging the construction of the cells that produce them.

Drones are the "dead heads" of the hive—the *useless males* in the farmer's herds.

10. The building of drone comb may, to a great extent, be prevented—first, by securing the construction of new combs in hives containing young queens; and, second, by placing frames to be filled, in other hives, near the centre.

"An ounce of prevention is better than a pound of cure."

11. Queens are most economically reared in small swarms.

Who would employ ten men to do what one would do better?

12. Small swarms, if united in the fall, will winter more safely, and consume less honey.

"In union there is strength."

13. Bees of colonies containing fertile and unfertile queens, should not be put together without first "breaking them up," i. e., inducing them to fill with honey, and destroying the unfertile queen.

14. *Natural swarming, always uncertain and perplexing, exposes the bee-keeper to much loss of time and money; while artificial swarming, securing at all times the presence of a worker-laying queen, doing away with all watching, and loss by flight to the woods, is both sure and economical.*

A CHAPTER OF SPECULATIONS.

The production of sex—has the queen any volition in it? If the queen be watched during the early spring, while engaged in depositing eggs, she will be observed to pass by the drone cells; but when the blossoms begin to yield honey in abundance, and bees become numerous, and disposed to swarm, the drone cells are prepared and eggs deposited therein. These latter eggs produce drones only, the kind of cell in which the egg is deposited *seeming* to determine, for the most part, the sex of the bee. It is found that eggs laid in drone cells produce drones only, while eggs transferred from drone to worker cells still produce drones. What determines the sex—the queen, the cell, or the nursing bees? The prevalent *theory* has been, that the sperm sack of the queen, in the act of copulation with the drone, becomes filled with the sperm or vitalizing fluid of the male, without which all eggs possess sufficient vitality to germinate. Plausibility is given to this theory by the fact that the sperm sac of an unfecundated queen is found to be destitute of spermatozoa, while that of a fertile one is filled with them.



36.—Ovaries of queen.

Samuel Wagner, of Philadelphia, has suggested that in the act of depositing an egg in a worker cell the abdomen of the queen becomes compressed, forcing the sperm into contact with the egg in passing the sac, and changing it from a drone to a worker. [See Fig. 36.] But it is found that the queen will deposit eggs in cells but *just begun*, when no possible compression of the abdomen can take place, these eggs producing workers. Besides, it often happens that drones mature from the very smallest worker cells. It appears, after all, that not only the queen, but the workers also, know what the egg will produce ; for drone cells are not prepared until the season when they are wanted approaches, nor can the queen be induced to place eggs therein much in advance of this period.

For myself, I am satisfied that the *queen has* volition in the matter ; and that the bees have the power, by a particular process of nursing, suitable for each, to produce FROM WORKER EGGS EITHER QUEENS, WORKERS OR DRONES ! !

I am aware that this idea is somewhat new and ahead of "the books," but in my practice of rearing queens by very small nuclei, I have often found *drone brood maturing* in a small piece of worker comb cut from cards full of eggs taken from the centre of the hive, where it is scarcely possible drone eggs would be found.

INDEX.

Artificial Swarming, what founded on, 22; how attempted, 22 to 27; how done, 35, 37 to 46; advantages of, 43 to 45, 93; find queen, 60, 61, 90.

Bars, 27, 28.
Bee-bread, 64.
Bees, a swarm of, 11; will not desert their young, 62; hybrid, 86 to 88; purchasing, 90; moving, 91.
Bridal trip, 15.
Brood, time of least and of most, 12; maturity of, 12.

California, bees in, 68, 69, 77, 81.
Caution, clipping wings of queens, 42, 61; transferring, 61, 62; driving, 61 to 63; renewing queens, 42, 43, 89.
Cells, worker, 18, 19; queen, 19, 20, 21, 39, 40 to 43, use one only, 40, 41; of queen, destroyed, 20, 86.
Colony, a prosperous, consists of, 11.
Comb, drone and worker, 23, 25; cost of, 26; value of, 44, 45, 89; to insure true, 27, 35, 38, 39, 45, 62; how to preserve, 89.

Double Hive, 45.
Driving bees, 62, 63.
Driving box, 58, 59.
Drones, 11, 19; male bees, 11, 15, 16, 17; number of in hive, 11; short lived, 11, 16, 17; time of maturity, 12; excess of, 21 to 26, 92, how prevented, 26, 38 to 45, 92; necessary, 11, 15, 38, 42; pure, 86 to 88.
Dysentery, 55, 91.

Feeding, 55, 56.
Frames, 28, 35, 53; Taylor's, 28; Munn's, 29, 30 to 33; Metcalf's, 46, 47, 48.
Fumigating bees, 37, 58, 60, 63.
Facts, chapter of, 91, 92.

Handling bees, 35.
Hives, Nadir, 22 to 24; dividing, and colonizing, 25 to 27; leaf, 27; Munn, 31; Langstroth and others, 27, 28, 30 to 32; Michigan, 35 to 47; quadruple, 35 to 37; double, 45; single, 46; no moth-proof, 46 to 50; tall, 52, 53; low, 51, 53; main features of a good one, 35.
Honey boxes, 48.
Hunting bees, 69 to 74.
Honey, 37, 63 to 69, 91.

Italian bees, 76 to 88; where found, 76, 79, 80; description of, 75 to 80; how discovered, 76; when and by whom imported, 77; what is claimed for them, 78 to 85; my experience with them, 85; to Italianize common stocks, 85 to 88, theories about, 85, 86, facts about, 86 to 88; deterioration, 86 to 88, how to prevent, 88.

Loss of swarms, causes of, 20, 41 to 43, 47 to 56, 62, 63, 89, 92; how to prevent, 36 to 63, 88.

Michigan (Metcalf's) Hives, 35 to 47.
Moth, 46 to 49; remedies for, 48 to 50 92.
Movable frames, 28 to 34; Metcalf's, 46, 47.

Natural swarming, perplexing, 13 to 16, 91, 93, preparations, 12, 13.

Overstocking, 65, 66.

Pasturage, 63 to 69.
Patents, absurd pretentions, 29, 30.
Profits, 66 to 69.
Propolis, 63, 64.

Queen, 11 to 22; ability of swarm to rear, 19 to 27; how reared, 13, 14,

19, 20; how fertilized, 11, 15, 17, 40 to 43; the mother bee, 11, 12; how lost, 15, 16, 20, 41, 90; how found, 42, 43, 60, 61, 90; clip wings of, 42, 61 90, when, 42, 43, 61, 62; caging of, 42; time of maturity, 12; respect for, 15 to 19, 25, 26; destroy rivals, 14, 20; embryo, 13, 14, 19, 20; "piping" of, 14; artificial, 22; cells of, 12 to 14, 19 to 22, 39, 40, 88; excited when cells all occupied, 13; absence of, serious, 20 to 22, 26, 27, 38, 89, 92; renewing, 89, caution, 42, 43, 85, 86; fertile, lays regularly, 89; unfertile, irregularly, 89.
Quadruple hives, 36 to 45; how used, 37, to 45; advantages of, 43 to 45, 48 to 55.
Quarreling, 20, 42, 92, 93.

Robbers, 56 to 58, 60.

Secret of success, 27, 91 to 93.
Single hive, advantages of Metcalf's, 76, 47.
Smoking bees, 29, 37, 58, 60, 63, 92, 93.
Surplus honey, 64 to 69; boxes, 50.
Swarm of bees, 11 to 22; how lost, 15, 16, 41, 89, 92, to prevent 41, 42, 60 to 62, 88, 90; most valuable, 90; kept separate, 38, 39, 92; how multiplied, 12 to 20.
Swarming, 12 to 17; first, preparations for, 12 to 14; cause of, 12 to 15; delay, 14, 44; after, cause of, 14.
Speculations, ch. of, 93, 94.

Transfewring, bees, 37, 38; queen cells, 39, 40, 43, 88; from box hives, to movable frames, 58 to 63; combs, 59 to 62; find queen, 60, 61.
Tall hives, 52, 53.

Ventilation, 51, 52.

Wintering, 35, 50 to 56.
Winter passages, 36, 37, 47, 50, 51, 54, 55.
Workers, number of, 11, 12; undeveloped females, 11, 12, 20, 21; perform all the labor, 17; time of maturity, 13; drone laying, 11, 12, 16, 21, 22, 88.

ILLUSTRATIONS.

Abdomen of worker, 17.
Bees, 11, 15, 17, 75. Brood, 18, 19, 21, 24. Bar-frames, 28. Bee-hunting, 72.
Comb, worker, 18, 19, 20, 24. Comb, Drone, 24. Cells, 18, 19, 20, 24.
Drones, 11, 75. Drone cells, 21, 24.
Drone laying, 21.
Eggs in comb, 21, 39.
Frames, 28, 31, 32, 36, 46, 47.
Frame-bars, 28.
Hives, 31, 32, 36, 46, 47. Metcalf, 36, 46, 47. Honey comb, 18, 19, 20, 21, 24, 36, 39, 58. Hunting bees, 72.
Movable frames, 28, 31, 32, 36, 46, 47. Moth, 47, gallery, 47.
Queen bees, 11, 15, 75. Quadruple Hive, 36. Queen cell, 19, 20, 21, 39. Queen ovaries, 94.
Transferring Bees, 36, 59. Transferring cells, 30. Transferring Comb, 59.
Worker bees, 11, 17, 75. Do. comb, 18, 19, 20, 24. Wax scales, 71.

A BEE DRESS.

To the rim of a light summer hat sew a piece of gauze-wire cloth, cut six inches wide in the middle and tapering to two inches at each end, with curtain of any light cloth to tuck in about the neck.

But the BEST BEE DRESS is courage, kindness, steady movements, and a knowledge of the habits of bees.

"A soft answer turneth away wrath."

ADVERTISEMENTS.

An Individual Right to make and use the Michigan Hives will be sold for five dollars. This secures to the holder the privilege to make for himself, and use on his own premises, and not otherwise, any number of hives.

For Individual and Territorial Rights, address as follows:

For the county of Ottawa, except the town of Talmadge; the towns of Paris, Byron, Gaines, Caledonia, and Bowne, in the county of Kent; one range of towns on the north side and two ranges of towns on the east side, in the county of Allegan; the town of Easton in the county of Ionia; and the counties of Barry, Kalamazoo, St. Joseph, Branch, Hillsdale, Jackson and Eaton, *Mich.*;—and for the counties of Genesee, Erie, Niagara, Orleans, Monroe, Livingston and Wyoming, in *New York*. Address

JOEL A. SIMONDS Grand Rapids, Mich.

For the counties of Genesee, Lapier, St Clair, Macomb and Oakland, Mich., Address S. M. GARFIELD, Grand Rapids, Mich.

For the counties of Muskegon, Newaygo, Mecosta, Isabella, Midland, Bay, and all north of them in the Lower Peninsula; the county of Calhoun; the town of Manchester, Washtenaw county, and the town of Franklin, Lenawee county, *Mich.*; the counties of Ontario, Wayne, Seneca, Cayuga, Cortland, Onondaga, Oswego, Oneida, Madison, Chenango, Rockland, Orange, Ulster, Greene, Albany, and all territory east of Hudson river, but not north of Washington county, *N. Y.*; for the counties of Dubuque and Delaware, *Iowa*; for the States of *N. Y.*, *Del.*, *Md.*, and *Va*, and the *District of Columbia*, Address O. R. L CROZIER, Grand Rapids, Mich.

For the counties of Washtenaw and Lenawee, except the towns of Manchester and Franklin, *Mich.*; and for the *State of Ohio*, Address

JOHN D. ALGER, Grand Rapids, Mich.

For the county of Berrien, *Mich.*, for Lake, Porter and La Porte counties, *Indiana*; and for the counties of Fulton, Hancock, McDonough, Tazewell, Mc. Lean, Ford, and Iroquois, and all territory north of them (except Rock Island county), *in the State of Illinois*, Address

D REESE WILLIAMS, Chicago, Ill.

For all other territory, Address the inventor,

MARTIN METCALF, Grand Rapids, Mich.

METCALF'S BEE-KEEPING.

The advantages of this system are seen by the following:

I. WE LOSE NO SWARMS, *either during summer or winter.*

II. WE KEEP OUR BEES AT WORK, *and do not have entire swarms hanging to the hive, idle, throughout the honey-harvest.*

III. WE RAISE WHAT DRONES ARE NEEDED ONLY, *and do not feed a large number of supernumerary "dead-heads."*

IV. *All our swarms are, without interruption, provided with* FERTILE QUEENS.

Thus, by it,

1st. We have *complete control of our bees*, and are able to handle and take care of them, as readily as we do our chickens; consequently bee-keeping becomes a business as certain as any other.

2d. We do *not grope in the dark*, but have access to the interior of the hive and can inspect the combs at all times, see their condition, remove them if necessary, or supply any want.

3d. By the use of a new, and entirely practicable style of comb-frames, we are enabled to exchange empty for full ones, giving the bees no excuse for lying idle; at the same time thereby increasing their numbers.

4th. When the stocks become sufficiently populous, *we rear new queens, and swarm them*, just precisely as we would raise poultry pigs, or sheep. We don't wait for the "hens to set"—often on a single addled egg—while the season for that business is fast passing away. We thus do away with the necessity for watching them.

5th. The manner of producing new swarms, artificially, is new, easy, and rendered eminently successful by revolving the hive, giving the infant colony the strength and vigor of the parent stock.

6th. We make *all* our new swarms really *first swarms*, saving *ten days' time in breeding* over natural swarming; no eggs being laid in the combs of any young swarm *after the first* for ten days.

7th. The old and fertile queen remaining in the parent hive, honey gathering and breeding go on as before; while in natural swarming, honey gathering is nearly suspended for ten days, till a new queen is hatched, and no eggs are laid for twenty days, or until her fertilization.

Union Pamphs. 4-58

A

SHORT AND SIMPLE

LETTER TO COTTAGERS,

FROM A

BEE PRESERVER.

Sweet dropping words, like honey, he did shed.

SPENSER.

LONDON:

PRINTED FOR

THE SOCIETY FOR PROMOTING CHRISTIAN KNOWLEDGE.

SOLD AT THE DEPOSITORY,

GREAT QUEEN STREET, LINCOLN'S INN FIELDS,

AND BY ALL BOOKSELLERS.

PRICE THREE-PENCE.

A

SHORT AND SIMPLE

LETTER TO COTTAGERS,

FROM A

BEE PRESERVER.

Long live the Queen.

SECOND EDITION.

My good Friends,

NOTHING gives me greater pleasure in a country walk than to hear a bee buzzing by my ear, as I pass the fence of a cottage. A row of bees is always a good sign. It shews that the owner takes pleasure in his home. He has something to fill up his spare minutes better than the beer-shop, and far more profitable too. Whenever I stop to have a talk with him about the bees, I always get a civil answer, and thanks for any thing I can tell him.

There is an old and true saying, that it is no use trying to help a man who will not help himself. Now the Cottager who keeps Bees is trying to help himself and his family too; and the help which I can give such a man will most likely come to good. I often hear, that

when a man has *good luck* in the swarming time, and when it is *luckily* a good Bee year, the money he gets for his honey goes a good way to pay his rent, or to get some warm things for the winter;—some years are certainly better Bee years than others. Man has nothing to do with the weather. But I wish to shew you, my friend, how to make the most of good years when they do come, and that a little *common sense*, with pains taken in a good way, has more to do with the matter than what you call *luck*.

In the first place, then, NEVER KILL YOUR BEES. Many of you will say, "Our father and grandfather did so, and why should not we?" (Now it is a very good rule to do as your fathers did, when you are not quite sure you can do better, but I hope to show you that this new path is better and straighter too.) "We think it far the best way to burn the lightest and the heaviest. The first would not live through the winter. We may get something from them, and plenty from the heaviest." This is very well for those who know no better; but I am sure you are all willing to try a better way if you hear of one, as every one of you must feel some sorrow when you *murder* by thousands in the autumn, those who have worked hard for you all the summer, and are ready to do so again next year. I myself was told by a Bee Master, that he always saw the ghosts of the Bees the night after he burned them; and have heard of an old woman, who never went to Church the Sunday following. She felt she had done a most cruel deed, and she was right in so thinking, though wrong in staying away from Church for this reason. But to pass over the cruelty. If I can show that you may get much more honey without killing your Bees, the least you can do (if you will not take a friend's word for what he has done himself), is to try the plan with half your stock. Keep an account of what you get from each, and use that plan *with all*, which after five years gives you most honey.

In France, Germany, Switzerland, indeed everywhere except in England, they never kill their bees. Whenever I asked if they did so, they smiled at my question, and said, "Oh, that would never do; we should never keep up our Stock." "How then do you get the honey?" "Oh, nothing is easier." Even in hard things the proverb goes, "Where there's a will, there's a way;" and these very poor cottagers, without half the means we have, never burn their bees; and surely an Englishman is as clever and as little fond of cruelty as a Frenchman or Swiss. This which you think hard, they find easy, though they do it in a rough sort of way. Some of them make their straw hives with the top to take off, and fasten it down with wooden pegs: in July they pull out the pegs, and with a large knife cut away the top of the hive from the combs which are fixed to it, like the top of a pumpkin: they then cut out what honey the bees can spare, never caring for those which are flying about their heads; for they will not touch them if they have a pipe in their mouth. When they have helped themselves, they peg the top down again, and leave the bees to make all straight, and gather honey enough for the winter in August and September. Others put another large hive on the top of a strong stock, in May, as is done in some parts of England, which prevents their swarming. This hive they take off when full. Others turn up their hives in July or August, and cut out some of the combs. Others, who know more about it, place square wooden boxes one on another, putting empty boxes below, and taking away full ones from the top. I saw a doctor in Switzerland take honey from 12 hives: he got 15lb. from each. But this gives coarse honey, as I shall soon show. All these ways are clumsy, much worse than those I am going to teach you, but all better than burning the bees. Well then, let this be your first rule, *Never kill one.* That you may be able so to do, every thing must be got ready beforehand.

Way of taking honey abroad.

You may find in damp meadows a fungus which children call, "Frogs' Cheese," and "Puff Balls." When they are quite ripe, if you pinch them, they give out a dirty powder, like smoke. Pick them when half ripe. The largest are the best, and they often grow to the size of a man's head. Put them in a bag, and when you have squeezed them to half the size, dry them in an oven after the bread is drawn, or before the fire. The fungus is fit for use when it will hold fire like tinder: keep this dry till the time you take your bees. You cannot do without it. In the autumn weigh your hives, mark those which are heaviest and lightest. This of course you cannot do *rightly*, unless you know the weight of your hives when empty. Weigh them before you put the swarms into them, and mark the weight on the outside, that you may not forget it. Casts, except they are very early and strong ones, will seldom stand the winter, or they will be so weak next spring, that they will do no good. When the honey season is over, stop up over night all you intend to take up. In the morning, take a piece of the fungus, twice as big as a hen's egg, put it in a stick split at one end and sharp at the other: have a hive, the same size as that you intend to take up, fixed bottom upwards, (a pail will hold it well.) When this is ready, light your fungus, and as soon as it burns well, fix the sharp end at the bottom of the hive which you have turned topsy turvy, and place the hive you intend to take on the top of it, and tie a wet cloth round the two hives, that no smoke may get out. You will soon hear the bees drop down: tap the top of the full hive, to make them fall *quicker*. When they are all down and quiet, lift the full hive gently off, and turn all the bees which have fallen, on-to a table. They will be quite harmless and still, as if they had been burned with brimstone; but the fungus does them no harm; it only makes them drunk, which is very good for bees, though bad for men, as they get well in twenty

Fungus or Frogs' Cheese. Its use.

minutes, and are all the merrier afterwards; and it was not their fault that they were so *overtaken.* Look for the Queen Bee, which may easily be known from her likeness to the print, which is however much bigger than life. It is well to have many people round the table to search for her, as also to cut out the combs and sweep the *bees* off; for many hands, as well as eyes, are better than one. If you find her there, keep her safe on one side, and sweep all the other bees back into the empty hive; then cut the combs carefully out, one by one, and if you have not already found the queen, look sharp for her on each comb. She generally does not fall down, but holds fast to the top of the hive in the very middle. Sweep the bees with a feather back into the empty hive, as you carefully take the combs out one by one. In a quarter of an hour, they will "come to." As soon as they begin to crawl about, take a hive which is strong enough to stand the winter, or one which, having swarmed often in the summer, is weak in bees, though heavy (this too must be stopped up the evening before), and put it gently on the top of the empty hive where the smoked one stood before, keeping the bees of the two stocks asunder with some coarse canvass, such as is used for straining milk. A piece of thick paper, full of pin holes, will do, but a sheet of tin punched with holes, the 16th of an inch over, is best of all. As many as can should get this, as it serves many other uses among your bees. You may slip it under any hive you wish to move, and place it on the top of the empty hive, or elsewhere, without letting one bee out. Keep the bees in the two hives for twenty-four hours apart from each other. On the evening of the 2nd day, draw the tin, paper, or canvass, away without disturbing the hives. Tap the empty hive, and the bees which have now forgotten their own queen, which you have taken away, will go up into the full hive, as if they belonged to one swarm. Early next morning, when all is quiet,

set the doubled hive back in its old place. If you pull the tin away too soon, the bees will fight terribly, and kill a great many, and sometimes even the other queen. For fear of this, you must take care of the queen you smoked. The next day after the stock has been put back to its own place, put this queen into the mouth of your doubled hive; if any accident has happened to their own queen, they will gladly take the stranger to reign over them.

Fig. 1.

The figure, No. 1, shows a tin box with holes in the top for the smoke to go through, which is very handy, as it prevents any of the bees falling into the lighted fungus. *S* is the tin-box, with two holes *t t* in the bottom to let air in, or it will not burn; the top, which takes off, is full of holes to let the smoke through: *h* is the sharp point which is to be stuck into the straw-hive. This same way of smoking is very useful to unite a cast to another stock which is weak, or to put two casts together: when you want to do the latter, smoke them *both* as above. Pick out one queen, put all the stupid bees into one hive, (that one which has some comb already made, by choice,) and sprinkle them over with a little sugar and beer. They will take to one another when they have helped each other to clean off the sugar with their tongues. The fact of their helping each other in their trouble makes them friends. Even if you are lucky enough to have none weak, always unite your casts to a hive which, though strong, has plenty of room; *for the same number of bees* (as I shall show you soon) *will do more good together than they will in two hives.*

The most wonderful thing is this, that *a doubled hive will eat no more honey in the winter than a single one.* The reason of it seems to be, that where there are many bees in a hive, they can keep warm by hanging close

together, instead of eating. So that in a full hive the same quantity of honey goes farther than in a weak one, as each bee eats less. They keep themselves warm from the outside, and so do not require to be heated in the inside. As a man who can, by keeping bees, or any other honest way, have a good coat on his back, is warm enough without a brandy bottle. This alone would show how good this plan is. This way of joining bees was found out one hundred years ago by a Mr. Thorley, and was always practised by him. The wonder is, it has not been more used. Have all your hives made the same size, that they may fit one another when you do this job. Some people say, "We have smaller hives for our casts and weak swarms." I say, never have weak swarms or casts; or, when you have them, join them directly to another. The reason of this you will soon see. Make them also with a hole at the top, an inch and a half over, with a bung to fit into it. This is needful for the plan of capping, which I am now going to teach you.

In May, when your hives get full of bees, and they begin to hang out, put a small straw *hive*, which will hold about 10lbs. of honey, on the top of the strong stock, after you have pulled out the bung, with a bit of glass worked into the straw at the back, that you may see when it is full, (a glass, if you can afford it, is prettier.) In good places, or where honey dew is plenty, the bees will fill it sometimes in a week or ten days. Directly it is full, take it off, it will be white honey; and as the first in the market, will fetch at least sixpence, sometimes a shilling more, than that taken in September on the old plan. These little caps will give room for the bees to work, who otherwise would hang out idle at the mouth of the hives waiting for swarming. I have had them hanging out for a month together.—The bees do not know the time when the queen will be ready to swarm. Even when she is ready, they are often

Capping, very useful.

kept back many days by clouds or winds; and they are too wise to tire themselves by work on a day when they *may* have a long journey to go in swarming. Not only are they idle, but the other bees are forced to feed them; for every bee that goes off with a swarm has his stomach full of honey, which is taken from the common stock. By means of the cap, you make those bees work for you, who would otherwise be idle.

The cap must not be larger than the size I have told you. If you put on a full-sized hive, as done abroad, p. 3, you give them so much room, and make the hive so much cooler, that they will not swarm at all. But this cap will not make them swarm one day later than they would otherwise do. Besides, if the cap is too large, the queen will lay her eggs there also; and when you take it off, you will find black combs instead of virgin honey. This is the most simple and easy change in the common way of keeping bees, which any one may try.

So much for the stocks which you wish to swarm. I will now show you, that when you have once got your stock up to its full number, it is much more profitable *to prevent their swarming.* And as to the number of stocks, few Cottagers keep enough: there is hardly more trouble in taking care of twenty stocks than two. In Germany I saw a man in a good honey country who had 200. On the old plan of burning the bees, a cottager's stock is sometimes large, sometimes small. After a bad honey year, he is often tempted to burn many of his good old stocks, in order to make up by numbers the same quantity of honey which in better years he will get from few.

Fit number of stocks.

Suppose he leaves three stocks, of which two stand the winter, and the next year turns out a very good bee year, he is then not ready to make the most of it[a], and of course only gets one-tenth of the honey which he would, if he had twenty stocks, as he ought to have.

[a] This happened to me in the capital Bee year 1832.

Man has nothing to do with the weather, as I said before: and I am very glad of it, for I am sure it is managed much better as it is. All I can do is, to show you how you may make most use of a good year, get a fair quantity of honey in a middling year, and not lose all your bees (as many people do) in a bad one. It is found that in ten years, four are very bad years, four middling years, and two very good; when almost any quantity of honey may be got on a good plan. 290lbs. have been taken from one stock, without hurting the bees, by a method which I will teach you presently, whilst the heaviest cottage hive I ever heard of was under 100lbs. I just now said it is better not to have swarms; this you don't think; but wait a little, and listen to me. If I with 10 stocks get 60lbs. of honey, which I easily can, from each, without destroying one of my stocks, am not I better off at the end of the year than you, whose ten stocks have all swarmed, and who, when you take up all the swarms in the autumn, think yourself well off if you get 20lbs. from each. You get 200, I get 600lbs. of honey. But I will show you how to be as well off as I am. I have said it is best to prevent swarming: now hear the reason. The Queen Bee lays from 10,000 to 30,000 eggs in the year. In a stock containing 3000 bees, almost all of them in middling years will be busy in nursing the grubs, *for they are such good mothers that they think it their first duty to feed their young;* gathering honey is their second. A swarm goes off: you have two queens, each with 3000 bees, busy in rearing the eggs which the two queens lay all through the summer. They have no spare time to gather honey, and so in a bad year, a stock with plenty of bees in it will be often almost empty and worthless when you take it up in the autumn, and sometimes even die in *the summer* if it is not fed. Now if you prevent swarming by giving them plenty of room, 3000 bees, who were nurses before to the grubs of one queen,

Reason for preventing swarming.

will be enough to do the nursing work to the hive, though it is so much larger; for each hive has only one queen: and one queen cannot lay eggs enough to require more nurses, though two may. The other 3000 will store honey for you in the spare room you give them, which you may take as I will show you. But before I fully explain my method, as I am going to speak of bottom boards, I will say that stone and slate stands, I think, are very bad for bees. They are too cold; the bees which in the winter come down upon them get chilled, and cannot get up again. Wooden bottom boards are far best, as well as most handy; the harder the wood is, the better, as it is less liable to dry rot. Look at figure 2. You see a wooden bottom

Side room given to common straw hives.

Fig. 2.



board with the doorway *a a* cut in it, (it is always much better to cut the entrance in the board, and not in your hive, for by this means the wet of the hive runs down the slope of the wood.) You see it has another entrance *b b* on the right side. The dark ring is meant to show where a hive will stand on it. The other bottom board is just like it, only the second doorway is on the left side (the two doorways must be made to fit each other when they are pushed close.) As soon as your bees get so strong in May that they begin to hang out, push the two boards close together. In the evening, when they are all in, shut up the front entrance *a a*, open the right hand one *b b*, and put an empty hive on the new board (or still better, a wooden box) with a glass in the back, and a hole, one inch and a half over, on the top of it. Its place is marked by the thin ring in the woodcut. Each

doorway has a bit of tin laid over as much of it as juts out beyond the hive. The bees will find no way out next morning, without going through the empty hive. They will be rather bothered at first by this change, but if you put the new doorway exactly where the old one was, and rub the board with a little honey or sugared beer, they will soon take to it. As their numbers increase, they will begin to build combs in this new hive. As soon as it is full, you may take it away in this manner. In the heat of the day, when many bees are out, slip a piece of tin or card between the two doorways; shut up the doorway *c c*, and open the old doorway *a a*, after you have pushed it back into its old place. If the bees go on working the rest of the day all quietly, you will be sure that the queen is in the old hive, and all is right. About half an hour before dusk, open again the doorway *c c*; and if, as you suppose, the queen is in the old hive, the bees, frightened by their long imprisonment, will hurry from one doorway to another, to join her. As soon as most of them have gone round, take away the full hive for yourself. If the old hive is very uneasy all day, you may be sure that the queen is shut up in the new hive; if so, draw out the piece of card or tin, to join them again, and wait till another day. Here you have a good hive of honey made by bees which we have *prevented* from swarming; from which if they had been parted by swarming, you would, perhaps, have got none.

How to take the 2nd hive.

So much for quantity. Now, as to the goodness of the honey: and here I must teach you a very hard word, "Ventilation." It means winding, or sending cold air into a hot place to make it cooler. A queen bee will not lay her eggs in a cold place, for they would not hatch there; and in combs where no eggs are laid, the bees will *not* put bee bread, which is only used to feed the young ones. So if we can *keep one part of the hive cool, the queen will never go there, and you will*

Ventilation.

get virgin honey. For those combs only are black in which young bees are hatched.

Now the black mark in the right hand board (fig. 2) is a square hole cut in it, with two bits of tin sliding in it, one full of holes, the other without any: when the hive gets hot, pull out the one without holes, open the hole at the top of the hive, and put something full of small holes there, to prevent the bees coming out or insects getting in. You all know hot air goes up; so there will be a free draught through the hive, which will keep the queen away, and make the bees work all the better. A little care in opening and shutting these holes, will make the honey quite pure. And this is what *ventilation* means. Side boxes should be ventilated when the thermometer is at 70°, not before; a cottager must guess at it. The figure *x* shows the doorway of the bottom board, with the tin *e e* on the top of it; *z* is the back, with the groove for the tins to slide in.

On Ventilating Caps.

This plan of ventilation may also be used with the small caps, or glasses if you have any. They sometimes get so hot, (for the heat, as I said before, all goes up,) that the bees cannot stay in to work. Fig. 3. is the board made of $1\frac{1}{4}$ inch deal, which must be fastened on the top of your hive; *a* is the hole for the bees to come through; *d, d, d, d,* are inch holes bored along the wood, (not all the way to *a*), but as far as *b, b, b, b,* square holes cut from above into the boxes; they must be covered with a bit of tin full of holes, small enough to prevent the bees coming out, or insects getting in. The holes *d, d, d, d,* must be stopped up with corks when the hive is not too hot; when it is, pull out the plugs, and open the hole at the top of your straw cap, box, or glass. Thus the cold air will get into the glass without *going through the hive,* which would hinder the hatching of the eggs. The bees will stop up the holes in the tin, and you must have a bent bit of

Fig. 3.

wire to put along the four holes *d d d d*, and clear them out. This is perhaps rather hard, but any may try it who are clever with their hands.

Fig. 4.



Figure 4, is a wooden hive acting on the same plan of ventilation, but better made. Now some of you do not fancy wooden boxes, because you say the bees do not like them. Now I would ask whether wild bees live in wooden trees or in trusses of straw? They choose what is best for them; and a wooden box, if thick enough, is warmer in winter, cooler in summer, freer from insects, and more handy than a straw hive. Only try it; if you can use carpenter's tools, and make them at spare times, have them strong, (1½ inch stuff is best,) and never mind neatness. To be sure they cost more to buy, but I will show you that with boxes like the figure you may pay what they cost the first year, and leave some profit besides; and then the second year, and ever after, all is clear gain. *g* is the middle box, into which the bees are to be swarmed, and never after disturbed. It is to be as hot as they choose to make it; there the queen lays her eggs, there the nurse bees do their work, there they lay up honey sufficient to keep them through the winter, there they sleep through the winter; in short, it is their nursery, their feeding room, their palace, their home, and, like every Englishman's home, their castle, *for they must never be disturbed there.* The side boxes *h h* are only barns, where they lay up their spare honey for you, and which you may take as fast as they are filled. (In a good honey year you will often get a box weighing 50 lbs. early in June.) *k i* are the

Side Boxes.

slides which pull in and out, and which open or shut the way from the centre to the side box. Always keep one of the side boxes empty. As soon as the one on the right hand gets pretty full of honey, and the hive gets so hot that if you do not give them more room they will soon swarm, pull out the slide, and let the bees into the left hand box; this will make them cooler. As soon as they have taken to this new barn, take the full one as you took the hive, page 11. Empty it, and place it back, to be used again as soon as the left hand one gets full. The boxes must each be about eleven inches clear on the inside by 9 inches high. This is the best size for common use. In very good honey countries they may be made a little bigger, but this size is more handy, since you are able to meet more quickly any order for honey early in the year, (and so to get a better price for it;) as in June a box of this size is often filled in three weeks where there is plenty of honey dew on the oaks and lime trees. A square box too is far better than a round straw hive, as they can make all their combs full sized, without any of the small and useless ones with which they fill up the cottage hives. These boxes are much more safe than the common straw hives in those places where there is much of that cruel and wicked thing, *bee stealing*. Make the bottom board fast to the stand with a bit of strong iron hoop and a few good nails; fasten the box itself to the board in the same way; and you then may give leave to the cleverest bee stealer to do his worst.

Fig. 5.



The end of the side box *r* is shown in fig. 5, with the groove *i*, for the slide to run in. *g* is the back of the box, with a glass window, and shutter to keep all dark. *m m* in fig. 4, are ventilators; the simplest sort, on the left hand, is merely a hole two inches over, with a piece of tin pierced

all over, nailed inside, and with a bung to fit. The bees will always try to stop up these holes, for they see no reason why the queen should not breed in the side boxes as well as the middle; *but you do.* Therefore keep it cool by always pushing out with an awl the wax with which they fill the holes. As the side boxes will always be cool, and the queen will never go there. Another sort of ventilator is drawn in the right box; it is less simple, and perhaps no better. It is one made of two pipes of tin, fitting loosely inside each other; the large one is fixed in the hive, with two or three holes of an inch across, at the upper part. The use of it is to prevent the bees stopping up all the holes in the small pipe, and the hot air will go through these big holes, or in at the bottom, and so out through the little pipe; the little pipe is closed at the bottom, to prevent the bees going through. You must, however, every now and then pull out the little pipe, to clear out the holes. On the top of it is a tin cap, fitting like the top of a box, to keep the rain off. It must be raised up when the hive is too hot. The board on which these three boxes stand should be strong, with three square holes cut in the bottom, (as I told you when speaking of the other bottom boards,) with tin slides working in them to let in the air.

The hives should be made of very strong stuff, for the price of the wood is small when compared with the labour. If made strong, and well painted, they want no bee house; they will stand any weather. Indeed without thinking of the expense of making a bee house, I would rather that bees should be in the open air. In spring the close bee houses keep off the warmth of the sun's rays, so useful for hatching the early brood. In summer they get so hot, that the bees are forced to hang out long before they are ready to swarm. They often build combs on the outside of the hive, and inside the house, instead of swarming. These hives were first brought into general use by Mr. Nutt. Side boxes

were, however, made 100 years ago by Mr. White, but without ventilators, which is the *grand thing*. You will see directly how much easier it is for the bees to store their honey in a side box than in one hive put on the top of another, if you think how you would like to stack your corn up four pair of stairs instead of a ground floor barn. Besides, it is much easier to keep a side box cool, than one hive when put upon another. The fanning which bees make with their wings on a hot day at the door, shows how they like coolness. You often see hundreds hanging out when it is too hot to work, and cases have even been known, where the combs, made soft by heat, have fallen down, and smothered the bees. All this is prevented by that hard word VENTILATION.

Winter place for bees.

Your bees now, I will suppose, have done well in the summer. The place where you put them in the winter is of no less matter. If they are left in their summer place, fronting the sun, every bright day, even in December, tempts many out. They find nothing, are of course more hungry, and eat more on their return. Many of them never get back; when they get out of the warm sun into the cold wind, they fall stiff, and die. You may have seen hundreds lying on the ground about your hives: if you pick them up, and warm them in your hand, they will come to. This shews that they die of cold, not of sickness.

In damp situations many bees die of the rot. Even in dry places a good deal of water settles on the top of the hives inside, made by the breath of the bees. The following is a good way to prevent this harming the bees. When you put your bees into their winter quarters, take the bung out of the hole in the top, and put a tin, like fig. 6, on the board on which the cap stood in the summer. It is an upright ring *d*, standing on a flat plate of tin, *a a a*, or zinc, with a hole through the middle. Over this, turn a glass topsy-

Fig. 6.

turvy. The hot air comes up through the hole, turns into steam, and runs down the glass, outside the upright ring. Without this plan, it would turn into water inside the hive, and run down over the combs.

The best place to put bees in, is a *dry, cold, and dark room or out-house*, if you can get it. (The colder the winter, the better, if the air is dry. Damp cold gives them the rot, as it does the corn.) Put your bees there the last week of November, and let them sleep quietly till the flowers begin to come out at the end of February. Put their bottom board slanting, that all the wet may run out at the door: or still better, hang them up in a coarse cloth; this will let in the air and catch the water. Weigh them before you put them away and when you bring them out, and you will find them much stronger as well as heavier than any you leave on their summer stands. Again I say, try it, even if you do not believe me. If you have no such room or out-house, at least keep the sun away from them, or put them on the north side of your house, if the place is dry. Bees have lived very well through the winter when buried; but this I would not advise you to try. In Switzerland a whole village clubs together, and hires a cold dry room, which they darken, and put all their bees in. Why should not any of you who has such a place, take his neighbour's bees in during the winter, having marked them first, that each man may have his own in the spring. Nothing like the good old golden rule, "Do as you would be done by." This will come in a hundred ways in bee-keeping. In olden time, any man who wished to begin had no difficulty in borrowing a swarm from a neighbour; a year or two afterwards, he repaid it by a first swarm, with from five to ten pounds of honey for interest, according as two or three years had passed since he borrowed. Why should you not do so too? If you thus help your neighbour all you can, you are none the worse off because he gets a share of the honey, which would

Golden Rule.

otherwise be wasted: he is all the better, and so are you too, because you do him a kindness, (and none is easier.) If more cottagers kept bees, much of the honey which is now wasted would be gathered. I have taken the trouble to see how much Bee produce is brought into England every year from foreign parts. It is £32,000 in wax alone, besides honey. Every sixpence of this might go amongst those to whom it is of the greatest consequence, namely, the cottagers. There is an old saying, that "charity begins at home;" and so it may well do, if it does not end there. Let your charity then enable your neighbours, together with you, to get a fair share in that money, which otherwise goes out of the country. The flowers too are all the better for the honey being taken. *So too a kind man, the more he gives, the more he has to give, because he has a blessing on what is left.* I heard a farmer say, that his orchard bore double the crop it had done before he took to bees. And what is the reason honey is found in flowers? Its only use, rather its chief use, is not for men to eat, but to draw bees and honey-eating flies to the flowers. They carry the farina, or dust, on their legs from flower to flower, which makes them bear fruit. If there were no bees, or flies, there would be no apples.

Again, one place is good for the bees in spring near meadows and lime-trees, another in autumn near commons, when heather is in bloom. Such places are often within a short distance from each other. Take in your neighbours' bees during the early part of the year, if you have a good place, and more honey than your own can gather, and he will do the same for you in September. I must here again repeat, *that very few cottagers have as large a stock as they might keep with scarcely any more trouble. The profit of course is far greater with a larger stock.* In Switzerland you often see a man trudging up the mountains, with a hive of bees on his back; so well do they know how good change of place is

for them[b]. In France they put their hives into a boat, some hundreds together, which floats down the stream by night, and stops by day. The bees go out in the morning, return in the evening, and when they are all back and quiet, on the boat floats. I have heard they come home to the ringing of a bell. I should like to see this tried on the Thames; for no river has more bee food near its banks: willows, the best bee food in spring, meadows, clover, beans, and lime-trees, in different places and times for summer. A handy man, who could make his own boxes, though not up to hard work, might, I am pretty sure, gather *through the mouths of his many thousand bees, enough to fill his own one mouth*, though it be somewhat larger. He may float softly *down* the river as the flowers go off at one place and come on at another; and any bargeman will be glad to give him a tow *up*, when he wishes to go back. I SHOULD LIKE TO SEE IT TRIED.

I must repeat again, NEVER KILL A BEE. Let this be your one *golden* rule; *golden* I am sure it will prove in more senses than one. That which seemed, I dare say, impossible to you, when you first heard my advice, you now may see how to set about. If you were sorry for your cruelty before, when you did not know how to do without it, you will be without excuse if you still keep to it, and, I may almost say, deserve to be stung to death by your bees. The poor bee has enough enemies to contend with, starvation and damp in the winter; moths, hornets, and robbers of their own kind in the autumn; dry summers, which often press them very hard; cold and backward springs. It has been well said, that man, who ought to be their best friend, is often their worst enemy. They have no defence against the brimstone matches, though, with some help from man, they can conquer all their other enemies. Be kind to them, and, like reasonable creatures, they will

Bees' enemies.

[b] This too is done almost everywhere in Scotland.

fully repay you. Do not listen to those who tell you that after two or three years the bees will do no more good; that they get old and lazy; and that therefore they had better be taken up. They do no such thing. Age of Bees. "A bee," as an old writer quaintly said, "is a one-year bird." Indeed, all that are hatched this year die next year, about July and August, after they have done the work of nursing up the young ones, who are to take their places. You may know the old bees by their ragged wings, torn during their year of hard work; they look larger, more stupid, and not of the nimble and light shape which the young bees have. So that all the bees which you burn in September are of that year's brood, and ready and willing to begin work for you next year. True it is that the comb gets old and black, because bees store up more bee bread, when it is plentiful, than they can use, and they never clean out the cells in which the young bees have been reared, but leave the sort of cloak which they spin round them, glued to the sides of the cells. In very old hives these two things make them very heavy; so that in weighing them, you must allow several pounds for this, if you want to know whether they have honey enough to stand a winter. In this way, after many years, the cells become too small for breeding, and the hive dwindles away and dies a natural death. But for this there is a cure, a good and easy one. In the spring, before the breeding time begins, smoke the hive which is to be doctored; turn it up; cut out half the old combs; put in the bees again, and that summer they will fill up the gap. The next spring do the same with the other half, and you will thus have a new stock to all intents and purposes, instead of an old one. In this way a clergyman in Switzerland had one stock *sixty* years. "But the straw hives grow old and rotten." Not if you protect them from the weather by a good thick coat of paint or whitewash. This is better than the straw hackle covering, and much cheaper as well

as better than the milk pan, as it keeps *all the hive* from the rain, and prevents insects getting in. The straw hackle is the worst, as it often harbours a mouse, who will sometimes gnaw through the hive, make his nest inside, and eat the combs and the honey. When this is the case, he may be dislodged by the MAGIC FUNGUS.

This too is a cure when moths have laid their eggs in the hive. Turn it up, and cut freely out the whole of such combs as have the grubs of the moth in them; for it is easier for the bees, if you do it in the spring, to make a new comb than to mend an old one; and you may perhaps leave some grubs or eggs, unless you do so. But prevention is better than cure. Prevent wasps, moths, or robber bees from coming in, by making the door smaller when they are about. The bees will be better able to fight for themselves. They teach you what they want by building up little pillars of wax in the doorway. If robbers have taken a hive, use your fungus directly; take what honey is left for yourself, and join the smoked bees to some hive which wants strengthening. Keep them shut up for two days after, till they all get friends. *None but the poorer ones rob; none but the weak are robbed.* So you can prevent robbery, though not cure it: unite all your weak hives, and unite and feed your poor ones.

Cure for moths.

To prevent robbers.

You say that feeding costs something; so it does. But every pound of food given at the right time, as in a cold late spring, as in the year 1837, will be repaid by the bees when the weather changes. Another time when feeding is quite needful, is when the weather comes bad within two days after a swarm is put into a hive. The bees, as I said before, swarm with their honey bags full. You may have noticed that very few bees go out the day after they swarm. They are then busily engaged in building their combs, of the *honey* which they carried with them. You will stare at the notion of building combs with honey, but it is true never-

Feeding.

theless. What they carry in on their legs is bee bread, not wax. The honey goes from their honey-bag into their stomach, and then drops out in little white plates of wax from under the scales of their abdomen or tail. I have watched it myself for half an hour coming out of a bee, who was hanging in a cluster, with his belly towards me, close to the glass. I always feed my bees for two or three days after they have swarmed, be the weather fair or foul. It saves time, and helps them to get their combs sooner made. Nothing you give your bees is thrown away; all is repaid with interest. *Not a single ounce of honey has ever been wasted by bees since the world was made.* You do not waste your honey by feeding, but only, as it were, pour it out of one pot into another, where you may find it whenever you want it, and not only so, but you find a peck where you put a quart.

Another time when feeding is needed is in the dry hot months of some summers when the flowers have no honey, but fade as soon as they blow; feeding will then always cheer your hive, saving the lives of many young bees whom their *dry* nurses cannot otherwise feed, and even save a whole hive. Sometimes I myself have seen in a dry summer thousands of bee grubs, lying before the hive, which the old bees unable to keep, have thrown out. This seems cruel, but it is in truth kindness; when thus thrown out they quickly die, whilst if kept in the hive they would linger on a long time, half starving.

Autumn feeding.

Autumn feeding should not be done later than September. Weigh the hives you wish to keep; if they are 2lbs. or 3lbs. short of 20lbs., give it them all at that time; they will lay it all up in their cells; and though feeding in the winter is better than no feeding at all, and has often saved hives, still it murders many bees who come down into the cold. It is as if you had always to go out and dig your potatoes in the frost and cold of December, instead of laying them up safe and handy.—As for food. Never press your

combs; let the honey drain from them, and so you may get clear honey, which is worth a great deal more, even from common black combs. When all has run that will, put the combs by, till the time when your bees want food in the summer; then put them before your hives; they will clear them in a very short time, and not only thank you, but repay you too. Again, I say, *nothing is wasted.* If you feed with beer and sugar, which is next best, do not put more than 1 lb. of sugar to a quart of beer; nor boil it more than five minutes; this melts the sugar; longer boiling would make it thick and unwholesome. Bee food.

Many people, who would otherwise keep bees, are afraid of their stings, and so will have nothing to say to them. There are some people, it is true, to whom a sting is really dangerous: let them have nothing to do with them. Many remedies have been given for a sting; above all, pull the sting completely out, as it is barbed like a fish-hook, and will work into the flesh. Then squeeze the poison out with the pipe of a small key, as you would a thorn, and put a little honey on the place, just to keep the air away: if this is done at first, the swelling will generally be a mere nothing. The pain only lasts two minutes: at worst, it is only a swelled eye for a day or two. But, as I have said before, prevention is better than cure. Listen to the words of an old writer, who lived two hundred years ago:—"If thou wilt have the favour of thy bees that they sting thee not, thou must avoid some things which offend them; thou must not be unchaste and uncleanly; for impurity and sluttiness (themselves being most chaste and neat) they utterly abhor; thou must not come among them smelling of sweat, or having a stinking breath, caused either through eating of leeks, onions, garlick, and the like, or by any other means, the noisomeness whereof is corrected with a cup of beer: thou must not be given to surfeiting or drunkenness; thou must not come puffing and blowing unto them, neither hastily stir among them, nor reso-

lutely defend thyself when they seem to threaten thee; but softly moving thy hand before thy face, gently put them by; and lastly, thou must be no stranger unto them. In a word, thou must be chaste, cleanly, sweet, sober, quiet, and familiar: so will they love thee, and know thee from all other." Above all, never blow on them; they will try to sting directly if you do. If they come all about you making the noise which you will soon learn to know, as a sign of anger, go quietly away, and put your head into a thick shrub, if any is near. This will brush them off. If you want to catch any of the bees, make a bold sweep at them with your hand, as though there was no such thing as a sting in the world; the bee will be so astonished, that he will not sting at first. Then hold him in your closed hand, without pressing him, and he will not sting. I have so caught three or four at a time. If you want to do any thing to a single bee, catch him "as if you loved him," between your finger and thumb, where the tail joins on to the body; he thus cannot sting you.

I have now said my say. Much good may it do you, which I am sure it will, if you give it a fair trial. Read it often; keep it safe; lend it to your neighbours who do not keep bees; talk it over with those who do; learn from the bee to work hard and waste nothing. Remember, nothing worth doing can be done without a little trouble; and, above all, help each other all you can.—So good bye to you.

GOD SAVE THE QUEEN.